
CAMP DRESSLER AND MCKEE INC ANNANDALE VA DAILY FLOW MODEL OF THE DELAWARE RIVER BASIN. APPENDICES.(U) AD-A110 113 F/6 13/2 DACW61-78-C-0127 DAEN/NAP-51850/DFM02-81/09 NL SEP 81 UNCLASSIFIED 1 -- 6 AD (1)



AD A 1 1 0 1 1



DAILY FLOW MODEL OF THE

DELAWARE RIVER BA

APPROVED FOR PUBLIC DELEASE: Dier Eutlon Unline

0122 82 046

APPENDICES



September 1981

REPORT NO: DAEN (MAP-515.50/DFM02-81/09

KEY FOR SERIES OF DOCUMENTATION

MAIN REPORT (Book 1 of 2)

VOLUME 1 - Phase I Report for Development of a Daily Flow Model of the Delaware River.

VOLUME 2 - Phase II Report for Development of a
Daily Flow Model of the Delaware River
which Incorporates Reservoir Systems
Analysis

APPENDICES (Book 2 of 2)

APPENDIX A - Natural Daily Flows Duration and Frequency Analysis for Phase I

APPENDIX B - Regulated Daily Flows Duration and Frequency Analysis for Phase I

APPENDIX C - Base Run Daily Flows Duration and Frequency Analysis For Phase II

APPENDIX D - Combination one Daily Flows Duration and

Frequency Analysis for Phase II

APPENDIX E - Combination 17 Daily Flows Duration and Frequency Analysis For Phase II

USER'S MANUAL AND DOCUMENTATION

ACKNOWLEDGEMENTS

This effort was conducted by Camp Presser and McKee (CDM) under contract to the Philadelphia District, Corps of Engineers (PDO) with direction from a committee representing two states and four agencies. The principal engineers for CDM were Robert Taylor, Thomas George and Sue Hanson-Walton. Paul Gaudini of the Corps was responsible for the conduct of the work with technical support from Dave Erickson and Vince Hill. Hembers of the committee included John McSparran and Steve Runkle of the Pennsylvania Department of Environmental Resources, William Lee and Chin Liu from the New York Deoartment of Environmental Conscruation, Robert Goodell of the Delaware River Basin Committee, and James Shearman from the U.S. Geological Survey. In addition, assistance was received throughout the study from George Mekenian and Raphael Hurvitz from New York City Department of Environmental Protection.

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION	PAGE "	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION	
DAEN/NAP-51850/DFM02-81/09	AD-A110	1/3
4. TITLE (and Substite) Daily flow model of the Delaware Ri appendices	iver Basin:	5. TYPE OF REPORT & PERIOD COVERED
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(#)
		DACW61-78-C-0127
9. PERFORMING ORGANIZATION NAME AND ADDRESS Camp Dressler & McKee Inc. Annondale, Va.		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS U.S. Army Engineer District, Philac	delphia	12. REPORT DATE Sept. 1981
2nd. & Chestnut Sts. Philadelphia, PA 19106	401 _F ***-0	13. NUMBER OF PAGES 500
14. MONITORING AGENCY NAME & ADDRESS(If differen	nt from Controlling Offic	15. SECURITY CLASS. (of this report)
		UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
APPROVED FOR PUBLIC RELEASE: DISTR.		
TA DISTRIBUTION STATEMENT (B) DIS SUSTREET STREET	m Block 24, 71 dillera	
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse elde if necessary at Delaware River Basin		nher) vare River
Stream flow		logic models
Hydraulics	Reser	voirs
20. ABSTRACT (Continue on reverse slide if necessary on		
This document contains daily flows the development of a daily flow mo reservoir system analysis. Durati presented for 44 locations.	del of the Del	aware River which incorporates
Appendix A contains data for natur developed from the natural flow mo	eal daily flows	s of a 50 year base period les the duration curves of the

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

		• ,	,	•		
egulated	flows.	Appendixes B-	-E provide	data for	a 50 year	base period of
egulated	flow in	relationship	to various	reservoi	rs within	the study area.
						- /

NOTICE

THIS DOCUMENT HAS BEEN REPRODUCED FROM THE BEST COPY FURNISHED BY THE SPONSORING AGENCY. ALTHOUGH IT IS RECOGNIZED THAT CERTAIN PORTIONS ARE ILLEGIBLE, IT IS BEING RELEASED IN THE INTEREST OF MAKING AVAILABLE AS MUCH INFORMATION AS POSSIBLE.

Daily Flow Model of the Delaware River Basin



September 1981



APPENDICES



Camp Dressier & McKee, Inc. Annondale, Va.

PREPARED FOR:

U.S. Army Corps of Engineers Philadelphia, Pa.

IN COOPERATION WITH:

Pennsylvania Department of Environmental Resources Harrisburg, Pa.

Delaware River Basin Commission West Trenton, N.J.

New York Department of Environmental Conservation Albany, N.Y.

U.S. Geological Survey Harrisburg, Pa.

FOREWORD

This document contains daily flows duration and frequency tables and plots for Phase I 2nd Phase II of the Development of a Daily Flow Hodel of the Delaware River which Incorporates Reservoir Systems Analysis. Duration tables and plots, and frequency tables are presented for 44 key locations. Frequency plots for the 7-day and 120-day periods are presented for 13 key locations.

Appendix A contains the data for the natural daily flows of a 50-year base period developed from the natural flow model as described in Chapter III of Phase I. Appendix A also contains the duration curves of the regulated flows on the same plots as the natural flows.

Appendix D contains the data for a 50-year base period of regulated flow by the New York City reservoirs as described in Chapter IV of Phase I.

Appendix C contains the data for the Phase II base run flows of a 50-year base period which are different than the Phase I natural flows as described in Chapter II of Phase II.

Appendix θ contains the data for a 50-year base period of regulated flow for Combination One (Beltxville only) described in Chapter IV of Phase II.

Appendix E contains the data for a 50-year base period of regulated flows for Combination Seventeen (all reservoirs operating) as described in Chapter IV of Phase II.

Acce:

DTIC COPY INSPECTED

APPENDIX A NATURAL DAILY FLOW DURATION AND FREQUENCY ANALYSIS

TABLE OF CONTENTS

Natural Flow Duration Table

Flow Duration Curves, Natural and Regulated

Natural Low Flow Frequency Tables

Natural Low Flow Frequency Curves

Table A-1

Figures A-1 to A-44

Tables A-2.1 to A-2.44

Figures A-45 to A-62

Table A-1 Natural Flow Duration Table (Flow in cfs)

OF CONTRACTOR CONTRACTOR			Percent	t of Time	Percent of Time Discharge was Equaled or Exceeded	as Equaled	or Exceede	P	
	-	5	25	20	70	75	06	95	66
01417000 East Branch Delaware River at Downsville, N.Y.	4,600	1,600	870	390	200	160	17	51	30
01421000 East Branch Delaware River at Fishs Eddy, N.Y.	11,000	3,700	2,000	930	500	420	200	140	11
01425000 West Branch Delaware River at Stilesville, N.Y.	5,700	1,900	066	440	230	180	98	61	35
01426500 West Branch Delaware River at Hale Eddy, N.Y.	7,400	2,400	1,300	570	290	230	110	75	44
01427405 Delaware River near Callicoon, N.Y.	21,000	7,500	3,800	1,800	1,000	820	390	270	160
01428500 Delaware River near Barryville, N.Y.	25,000	8,800	4,700	2,100	1,200	950	450	320	180
01429000 Lackawaxen River at Prompton, PA.	099	220	120	09	32	27	15	ננ	7.0
01429500 Dyberry Creek near Honesdale, PA.	780	23C	86	53	27	22	6.6	7.2	3.7
01430000 Lackawaxen River at Honesdale, PA.	1,900	009	320	150	. 82	89	34	56	16
01431500 Lackawaxen River at Hawley, PA.	3,600	1,100	260	260	130	110	55	42	24
01434000 Delaware River at Port Jervis, N.Y.	32,000	12,000	6,400	3,500	2,100	1,900	1,000	730	440

Table A-1 Natural Flow Duration Table (Cont'd) (Flow in cfs)


			Percent	Percent of Time [Discharge was	as Equaled or	or Exceeded	70	
Model Node	-	2	25	50	20	75	06	95	66
01436000 Neversink River at Neversink, N.Y.	1,700	520	290	160	6	84	46	34	50
01437000 Neversink River at Oakland, N.Y.	3,000	1,000	580	300	180	150	82	09	39
01438500 Delaware River at Montague, N.J.	37,000	14,000	8,000	4,100	2,500	2,200	1,200	640	130
01440200 Delaware River below Tocks Island Damsite, PA.	39,000	16,000	000,6	4,600	2,800	2,400	1,300	790	160
01446500 Delaware River at Belvidere, N.J.	45,000	18,000	12,000	5,500	3,300	2,800	1,600	1,200	310
01447800 Lehigh River at White Haven, PA.	3,200	1,200	750	410	250	210	120	06	61
01449800 Pohopoco Creek at Beltzville Damsite, PA.	730	300	190	110	17	62	39	27	19
Aquashicola Creek at Aquashicola Damsite, PA.	730	260	150	85	54	47	59	20	15
01450500 Aquashicola Creek at Palmerton, PA.	840	300	180	66	62	55	33	25	17
01451000 Lehigh River at Walnutport, PA.	9,700	3,800	2,300	1,300	062	089	390	300	210
01451800 Jordan Creek near Schnecksville, PA.	580	170	88	41	21	38	7.9	4.7	2.0
01451200 Jordan Creek at Allentown, PA.	840	240	120	29	31	25	11	6.5	3.7

Table A-1 Natural Flow Duration Table (Cont'd) (Flow in cfs)

			Dorront	of Time D	ischarde w	Downers of Time Discharge was Equaled or Exceeded	or Exceeded		
apox (apox	1	10	25	50	70	75	06	92	66
01453000	12,000	4,900	3.100	1,800	1,100	1,000	640	510	380
Lehigh River at Bethlehem, PA. 01454700	12,000	5,100	3,200	1,900	1,200	1,100	700	570	420
Lehigh River at Glendon, PA.	550	270	170	92	26	49	53	22	13
Musconetcong River near Hackettstown, N.J.							Ç Ç	c c	0,19
01457500 Delaware River at Riegelsville, N.J.	57,000	25,000	15,000	8,100	5,000	4,400	2,600	000,5	2
01459500 Tohickon Creek at Pipersville, PA.	1,900	320	110	38	15	12	4.1	2.4	1.1
01463500 Delaware River at Trenton, N.J.	000,09	26,000	16,000	8,500	5,200	4,600	2,700	2,000	700
01467500 Struck at Dottsville, PA	460	190	120	17	48	43	28	23	18
01467950 West Branch Schuylkill River at	340	160	100	61	41	37	25	21	16
01468500 Schuvlkill River at Landingville, PA.	1,200	480	310	180	120	110	63	90	37
01469500 Little Schuylkill River at Tamaqua, PA.	520	180	66	20	30	56	13	8.9	5.8
01470000 Little Schuylkill River at Drehersville, PA.	1,000	440	290	170	120	100	19	20	37

Table A-1 Natural Flow Duration Table (Cont'd) (Flow in cfs)


		-		-					
			Percent	of Time D	Percent of Time Discharge was Equaled or Exceeded	is Equaled	or Exceede	o	
Model Node		10	25	20	70	75	90	95	66
01470500 Schuylkill River at Berne, PA.	3,700	1,400	820	450	290	250	150	120	85
01470756 Maiden Creek at Virginville, PA.	1,500	460	240	120	99	26	32	25	16
01470960 Tulpehocken Creek at Blue Marsh Damsite, PA.	1,300	490	310	180	120	100	29	55	39
01471000 Tulpehocken Creek at Reading, PA.	1,500	280	370	210	140	120	83	99	49
01471500 Schuylkill River at Reading, PA.	8,600	3,200	1,800	950	570	200	300	230	160
01472000 Schuylkill River at Pottstown, PA.	6,800	3,800	2,300	1,300	810	720	450	360	260
01473000 Perkiomen Creek at Graterford, PA.	4,000	790	340	160	85	74	45	37	22
01474500 Schuylkill River at Philadelphia, PA.	17,000	6,100	3,500	1,900	1,100	1000	620	490	350
Delaware River below Schuylkill Confluence	77,000	36,000	22,000	12,000	7,500	009*9	4,000	3,100	2,200
Delaware River at Delaware Memorial Bridge	84,000	37,000	24,000	13,000	.8,400	7,400	4,500	3,500	2,400



下しの3

HZ

Natural and Regulated Flow Duration Curves for 01417000, East Branch Delaware River at Downsville, N.Y. PERCENT TIME EQUALED OR EXCEEDED FIGURE A-1.




下しつ3

HZ


SES

PERCENT TIME EQUALED OR EXCEEDED


Figure A-2. Natural and Regulated Flow Duration Curves for 01421000, East Branch Delaware River at Fishs Eddy, N.Y.




FERSENT TIME EQUALED OR EXCEEDED
Figure A-3. Natural and Regulated Flow Duration Curves for 01425000, West Branch Delaware River at Stilesville, N.Y.




PERCENT TIME EQUALED OR EXCEEDED
Figure A-4. Natural and Regulated Flow Duration Curves for 01426500, West Branch Delaware River at Hale Eddy, N.Y.



PERCENT TIME FOUNTED UR EXCEEDED
Figure A-5. Natural and Regulated Flow Duration Curves for 01427405, Delaware River near Callicoon, N.Y.




PERCENT TIME FOUALED OR EXCEEDED Figure A-6. Natural and Regulated Flow Duration Curves for 01428500, Delaware River near Barryville, N.Y.




PERCENT TIME EQUALED OR EXCEEDED
Figure A-7. Natural Flow Duration Curve for 01429000, Lackawaxen River at Prompton, PA.

FION HZ OFW



Natural Flow Duration Curve for 01429500, Dyberry Creek at Honesdale, PA.

Figure A-8.




下しの3


 Ω IT Ω

HZ


PERCENT TIME EQUALED OR EXCEEDED
Figure A-9. Natural Flow Duration Curve for 01430000, Lackawaxen River at Honesdale, PA.




PERCENT TIME EQUALED OR EXCEEDED
Figure A-1C Natural Flow Duration Curve for 01431500, Lackawaxen River at Hawley, PA.




PERCENT TIME EQUALED OR EXCEEDED Figure A-11 Natural and Regulated Flow Duration Curves for 01434000, Delaware River at Port Jervis, N.Y.




PERCENT TIME EQUALED OR EXCEEDED Figure A-12. Natural and Regulated Flow Duration Curves for 01436000, Neversink River at Neversink, N.Y.




PERCENT TIME EQUALED OR EXCEEDED Figure A-13. Natural and Regulated Flow Duration Curves for 01437000, Neversink River at Oakland, N.Y.




PERCENT TIME EQUALED OR EXCEEDED Figure A-14. Natural and Regulated Flow Duration Curves for 01438500, Delaware River at Montague, N.J.



Natural and Regulated Flow Duration Curves for 01440200, Delaware River Below Tocks Island Damsite, PA. PERCENT TIME EQUALED OR EXCEEDED Figure A-15.



PERCENT TIME EQUALED OR EXCEEDED Figure A-16. Natural and Regulated Flow Duration Curves for 01446500, Delaware River at Belvidere, N.J.




Natural Flow Duration Curve for 01447800, Lehigh River at White Haven, PA.

Figure A-17.

PERCENT TIME EQUALED OR EXCEEDED


SHC HZ



Natural Flow Duration Curve for 01449800, Pohopoco Creek at Beltzville Damsite, PA.


Figure A-18.

FTO3 HZ OFW



PERCENT TIME EQUALED OR EXCEEDED

Figure A-19. Natural Flow Duration Curve for Aquashicola Creek at Aquashicola Damsite, PA.



PERCENT TIME EQUALED OR EXCEEDED


Figure A-20. Natural Flow Duration Curve for 01450500, Aquashicola Creek at Palmerton, PA.

•

----- . .

HZ

CIES,





Natural Flow Duration Curve for 01451000, Lehigh River at Walnutport, PA.

PERCENT TIME EQUALED OR EXCEEDED

Figure A-21.

FTOR HZ OFW







アンロス

HZ

PERCENT TIME EQUALED OR EXCEEDED
Figure A-23. Natural Flow Duration Curve for 01451200, Jordan Creek at Allentown, PA.







下しの3

PERCENT TIME EQUALED OR EXCEEDED


Natural Flow Duration Curve for 01454700, Lehigh River at Glendon, PA. Figure A-25.



PERCENT TIME EQUALED OR EXCEEDED Figure A-26. Natural Flow Duration Curve for 01456000, Musconetcong River near Hackettstown, N.J.




PERCENT TIME EQUALED OR EXCEEDED Figure A-27. Natural and Regulated Flow Duration Curves for 01457500, Delaware River at Riegelsville, N.J.




ドコロヌ

HZ

Natural Flow Duration Curve for 01459500, Tohickon Creek at Pipersville, PA. PERCENT TIME EQUALED OR EXCEEDED Figure A-28.




PERCENT TIME EQUALED OR EXCEEDED Figure A-29. Natural and Regulated Flow Duration Curves for 01463500, Delaware River at Trenton, N.J.



PERCENT TIME EQUALED OR EXCEEDED Figure A-30. Natural Flow Duration Curve for 01467500, Schuylkill River at Pottsville, PA.


E2024 1401 0060




PERCENT TIME EQUALED OR EXCEEDED
Figure A-31. Natural Flow Duration Curve for
01467950, West Branch Schuylkill River
at Cressona, PA.

LION HZ OLO

1





PERCENT TIME EQUALED OR EXCEEDED
Figure A-32. Natural Flow Duration Curve for
01468500, Schuylkill River at Landingville, PA.




Natural Flow Duration Curve for 01469500, Little Schuylkill River at Tamaqua, PA.

Figure A-33.







PERCENT TIME EQUALED OR EXCEEDED
Figure A-35. Natural Flow Duration Curve for 01470500, Schuylkill River at Berne, PA.



PERCENT TIME EQUALED OR EXCEEDED Figure A-36. Natural Flow Duration Curve for 01470756, Maiden Creek at Virginville, PA.

アコロロ まれ ひげひ






SHS

HZ

下し口3

PERCENT TIME EQUALED OR EXCEEDED

Figure A-38. Natural Flow Duration Curve for 01471000, Tulpehocken Creek at Reading, PA.




OFS

ZOL

HZ

PERCENT TIME EQUALED OR EXCEEDED
Figure A-39. Natural Flow Duration Curve for 01471500, Schuylkill River at Reading, PA.




下し03

HZ


ひFS

PERCENT TIME EQUALED OR EXCEEDED
Figure A-40. Natural Flow Duration Curve for 01472000, Schuylkill River at Pottstown, PA.




PERCENT TIME EQUALED OR EXCEEDED
Figure A-41. Natural Flow Duration Curve for 01473000, Perkiomen Creek at Graterford, PA.

ипож ни опо



PERCENT TIME EQUALED OR EXCEEDED

Figure A-42. Natural Flow Duration Curve for 01474500, Schuylkill River at Philadelphia, PA.



PERCENT TIME EQUALED OR EXCEEDED Figure A-43. Natural and Regulated Flow Duration Curves for Delaware River Below Schuylkill Confluence

TTO3 HZ OFO




Figure A-44. Natural and Regulated Flow Duration Curves for Delaware River at Delaware Memorial Bridge PERCENT TIME EQUALED OR EXCEEDED

Table A-2.1. Natural Low Flow Frequency Table

USGS Station 01417000 East Branch Delaware River at Downsville, N.Y.

	365	345	379	435	487	555	969	847	928	1010	1070	1120
	183	249	275	319	362	420	551	708	802	910	984	1050
	120	47.3	57.2	75.7	7.96	129	222	373	484	637	757	882
For Following Number of Consecutive Days	06	31.6	37.8	49.6	63.1	84.5	148	261	351	481	591	1117
r of Conse	09	26.2	30.0	37.2	45.4	58.5	98.7	175	242	347	442	553
wing Numbe	30	21.4	23.9	. 9*82	33.8	42.1	6.99	113	153	214	270	334
For Follo	14	18.3	20.4	24.1	28.2	34.6	53.0	85.6	112	153	188	228
	7	16.9	18.6	21.8	25.4	30.9	47.1	76.2	10%	138	170	208
	e	15.8	17.5	20.6	24.0	29.1	43.4	67.7	6.38	115	139	165
	-	15.1	16.8	19.9	23.2	28.5	42.1	65.1	87.8	108	130	153
Recurrence Interval	(Years)	100.00	50.00	20.00	10.00	5.00	2.00	1.25	1.11	1.04	1.02	1.01
Probability (Percent)		-	2	ഹ	10	20	50	80	06	96	86	66

Table A-2.2. Natural Low Flow Frequency Table

USGS Station 01421000 East Branch Delaware River at Fishs Eddy, N.Y.

Probability	Recurrence Interval				For Follo	wing Numbe	r of Conse	For Following Number of Consecutive Days	s		
(Percent)	(Years)	p	က	7	14	30	09	06	120	183	365
	100.00	23.1	28.5	30.5	33.0	38.2	0.99	81.9	124	623	843
2	50.00	28.2	34.4	36.9	40.3	46.8	78.0	9.66	149	682	920
2	20.00	37.7	45.0	48.7	53.7	62.9	100	133	197	780	1040
10	10.00	48.4	56.8	61.9	68.8	81.3	126	170	250	877	1160
20	5.00	64.8	74.6	82.1	91.7	110	166	229	332	1010	1310
20	2.00	110	122	137	154	190	284	396	558	1290	1620
80	1.25	180	193	221	247	319	491	299	912	1637	1950
06	1.11	529	242	280	311	412	657	867	1170	1840	2120
96	1.04	294	304	356	393	535	868	1140	1500	2080	2310
86	1.02	343	351	415	454	631	1100	1350	09/.1	2250	2440
66	1.01	392	397	473	515	729	1320	1570	2030	2400	2550

Table A-2.3. Natural Low Flow Frequency Table (Flow in cfs)

USGS Station 01425000 West Branch Delaware River at Stilesville, N.Y.

Probability	Recurrence Interval				For Folla	For Following Number of Consecutive Days	r of Conse	ecutive Day	ý		
(Percent)	(Years)	_	ო	7	et F	30	09	06	120	183	365
	100.00	18.4	18.6	19.4	20.2	23.6	28.1	38.2	48.1	274	413
5	50.00	20.6	21.0	22.0	23.3	1.72	33.1	45.8	59.5	306	452
ഗ	20.00	24.6	25.2	26.5	28.6	33.5	42.7	60.1	81.0	359	514
10	10.00	28.9	29.7	31.4	34.4	40.6	53.5	76.3	106	411	572
50	5.00	35.2	36.4	38.7	43.0	51.5	70.7	102	144	479	648
50	2.00	52.0	54.1	58.1	65.6	82.7	122	176	254	627	803
80	1.25	77.9	81.4	88.5	7.66	136	213	302	430	795	896
06	1.11	96.8	101	ווו	124	178	286	400	556	889	1060
96	1.04	123	128	142	156	239	395	538	724	993	1150
86	1.02	143	150	166	181	290	487	652	853	1060	1210
66	1.01	165	173	192	207	346	589	773	985	1120	1270

Table A-2.4. Natural Low Flow Frequency Table

USGS Station 01426500 West Branch Delaware River at Hale Eddy, N.Y.

Probability	Recurrence Interval				For Follo	wing Numbe	ir of Conse	For Following Number of Consecutive Days	ý		
(Percent)	(Years)	~	က	7	14	30,	09	06	120	183	365
-	100.00	23.5	24.0	25.0	26.3	30.9	37.6	49.5	62.4	354	543
2	50.00	26.2	26.7	28.0	29.9	35.0	43.8	59.0	76.8	395	591
S	20.00	31.0	31.6	33.4	36.3	42.6	55.4	6.97	104	462	899
10	10.00	36.1	36.9	39.2	43.2	51.1	9.89	97.3	135	528	740
20	5.00	43.7	44.8	47.9	53.5	64.2	89.6	129	184	615	834
20	2.00	64.2	66.2	71.6	81.3	102	153	223	324	805	1030
80	1.25	8.96	101	110	125	169	268	384	548	1020	1240
06	1.11	121	126	139	157	224	364	510	712	1140	1360
96	1.04	155	163	180	200	305	509	069	932	1280	1490
86	1.02	183	193	214	235	376	635	839	1100	1370	1570
66	1.01	213	225	251	272	455	778	1000	1280	1450	1650

Table A-2.5. Natural Low Flow Frequency Table (Flow in cfs)

USGS Station 01427405 Delaware River Near Callicoon, N.Y.

Probability	Recurrence Interval	.			For Foll	owing Num	ber of Cor	For Following Number of Consecutive Days	ays		
(Percent)	(Years)	-	8	7	14	30	09	06	120	183	365
-	100.00	58.6	73.8	78.7	87.7	ווו	139	169	234	1190	1680
2	50.00	68.3	84.4	0.06	101	126	162	203	284	1310	1830
ഗ	20.00	85.9	103	110	124	153	. 206	268	376	1520	2080
10	10.00	105	124	132	150	183	255	342	481	1720	2310
20	5.00	134	155	166	189	230	331	456	642	1990	2610
20	2.00	213	237	259	294	364	555	6//	1090	2580	3230
80	1.25	337	367	409	459	597	946	1310	1810	3280	3890
06	1.11	427	462	524	581	784	1260	1700	2320	3680	4240
96	1.04	548	591	684	748	1060	1720	2240	3010	4130	4620
86	1.02	644	694	815	881	1300	2100	2660	3540	4440	4860
66	1.01	744	803	926	1020	1560	2530	3110	4090	4730	5080

Table A-2.6. Natural Low Flow Frequency Table (Flow in cfs)

USGS Station 01428500 Delaware River Near Barryville, N.Y.

For Following Number of Consecutive Days	7 14 30 60 90 120 183 365	100* 115* 139 166 196 273 1380 1960		1770	150* 177 220 301 397 558 2000 2700	190 221 272 391 530 745 2320 3060	3020	498 530 690 1110 1530 2110 3860 4560	4340	739 876 1230 2020 2640 3560 4900 5440	850* 1040 1520 2480 3150 4220 5280 5730		•
owing Number	30							ř	·				
For Foll	14	115*	130*	149	177	221	339	530	674	876	1040	1220) -
	7	100*	110*	130*	150*	190	320	498	609	739	850*	1010*	
	۳ ا	90.6	102	123	145	179	280*	450*	550*	682	808	943	
ı	-	65.0*	79.0* 102	100 *	120*	150*	264	425	517	615	9/9	¥86 <i>L</i>	
יוורבואסו	(Years)	100.00	50.00	20.00	10.00	5.00	2.00	1.25	וויו	1.04	1.02	1.01	
(Percent)		-	2	Ŋ	10	20	20	80	06	96	86	66	

*Recalculated

Table A-2.7. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01429000
Lackawaxen River at Prompton, PA.

Probability	Recurrence Interval				For Follo	wing Numbe	For Following Number of Consecutive Days	cutive Day	S		
(Percent)	(Years)	_	ю	7	14	30	09	06	120	183	365
	100.00	3.92	4.25	4.76	5.26	5.82	6.34	7.68	9.56	40.4	50.5
2	50.00	4.30	4.30 4.62	5.14	5.68	6.31	7.07	8.75	11.2	43.6	55.0
S	20.00	4.96	4.96 5.27	5.81	6.43	7.20	8.41	10.7	14.1	48.8	62.2
10	10.00	5.65	5.95	6.52	7.24	8.17	9.88	12.8	17.3	54.1	69.1
20	5.00	6.64	6.95	7.58	8.43	99.6	12.1	16.1	22.1	61.4	78.3
50	2.00	9.15	9:26	10.4	11.6	13.9	18.6	25.5	34.9	78.4	98.1
80	1.25	12.8	13.6	14.9	16.8	21.3	29.8	41.6	54.4	101	121
06	1.11	15.4	16.5	18.3	20.7	27.2	38.7	54.3	68.3	115	134
96	1.04	18.8	20.5	23.1	26.3	36.1	52.0	72.8	86.7	134	149
86	1.02	21.5	23.7	27.1	30.9	43.9	63.4	88.5	101	147	160
66	1.01	24.3	27.2	31.4	35.9	52.7	76.2	106	116	160	169

Table A-2.8. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01429500
Dyberry Creek Near Honesdale, PA.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	r of Conse	cutive Day	v		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
1	100.00	1.67	1.91	2.40	2.80	3.24	3.63	4.89	6.74	37.1	46.8
2	50.00	1.95	2.18	2.68	3.09	3.58	4.17	5.64	8.01	40.4	51.6
S.	20.00	2.46	2.67	3.17	3.60	4.21	5.18	7.06	10.4	45.9	59.3
10	10.00	3.00	3.20	3.71	4.18	4.93	6.33	8.71	13.1	51.4	8.99
20	5.00	3.80	3.98	4.52	5.06	90.9	8.16	11.4	17.3	59.0	76.8
20	2.00	5.86	90.9	92.9	7.61	9.49	13.7	20.02	29.5	77.0	98.2
80	1.25	8.81	9.28	10.5	12.1	16.0	24.3	37.1	50.4	101	123
06	1.11	10.8	11.6	13.3	15.8	21.7	33.3	52.7	8.99	116	137
96	1.04	13.3	14.8	17.4	21.8	30.8	47.5	78.0	0.06	135	152
86	1.02	15.2	17.3	20.8	26.3	39.1	60.1	102	109	148	163
66	1.01	17.1	19.9	24.5	31.8	48.9	74.8	130	130	162	172

Table A-2.9. Natural Low Flow Frequency Table (Flow in cfs)

	PA.
01430000	Honesdale,
Station	River at
USGS	Lackawaxen

Probability	Recurrence				For Follo	For Following Number of Consecutive Days	er of Conse	ecutive Day	S		
(Percent)	(Years)	_	m	7	14	30	09	06	120	183	365
-	100.00	7.69	8.61	9.02	9.53	1.11	12.5	16.5	21.8	105	130
- ^	20.02	8.64	9.54	10.1	10.6	12.5	14.4	19.2	26.0	114	143
י נר	20.00	10.3	11.2	11.9	12.9	15.0	18.0	24.2	33.5	129	163
› 01	10.00	12.1	12.9	13.9	15.2	17.71	22.1	29.8	45.0	143	183
2 6	5.00	14.6	15.5	16.8	18.6	22.0	28.4	38.7	54.8	164	500
20 20	2.00	21.2	22.3	24.6	27.7	33.7	46.6	64.6	90.2	211	264
2 08	1.25	31.0	33.0	36.8	41.6	53.4	78.3	110	146	272	327
06	1.11	37.8	40.8	45.9	51.7	68.8	104	148	186	310	362
96	1.04	46.9	51.6	58.5	65.5	90.9	141	202	240	357	402
86	1.02	53.9	60.4	68.6	76.5	109	172	249	282	392	428
66	1.01	61.2	69.7	79.5	88.0	130	207	301	326	425	452

Table A-2.10. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01431500
Lackawaxen River at Hawley, PA.

Probability	Recurrence Interval				For Fol	For Following Number of Consecutive Dave	er of Cons	secutive Da	0		
(Percent)	(Years)	_	ო	7	14	30	09	06	120	183	365
	100.00	9.31	14.0	15.1	16.5	19.1	20.2	27.0	35.7	178	220
2	90.00	11.1	15.4	16.7	18.4	21.3	23.5	31.4	42.3	193	243
5	20.00	14.2	18.0	19.6	21.7	25.3	29.6	39.7	54.7	220	281
10	10.00	17.6	20.8	22.7	25.3	29.7	36.6	49.1	68.6	246	318
20	5.00	22.6	25.0	27.4	30.7	36.5	47.5	64.0	90.1	282	367
20	2.00	35.4	36.7	40.4	45.5	56.0	79.5	109	151	368	471
08	1.25	53.6	55.8	62.0	2.69	90.2	136	190	253	480	586
06	1.11	65.7	70.7	78.8	88.3	118	182	258	330	553	655
96	1.04	80.6	92.0	103	115	160	251	361	439	643	729
86	1.02	91.6	110	123	137	196	309	450	526	709	777
66	1.01	102	129	146	161	236	374	551	620	775	821

Table A-2.11. Natural Low Flow Frequency Table

USGS Station 01434000 Delaware River at Port Jervis, N.Y.

Probability	Recurrence Interval				For Fol	lowing Num	ber of Cor	For Following Number of Consecutive Days	avs		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	79.2*	205	287	322	377	426	499	648	2220	2790
2	50.00	100*	235	318	360	418	486	577	749	2410	3050
ĸ	20.00	139	287	372	425	489	. 592	716	930	2740	3480
10	10.00	213	342	430	495	299	708	898	1130	3060	3890
20	5.00	327	422	514	262	683	882	1100	1420	3490	4410
20	2.00	211	619	738	854	1000	1350	1700	2200	4460	2500
80	1.25	777	893	1080	1240	1520	2080	2640	3380	2650	0299
06	1.11	839	1070	1340	1510	1920	2630	3320	4230	6380	7310
96	1.04	875	1300	1680	1870	2480	3370	4240	5360	7230	7990
86	1.02	888	1460	1960	2150	2950	3960	4960	6240	7830	8430
66	1.01	894	1630	2260	2440	3460	4590	5710	7150	8410	8820

*Recalculated

Table A-2.12. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01436000
Neversink River at Neversink, N.Y.

Probability	Recurrence Interval				For Folla	owing Numb	er of Cons	For Following Number of Consecutive Days	SÁ		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
-	100.00	3.71	4.77	5.23	5.59	12.7	18.6	23.0	27.8	011	144
2	50.00	5.39	5.39 6.48	7.03	7.62	14.7	1.12	26.4	33.0	117	152
Ŋ	20.00	8.89	8.89 9.86	10.6	11.7	18.3	25.8	32.8	42.4	129	166
10	10.00	13.1	13.1 13.8	14.6	16.4	22.3	30.8	39.7	52.5	141	180
20	5.00	19.4	19.6	20.8	23.6	28.3	38.6	50.2	67.5	158	199
20	2.00	33.7	33.8	36.2	41.1	45.0	60.3	79.0	107	198	241
80	1.25	46.7	49.3	54.2	6.09	71.8	9.96	126	163	252	295
06	1.11	51.5	56.8	63.5	9.07	91.8	125	160	202	287	328
96	1.04	54.9	63.7	72.7	79.7	120	165	509	250	332	369
28	1.02	56.3	67.4	77.9	84.7	142	199	248	586	365	398
66	1.01	57.1	70.2	82.1	88.5	166	236	290	321	398	427

Table A-2.13. Natural Low Flow Frequency Table

(Flow in cfs)
USGS Station 01437000
Neversink River at Oakland Valley, N.Y.

Probability	Recurrence Interval				For Folle	wing Numbe	er of Consi	For Following Number of Consecutive Days	s/		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	16.5	19.4	22.7	25.3	31.1	34.6	40.6	54.2	207	259
2	50.00	18.8	21.5	24.8	27.8	33.7	38.6	46.5	62.6	219	276
ഗ	20.00	22.8	25.4	28.7	32.2	38.4	46.0	57.3	77.8	241	304
10	10.00	27.1	29.5	32.9	37.0	43.8	54.4	69.3	94.6	264	332
20	5.00	33.5	35.8	39.4	44.4	52.2	67.4	87.7	120	295	370
20	2.00	50.3	52.9	57.7	65.1	77.3	901	140	190	375	458
80	1.25	76.0	80.9	89.1	101	124	178	230	301	488	572
06	1.11	94.6	102	114	129	163	239	301	385	999	646
96	1.04	120	133	152	171	226	334	404	501	699	736
86	1.02	139	158	184	207	282	418	490	594	749	803
66	1.01	160	186	220	247	348	517	586	694	832	869

Table A-2.14. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01438500
Delaware River at Montague, N.J.

Probability	Recurrence Interval	a,			For Fo	For Following Number of Consecutive Dave	nber of Co	nsecutive	O A CO		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
	100.00	195	255	342	375	438	478	557	733	2590	3190
2	50.00	227	293	379	421	487	550	650	854	2820	3510
S	20.00	285	358	445	501	573	. 678	817	1070	3200	407 >
10	10.00	346	427	516	585	299	818	1000	1310	3570	4500
20	5.00	434	525	619	708	807	1030	1270	1660	4070	5130
50	2.00	650	167	893	1020	1190	1590	2010	2590	5210	6420
80	1.25	943	1100	1320	1490	1810	2470	3140	4000	0199	7870
06	1.11	1130	1310	1630	1810	2290	3120	3950	5010	7460	8570
96	1.04	1360	1580	2050	2240	2960	4000	5030	6330	8470	9380
86	1.02	1520	1770	2390	2580	3520	4700	5880	7360	9180	0066
66	1.01	1680	1960	2760	2920	4130	5430	6750	8410	0986	10400

Table A-2.15. Natural Low Flow Frequency Table

(Flow in cfs)
USGS Station 01440200
Delaware River Below Tocks Island Damsite, PA.

Recurrence Interval	,	ę	For Follo	wing Numbe	ir of Conse	For Following Number of Consecutive Days		Ç	
3	ا ہے	7	14	30	09	06	120	183	365
235 288	88	394	427	494	526	909	908	2790	3460
276 334	34	436	477	547	604	708	941	3050	3810
347 414	14	511	995	641	746	968	1180	3480	4380
420 496	96	591	099	743	006	1100	1450	3900	4960
525 612	12	707	800	968	1130	1410	1840	4470	9610
772 890	06	1010	1150	1320	1760	2240	2890	5740	2007
1090 1250	20	1470	1670	2020	2770	3530	4480	7290	8600
1280 1470	20	1810	2030	2550	3510	4450	5610	8220	9430
1410 1730	30	2260	2520	3320	4530	2690	7090	9310	10300
1650 1910	10	2690	2900	3960	5340	0999	8240	10100	10900
1790 2080	080	3000	3290	4660	6210	7660	9410	10800	11400

Table A-2.16. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01446500
Delaware River at Belvidere, N.J.

Probability	Recurrence Interval	ω.			For Fo	llowing Nu	mber of Co	For Following Number of Consecutive Days	Days		
(Percent)	(Years)	-	m	7	14	30	09	06	120	183	365
~	100.00	288	337	453	492	569	269	683	924	3150	3930
2	90.09	339	395	207	553	630	689	804	1080	3460	4350
S	20.00	428	496	909	259	740	854	1020	1370	3980	5020
10	10.00	522	109	669	892	860	1040	1270	1680	4480	2660
20	5.00	654	748	841	929	1040	1310	1630	2150	5160	6490
50	2.00	973	1100	1210	1350	1550	2070	2630	3400	0699	8230
80	1.25	1380	1530	1740	1970	2390	3300	4170	5300	8540	10100
06	1.11	1630	1780	2110	2400	3050	4220	5280	0999	9640	11100
96	1.04	1920	2070	2590	2990	4000	5510	0929	8440	10900	12100
86	1.02	2110	2270	2970	3440	4800	6550	7920	9320	11800	12800
66	1.01	2300	2450	3350	3920	2690	7660	9110	11200	12700	13400

I

Table A-2.17. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01447800
Lehigh River at White Haven, PA.

² robability	Recurrence Interval				For Foll	For Following Number of Consecutive Dave	ir of Cone	ven eviting	ı		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
-	100.00	12.2	31.7	40.0	41.2	41.3	50.2	62.7	86.6	223	301
2	50.00	18.2	36.5	43.9	45.7	47.7	57.4	72.2	98.9	245	329
ĸ	20.00	30.4	44.5	50.5	53.4	58.6	70.3	89.3	121	281	374
10	10.00	44.1	52.5	57.3	61.4	70.0	84.4	108	144	317	418
50	5.00	62.3	63.1	66.7	72.6	85.9	105	135	179	365	474
20	2.00	91.3	86.0	89.3	6.66	124	162	210	172	477	592
80	1.25	103	111	120	138	172	251	326	411	618	723
06	1.11	104*	124	140	163	202	317	410	511	705	795
96	1.04	105	138	165	194	238	406	524	647	808	874
86	1.02	106*	147	184	218	263	478	615	753	884	956
66	1.01	107*	155	203	241	586	554	709	863	955	974

Table A-2.18. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01449800
Pohopoco Creek at Beltzville Damsite, PA.

Probability	Recurrence Interval				For Foll	owing Numbo	er of Cons	For Following Number of Consecutive Days	ņ		
(Percent)	(Years)	-	က	7	14	30	09	90	120	183	365
_	100.00	2.67	11	13.1	14.1	14.3	17.4	18.8	23.3	53.5	72.4
2	50.00	7.64	12.8	14.6	15.8	16.4	19.4	21.5	56.9	59.4	79.5
S	20.00	11.3	15.6	17.3	18.6	20.0	23.0	26.4	33.4	69.2	6.06
10	10.00	15.3	18.5	20.0	21.4	23.7	56.9	31.7	40.3	78.8	102
20	5.00	20.8	22.3	23.6	25.3	28.7	32.6	39.5	50.4	91.9	117
20	2.00	31.3	30.5	32.0	34.2	29.9	47.9	60.4	76.2	121	148
80	1.25	39.0	39.8	42.3	45.3	53.1	71.9	92.7	113	156	185
06	1.11	41.3	44.8	48.5	52.2	2.09	89.7	911	139	177	506
96	1.04	42.8	50.2	55.7	60.2	69.1	114	148	171	200	229
86	1.02	43.3	53.6	60.7	6.39	74.7	134	173	195	217	245
66	1.01	43.6	56.7	65.5	71.3	8.62	155	199	219	232	260

Table A-2.19. Natural Low Flow Frequency Table (Flow in cfs)
Aquashicola Creek at Aquashicola Damsite, PA.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	er of Cons	ecutive Da	ys		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
~-	100.00	6.93	7.74	8.33	8.92	9.57	11.4	12.9	16.2	38.9	54.4
2	50.00	7.99	8.85	9:56	10.2	11.1	13.1	15.2	19.0	44.0	61.2
2	20.00	9.82	10.7	11.7	12.5	13.8	16.2	19.2	24.1	52.5	72.2
10	10.00	11.7	12.6	13.8	14.7	16.5	19.5	23.6	29.7	61.0	82.8
20	5.00	14.3	15.3	16.7	17.9	20.4	24.4	30.3	37.9	72.5	9.96
20	2.00	20.4	21.3	23.4	25.1	29.6	37.2	47.9	59.6	98.0	126
80	1.25	27.9	28.8	31.5	34.1	41.1	56.2	74.4	92.1	128	156
06	1.11	32.4	33.2	36.3	39.4	48.1	69.5	93.1	115	145	173
96	1.04	37.6	38.3	41.6	45.5	56.3	87.0	118	144	164	189
86	1.02	41.2	41.7	45.3	49.7	6.19	100	136	166	177	200
66	1.01	44.5	44.9	48.6	53.6	67.1	114	155	189	188	509

Table A-2.20. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01450500
Aquashicola Creek at Palmerton, PA.

Probability	Recurrence Interval				For Foll	owing Numb	er of Cons	For Following Number of Consecutive Days	స		
(Percent)	(Years)	-	က	7	14	30	09	06	120	183	365
	100.00	8.22	9.15	98.6	10.5	11.2	13.3	15.0	18.9	45.2	63.3
2	50.00	9.45	10.4	11.3	12.0	13.0	15.3	17.6	22.2	51.2	71.2
2	20.00	11.6	12.6	13.7	14.6	16.1	18.9	22.4	28.1	61.1	84.0
10	10.00	13.7	14.8	16.1	17.2	19.3	22.7	27.5	34.5	71.0	96.3
20	5.00	16.7	17.8	19.4	20.8	23.7	28.4	35.2	44.0	84.3	112
20	2.00	23.7	24.8	27.1	1.62	34.3	43.2	55.6	69.3	114	146
80	1.25	32.4	33.4	36.5	39.5	47.8	65.3	86.5	107	149	182
06	1.11	37.6	38.6	42.1	45.8	26.0	80.9	108	133	168	201
96	1.04	43.6	44.6	48.5	53.1	65.5	101	137	167	191	220
86	1.02	47.8	48.7	52.9	58.1	72.2	1117	159	193	205	233
66	1.01	51.6	52.5	56.9	65.9	78.4	133	181	220	219	244

Table A-2.21. Natural Low Flow Frequency Table (Flow in cfs)

USGS Station 01451000 Lehigh River at Walnutport, PA.

Probability	Recurrence Interval	a.			For Fo	Nowing Num	lber of Col	For Following Number of Consecutive Days	3 V S		
(Percent)	(Years)		en :	7	14	30	09	06	120	183	365
-	100.00	129	133	145	156	165	186	208	268	654	816
2	50.00	139	. 144	157	170	183	208	237	305	717	606
S	20.00	157	163	771	193	213	247	290	371	823	1060
10	10.00	174	183	198	217	245	289	348	442	931	1210
50	5.00	200	210	228	250	291	354	435	550	1080	1400
20	2.00	263	277	304	335	407	531	9/9	848	1430	1820
80	1.25	354	371	413	457	572	822	1070	1330	1900	2290
06	1.11	417	435	488	541	687	1050	1360	1700	2210	2550
96	1.04	499	518	588	652	836	1370	1780	2220	2580	2840
86	1.02	563	581	999	737	950	1630	2110	2650	2860	3030
66	1.01	629	646	746	826	1070	1920	2480	3110	3130	3200

Table A-2.22. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01451800
Jordan Creek Near Schnecksville, PA.

Probability	Recurrence Interval				For Folle	For Following Number of Consecutive Days	ir of Conse	ecutive Day	Ş		
(Percent)	(Years)	*_	3*	*	14*	30	09	06	120	183	365
_	100.00	0.30	0.31	0.44	0.56	0.72	1.12	1.45	2.58	11.9	27.6
2	50.00	0.51	0.58	0.72	0.85	1.03	1.60	2.15	3.60	14.9	31.5
S	20.00	1.08	1.16	1.43	1.62	1.71	2.64	3.70	5.79	20.3	38.1
10	10.00	1.68	1.82	2.20	2.40	2.58	4.00	5.78	8.57	26.1	44.7
20	5.00	2.41	5.69	3.05	3.27	4.06	6.37	9.44	13.3	34.5	53.6
20	2.00	4.40	5.20	5.80	7.26	8.60	13.9	21.0	27.9	53.8	73.5
80	1.25	7.50	8.05	9.40	11.6	15.6	26.2	39.4	51.4	75.9	96.5
06	1.11	9.25	9.70	11.8	13.5	20.2	34.8	51.4	67.5	87.5	110
96	1.04	11.0	11.5	15.0	22.0	25.6	45.4	65.4	87.2	99.3	124
86	1.02	12.1	12.5	17.0	25.1	29.3	52.8	74.7	101	106	134
66	1.01	13.2	13.9	19.0	25.4	32.6	59.9	83.1	114	112	142

*Calculated from adjusted probabilities

Table A-2.23. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01452000
Jordan Creek at Allentown, PA.

ī ī.

For Following Number of Consecutive Days 14* 30 60 90 120 183 365	1.70 2.14 3.73 17.0 39.5	2.40 3.14 5.20 21.3 45.1	3.90 5.37 8.32 29.0 54.5	5.83 8.32 12.3 37.4 63.9	9.17 13.5 19.1 49.3 76.6	19.7 29.9 39.8 76.9 105	37.4 56.2 73.4 108 138	49.8 73.8 96.4 125 157	65.3 93.8 125 142 177	76.5 108 145 152 191	87.3 120 164 160 203
For Following l⊄ 30	0.99	1.46 1.58	2.49 2.55	3.60 3.80	4.87 5.90	10.9 12.3	16.5 22.3	18.3 28.9	28.0 36.8	34.0 42.3	35.0 47.3
3*	0.58 0.85	0.97 1.35	1.99 2.40	2.90 3.45	4.10 4.60	7.15 8.00	11.1 13.1	13.8 16.8	17.0 21.8	19.0 25.5	21.0 28.5
Recurrence Interval (Years) 1*	100.00	50.00 0.62	20.00 1.48	10.00 2.30	5.00 3.60	2.00 6.60	1.25 10.8	1.11 13.2	1.04 15.7	1.02 17.1	1.01 18.2
Rec Probability In (Percent) (Y	1 100	2 5(5 2(10 10	20	20 2	80	90	96	. 86	66

^{*}Calculated from adjusted probabilities

Table A-2.24. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01453000
Lehigh River at Bethlehem, PA.

Probability	Recurrence Interval	Φ			For Fo	llowing Nu⊓	ber of Co	For Following Number of Consecutive Days	ays		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	231	276	291	300	309	327	351	431	905	1140
7	50.00	251	292	308	321	336	360	394	482	987	1160
ഹ	20.00	284	319	339	357	383	420	471	573	1120	1440
10	10.00	318	347	370	394	430	483	553	672	1260	1610
20	5.00	365	387	415	445	498	277	675	819	1460	1850
50	2.00	479	490	530	574	663	827	1010	1220	1920	2380
8)	1.25	634	643	869	757	968	1220	1530	1860	2550	3010
06	1.11	737	753	816	884	1050	1510	1930	2340	2960	3380
96	1.04	898	006	975	1050	1260	1920	2470	3020	3470	3820
86	1.02	996	1020	1100	1180	1410	2250	2920	3570	3850	4410
66	1.01	1070	1140	1230	1310	1570	2600	3390	4160	4230	4400

Table A-2.25. Natural Low Flow Frequency Table
(Flow in cfs)

01454700 Glendon, PA.	
USGS Station Lehigh River at	

	120 183 365	472 964 1220	526 1050 1340	623 1190 1520	727 1340 1700	882 1540 1940	1300 2030 2490	1980 2690 3160	2490 3130 3560	3200 3680 4030	3790 4090 4350	4420 4500 4670
For Following Number of Consecutive Days	06	388	434	515	602	732	1080	1640	2050 2	2630 3	3100 3	3610 4
g Number of C	30 60	3 362	3 398	3 461	3 529	7 629	5 895	1310	1520	2040) 2390	3 2760
For Followin	14 3	334 343	357 373	396 423	436 473	493 547	633 725	832 972	968 1140	1150 1350	1280 1520	1420 1680
	7	323	342	375	410	460	585	692	899	1070	1210	1350
	8	308	325	354	384	428	541	712	836	1000	1140	1280
Recurrence Interval	(Years)	100.00	50.00 291	20.00 324	10.00 358	5.00 407	2.00 528	1.25 702	1.11 322	1.04 980	1.02 1100	1.01 1230
Probability (Parcer)		<u>-</u>	2	ſſ	10	20	50	80	06	96	86	66

Natural Low Flow Frequency Table USGS Station 01456000 Musconetcong River Near Hackettstown, N.J. (Flow in cfs) Table A-2.26.

•	Recurrence Interval				For Follo	owing Numbe	er of Cons	For Following Number of Consecutive Days	s/		
•	(Years)	-	က	7	14	30	09	06	120	183	365
	100.00	5.39	6.16	7.42	7.86	8.82	10.1	11.0	12.7	31.2	44.5
٠,	50.00	6.35	7.16	8.44	9.02	10.22	11.8	13.0	15.3	35.9	51.3
14.7	20.00	8.06	8.92	10.2	11.11	12.7	14.8	16.8	20.2	44.1	62.8
C	10.00	9.89	10.8	12.1	13.2	15.3	18.2	21.0	25.6	52.6	74.3
C)	5.00	12.6	13.5	14.9	16.4	19.2	23.2	27.4	34.0	64.4	89.8
S 2	2.00	19.4	20.5	22.2	24.5	29.5	37.0	45.2	56.7	92.5	124
60	1.25	29.1	30.3	32.9	36.3	43.8	58.9	73.8	91.7	128	162
06	1.11	35.5	36.8	40.4	44.4	53.8	75.1	94.8	116	150	183
96	1.04	43.4	45.1	50.3	54.9	2.99	97.1	124	149	176	205
86	1.02	49.3	51.2	57.9	62.8	76.5	115	146	173	193	220
66	1.01	55.0	57.2	65.7	70.9	86.3	133	170	198	210	233

Table A-2.27. Natural Low Flow Frequency Table

(Flow in cfs)

USGS Station 01457500 Delaware River at Riegelsville, N.J.

Probability	Recurrence Interval	Q.			For Follo	wing Numb	er of Cons	For Following Number of Consecutive Days	S ^		
(Percent)	(Years)	-	က	7	14	30	09	06	120	183	365
~	100.00	300*	454	*009	*069	×062	*088	1100*	1500*	4480	5630
2	50.00	360*	579	780*	*088	*086	1100*	1300*	1750*	4920	6200
2	20.00	602	908	1020*	1110*	1160*	1360*	1700*	2200*	2660	7130
10	10.00	206	1040	1180*	1290*	1400*	1700*	2150*	2730*	6380	8010
20	5.00	1220*	1300*	1450*	1590*	1680*	2270	2680*	3400*	7360	9160
20	2.00	*00/1	1800∗	2090	2270	2590	3360	4150	5210	9530	11600
80	1.25	2220*	2550*	2880	3180	3800	5140	6400	7910	12200	14200
06	1.11	2520	2980	3470	3850	4740	6500	8080	9850	13700	15600
96	1.04	2540	3210	4100*	4773	0019	8400	10400	12500	15600	17200
86	1.02	2550	3330	4700*	5510	7250	10000*	12300	14500	16800	18200
66	1.01	2560*	3410	5300*	6310	8530	11700*	14300	16700	18000	19100

Table A-2.28. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01459500
Tohickon Creek at Pipersville, PA.

Probability	Recurrence Interval				For Follo	wing Numbe	r of Conse	For Following Number of Consecutive Days	s,		
(Percent)	(Years)	*	3*	7	14	30	09	06	120	183	365
_	100.00	0.08	0.27	0.572	0.639	0.709	06.0	1.25	2.06	14.1	50.3
2	50.00	0.10	0.40	0.659	0.741	0.877	1.20	1.72	3.00	18.5	57.6
2	20.00	0.27	0.64	0.826	0.938	1.21	1.83	2.78	5.12	27.1	70.3
10	10.00	0.62	0.84	1.02	1.18	1.62	2.67	4.25	8.06	37.1	83.2
20	5.00	0.95	1.15	1.35	1.58	2.33	4.22	7.06	13.6	52.5	101
20	2.00	1.74	2.05	2.40	2.94	4.74	10.1	18.4	33.8	93.0	143
80	1.25	3.15	3.65	4.61	5.99	9.90	24.1	47.2	75.5	147	195
06	1.11	4.45	5.00	6.68	9.01	14.7	38.0	9.92	110	179	226
96	1.04	6.40	7.25	10.2	14.3	22.6	61.7	128	191	214	292
86	1.02	9.20	9.30	13.5	19.6	59.9	84.2	177	201	237	287
66	1.01	9.80	11.0	17.6	26.3	38.7	112	238	244	257	310

^{*}Calculated from adjusted probabilities

Table A-2.29. Natural Low Flow frequency Table (Flow in cfs)
USGS Station 01463500
Delaware River at Trenton, N.J.

Probability	Recurrence Interval	٥.			For Fo	llowing Nu	mber of Co	For Following Number of Consecutive Days	Days		
Percent)	(Years)	~	က	7	14	30	09	06	120	183	365
	100.00	703	96/	907	985	1090	1160	1290	1640	4490	5720
	50.00	794	883	666	1080	1190	1310	1490	1890	4970	6330
	20.00	950	1050	1160	1250	1380	. 1580	1840	2340	2760	7330
	10.00	0111	1210	1320	1430	1580	1870	2220	2820	6540	8280
	5.00	1330	1430	1550	1680	1880	2310	2790	3540	7590	9510
	2.00	1860	1960	2140	2330	2680	3490	4330	5440	9930	12100
	1.25	2530	2670	2960	3290	3960	5350	6730	8330	12700	14900
	1.11	2950	3120	3530	3970	4920	6740	8490	10400	14400	16400
	1.04	3460	3680	4270	4870	6280	8650	10900	13300	16300	18000
	1.02	3820	4080	4840	5590	7400	10200	12700	15300	17600	19000
	1.01	4160	4480	5420	6330	8600	11800	14700	17500	18900	19900

Table A-2.30. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01467500
Schuylkill River at Pottsville, PA.

Probability	Recurrence Interval				For Follo	owing Numbe	r of Conse	For Following Number of Consecutive Days	γν		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	9.97	10.8	11.9	12.8	14.5	15.5	17.1	18.7	35.6	47.6
2	50.00	10.8	11.7	12.8	13.7	15.5	16.9	19.1	21.2	39.2	51.8
2	20.00	12.2	13.2	14.3	15.2	17.3	19.4	22.2	25.4	45.3	58.7
10	10.00		14.7	15.9	16.8	19.1	21.9	25.6	29.9	51.3	65.4
50	5.00	15.7	16.8	18.0	19.0	21.8	25.6	30.5	36.2	59.4	74.4
20	2.00	20.4	21.6	23.3	24.7	28.4	35.0	42.8	52.1	77.9	94.1
80	1.25	26.6	28.1	30.6	32.9	38.2	49.0	8.09	74.7	101	118
06	1.1	30.6	32.4	35.5	38.7	45.1	59.1	73.3	8.63	115	132
96	1.04	35.6	37.6	41.8	46.3	54.3	72.5	89.7	109	131	148
86	1.02	39.4	41.5	46.6	52.2	61.5	83.1	102	124	142	159
66	1.01	43.1	45.4	51.6	58.4	0.69	94.3	115	139	153	169

Table A-2.31. Natural Low Flow Frequency Table (Flow in cfs)
USSS Station 01457950
West Branch Schuylkill River at Cressona, PA.

Probability	Recurrence Interval				For Foll	owing Numbe	er of Conse	For Following Number of Consecutive Days	S		
(Percent)	(Years)	_	3	7	14	30	09	06	120	183	365
_	100.00	8.52	9.55	10.8	11.11	12.1	13.8	14.9	17.6	28.1	38.0
2	50.00	9.56	10.6	11.7	12.1	13.2	15.1	16.6	19.6	31.6	42.2
2	20.00	11.2	12.2	13.3	13.8	15.1	17.4	19.5	23.0	37.3	48.9
10	10.00	12.9	13.8	14.8	15.5	17.0	19.8	22.5	56.6	42.9	55.2
20	5.00	15.1	15.9	16.9	17.8	19.6	23.2	26.9	31.7	50.3	63.4
20	2.00	19.7	20.3	21.5	22.9	25.9	31.4	37.7	44.3	66.2	80.0
80	1.25	24.8	25.3	27.0	29.1	34.3	42.8	52.8	62.3	84.0	97.4
06	1.11	27.6	28.0	30.4	32.8	39.7	50.5	63.0	74.5	93.9	901
96	1.04	30.6	31.0	34.3	37.2	46.5	60.3	76.1	90.2	105	116
86	1.02	32.5	33.0	37.0	40.3	51.5	2.79	86.0	102	112	122
66	1.01	34.2	34.8	39.6	43.2	56.5	75.2	0.96	114	118	127

Table A-2.32. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01468500
Schuylkill River at Landingville, PA.

Probability	Recurrence Interval				For Folla	owing Numbe	er of Conse	For Following Number of Consecutive Days			
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	18.5	19.9	20.7	22.3	26.2	30.7	35.1	41.5	87.9	126
2	50.00	20.5	21.9	22.9	24.7	29.0	34.2	39.7	47.4	97.1	136
2	20.00	23.9	25.5	8.92	28.9	34.0	40.5	48.0	57.8	112	152
10	10.00	27.5	29.1	30.8	33.3	39.2	47.2	56.8	6.89	128	167
20	5.00	32.6	34.3	36.6	39.6	46.7	57.1	8.69	85.1	148	188
20	2.00	45.3	47.4	51.2	55.6	66.2	83.3	104	127	196	235
80	1.25	63.2	0.99	72.2	79.2	95.3	124	155	189	255	294
06	1.11	75.4	78.7	86.8	92.6	116	153	192	232	291	330
96	1.04	91.2	95.2	106	117	144	194	241	588	334	372
86	1.02	103	108	120	134	165	227	280	332	364	403
66	1.01	115	121	136	152	188	261	320	376	393	432

Table A-2.33. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01469500
Little Schuylkill River at Tamaqua, PA.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	er of Conse	cutive Day	v		
(Percent)	(Years)		3	7	14	30	09	06	120	183	365
_	100.00	2.51	2.70	3.01	3.39	4.11	4.55	5.29	7.01	23.4	34.6
2	50.00	2.88	3.09	3.42	3.83	4.65	5.32	6.35	8.42	26.2	38.2
2	20.00	3.53	3.78	4.18	4.63	5.65	6.74	8.35	11.1	31.1	44.3
10	10.00	4.25	4.53	5.00	5.50	6.75	8.36	10.6	14.1	36.1	50.5
20	5.00	5.32	5.66	6.22	6.83	8.45	10.9	14.3	18.9	43.2	58.9
90	2.00	8.23	8.69	9:56	10.5	13.3	18.2	24.9	32.8	60.5	78.4
80	1.25	12.8	13.4	14.9	16.6	21.7	31.1	43.5	56.8	84.2	103
06	1.11	16.2	16.9	18.8	21.3	28.4	41.3	58.2	75.5	7.66	119
96	1.04	20.9	21.7	24.3	28.1	38.2	56.3	79.4	102	119	137
86	1.02	24.6	25.5	28.7	33.6	46.6	0.69	6.96	124	134	150
66	1.01	28.6	29.6	33.4	39.7	55.9	82.9	116	148	154*	163

Table A-2.34. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01470000
Little Schuylkill River at Drehersville, PA.

Jr.	Recurrence Interval		r	r	For Foll	owing Numbe	er of Cons	For Following Number of Consecutive Days				
Lear	-	-	2	_	- 4	30	09	06	120	183	365	
100.00	0	19.5	20.6	22.0	24.1	28.6	30.7	33.3	39.1	82.5	118	
50.00	8	21.4	22.6	24.1	26.3	31.0	34.0	37.7	44.7	91.4	127	
20.00	00	24.8	26.0	27.8	30.1	35.3	39.9	45.4	54.5	106	142	
10.00	00	28.3	29.6	31.6	34.1	39.8	46.2	53.7	64.9	121	157	
,	5.00	33.2	34.6	37.0	39.7	46.5	55.4	62.9	80.2	140	177	
۲,	2.00	45.4	47.1	50.5	54.3	64.0	79.8	98.2	120	184	220	
,	1.25	62.5	64.8	9.69	75.7	1.19	118	147	178	236	272	
	1.11	74.1	76.8	82.8	6.06	111	145	183	218	267	303	
_	1.04	0.68	92.3	8.66	111	139	183	230	172	303	339	
_	1.02	100	104	133	127	161	214	268	311	327	364	
~	1.01	112	116	126	144	185	247	307	353	370*	388	

Table A-2.35. Natural Low Flow Frequency Table (Flow in cfs)

USGS Station 01470500 Schuylkill River at Berne, PA.

Probability	Recurrence Interval	<u>.</u> .			For Foll	owing Numbe	er of Conse	For Following Number of Consecutive Days	·ν		
(Percent)	(Years)	(Years) 1 3	က	7	14	30	09	06	120	183	365
-	100.00	36.2	44.3	48.5	52.2	63.0	74.1	79.9	9.96	219	321
2	50.00	41.9	49.8	54.5	58.6	70.3	82.7	91.4	1111	244	350
S	20.00	51.7	59.1	64.6	69.5	82.8	7.76	112	136	285	398
10	10.00	61.8	68.7	75.0	80.8	95.7	114	134	163	327	445
20	5.00	76.0	82.1	89.4	7.96	114	137	167	204	384	208
50	2.00	110	114	124	135	159	199	254	314	517	650
80	1.25	153	156	169	187	222	295	389	483	989	825
06	1.11	179	183	197	220	264	365	486	909	167	932
96	1.04	210	216	232	262	317	461	219	772	915	1060
86	1.02	231	240	257	293	357	537	720	904	1000	1150
66	1.01	251	264	281	323	397	618	828	1040	1090	1230

Table A-2.36. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01470756
Maiden Creek at Virginville, PA.

Probability	Recurrence Interval				For Follo	wing Number	of Consu	For Following Number of Consecutive Days			
(Percent)	(Years)	~	33	7	14	30	09	06	120	183	365
	100.00	7.40	8.32	9.83	10.1	11.8	13.7	15.8	20.9	46.6	77.3
2	50.00	8.58	9.55	11.0	11.4	13.3	15.8	18.5	24.3	54.5	87.9
വ	20.00	10.6	11.7	13.1	13.8	16.0	9.61	23.4	30.6	68.4	901
10	10.00	12.7	13.8	15.3	16.2	18.8	23.7	29.0	37.7	82.8	124
20	5.00	15.6	16.8	18.3	19.7	23.0	29.8	37.5	48.6	103	148
20	2.00	22.4	23.6	25.7	28.2	34.2	46.5	61.5	79.8	152	204
80	1.25	30.7	32.0	35.7	40.1	51.5	72.8	102	132	213	270
06	1.11	35.7	37.0	42.2	47.9	64.1	92.2	132	173	250	310
96	1.04	41.4	42.7	50.3	57.7	81.3	119	175	232	292	354
86	1.02	45.2	46.6	56.2	65.0	95.0	140	1112	280	321	385
66	1.01	48.8	50.2	62.1	72.2	110	162	249	333	349	413

Table A-2.37. Natural Low Flow Frequency Table (Flow in cfs)

USGS Station 01470960 Tulpehocken Creek at Blue Marsh Damsite,		, PA.
USGS Station 01470960 Tulpehocken Creek at Blue Marsh		Damsite,
	USGS Station 01470960	Tulpehocken Creek at Blue Marsh

Probability	Recurrence Interval				For Foll	owing Numbe	er of Conse	For Following Number of Consecutive Days	10		
(Percent)	(Years)	-	т г	7	14	30	09	06	120	183	365
_	100.00	23.4	25.4	27.9	28.3	30.8	34.3	39.4	48.3	80.5	115
2	50.00	25.6	27.7	30.2	31.1	33.7	38.1	44.1	53.7	0.06	127
5	20.00	29.5	31.6	34.2	35.7	38.8	44.6	52.4	63.1	901	146
10	10.00	32.9	35.5	38.1	40.3	44.0	51.5	61.2	73.1	122	165
20	5.00	37.9	40.7	43.6	46.6	51.4	61.3	74.0	87.7	144	189
20	2.00	49.7	52.7	9.95	61.3	8.69	86.4	107	126	194	242
80	1.25	64.9	67.8	73.8	80.3	95.7	123	155	184	256	303
06	1.11	74.6	77.2	84.9	92.3	113	148	189	227	294	337
96	1.04	86.5	88.4	98.8	107	136	182	234	284	338	375
86	1.02	95.1	96.4	109	117	154	208	269	329	369	401
66	1.01	104	108*	119	128	172	234	305	377	398	424

Table A-2.38. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01471000
Tulpehocken Creek at Reading, PA.

Probability	Recurrence Interval				For Foll	owing Numbe	er of Conse	For Following Number of Consecutive Days	15		
(Percent)	(Years)	-	က	7	14	30	09	06	120	183	365
_	100.00	28.2	30.6	33.6	34.1	37.1	41.3	47.4	58.3	97.0	139
2	50.00	30.9	33.4	36.4	37.5	40.7	45.8	53.2	64.8	108	153
ა	20.00	35.3	38.1	41.2	43.0	46.7	53.7	63.2	76.1	128	176
10	10.00	39.7	42.8	46.0	48.5	53.0	62.0	73.8	88.1	147	199
50	5.00	45.7	49.1	52.6	56.1	6.19	73.9	89.1	106	173	228
50	2.00	59.9	63.6	68.2	73.9	84.0	104	129	152	234	292
80	1.25	78.3	81.8	89.0	96.8	115	148	187	222	309	365
06	1.13	1.06	93.0	102	111	137	179	228	273	354	406
96	1.04	104	107	119	129	164	219	282	342	407	452
86	1.02	115	115	132	142	186	250	324	396	444	483
66	1.01	125	126	144	154	207	282	368	454	480	511

Table A-2.39. Natural Low Flow Frequency Table (Flow in cfs)

USGS Station 01471500 Schuylkill River at Reading, PA.

Probability	Recurrence Interval	a,			For Fo	Following Number of Consecutive	iber af Co	nsecutive	Days		
rercent)	(Years)	-	8	7	14	30	09	06	120	183	365
	100.00	78.0	87.6	100	105	120	139	156	201	409	618
2	50.00	8.68	100	112	118	135	158	180	231	469	694
5	20.00	110	120	133	141	160	191	223	284	570	820
10	10.00	130	141	154	164	187	226	270	341	573	943
50	5.00	159	169	184	197	225	278	340	427	815	1110
50	2.00	223	233	251	273	321	414	529	662	1140	1470
C`	1.25	300	310	337	370	461	620	826	1030	1530	1870
÷	1.11	344	354	389	430	556	768	1040	1310	1770	2100
÷	1.04	395	401	452	505	681	965	1340	1690	2030	2350
<u>;</u> `=	1.02	429	438	495	552	777	1120	1570	1990	2210	2520
i	1.01	460	470	537	109	874	1280	1810	2310	2380	2670

CAMP DRESSLER AND MCKEE INC ANNANDALE VA
DAILY FLOW MODEL OF THE DELAWARE RIVER BASIN. APPENDICES.(U)
SEP 81
DACW61-78-C-AD-A110 113 F/6 13/2 DACW61-78-C-0127 DAEN/NAP-51850/DFM02-81/09 NL UNCLASSIFIED 2 + 6 4 0:13




Table A-2.40. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01472000
Schuylkill River at Pottstown, PA.

Probability	Recurrence Interval	ā.			For Fo	llowing Num	iber of Car	For Following Number of Consecutive Dave	<i>v</i> >		
(Percent)	(Years)		က	7	14	30	09	06	120	183	365
_	100.00	139	154	174	178	202	230	254	314	586	838
2	50.00	157	172	192	198	224	257	288	356	661	931
2	20.00	188	203	222	232	260	304	348	428	786	1080
10	10.00	218	233	252	265	298	353	413	505	912	1230
20	5.00	258	273	293	311	351	424	207	619	1080	1420
50	2.00	348	363	388	418	484	909	752	915	1480	1840
80	1.25	455	467	207	553	570	871	1120	1360	1940	2310
06	1.11	516	528	581	636	795	1060	1380	1680	2210	2580
96	1.04	584	296	699	736	926	1300	1720	2110	2520	2870
86	1.02	630	641	731	908	1080	1490	1990	2440	2740	3060
66	1.01	672	683	792	874	1200	1680	2270	2790	2940	3230

Table A-2.41. Natural Low Flow Frequency Table

(Flow in cfs) USGS Station 01473000 Perkiomen Creek at Graterford, PA.

For Following Number of Consecutive Days	1 30 60 90 120 183 365	13.0 16.2 24.1 32.9 35.8 72.8 165	14.6 18.3 26.6 35.9 40.8 86.3 182	17.6 22.0 31.3 41.5 49.9 110 211	20.8 26.1 36.5 48.0 60.3 135 240	25.5 32.0 44.5 58.4 76.5 171 279	7.9 47.7 67.6 90.5 124 259 367	7.1 71.7 109 153 210 374 475	71.0 89.0 143 210 281 445 541	89.8 113 194 303 389 528 617	15 313 239 390 483 586 670	150 201 405 500 640 721
For	7 14	11.3	12.9	15 7	16.2 18.6 20.8	20.5 22.9 25.6	31.0 34.0 37.9	44.7 50.1 57.1	53.1 61.2 71.0	63.0 75.8 89.	69.8 86.9 105	76.2 98.2 120
Recurrence Interval	(Years) 1 3	100.00 5.51 8.7	50.00 6.95 10.4	9.64		5.00 17.1 20.5	2.00 28.3 31.0	1.25 42.7 44.7	1.11 51.3 53.7	1.04 60.8 63.0	1.02 67.0 69.8	72.6 76.3
Rec Probability Ir)01 100	2 5(5 2(10 10	20	20	80	06	96	86	00

Table A-2.42. Natural Low Flow Frequency Table (Flow in cfs)
USGS Station 01474500.
Schuylkill River at Philadelphia, PA.

	365	1250	1390	1620	1850	2160	2820	3580	4000	4480	4790	5070
	183	845	955	1140	1330	1600	2210	2990	3470	4040	4440	4820
10	120	449	208	614	729	868	1350	2050	2560	3250	3800	4380
For Following Number of Consecutive Days	06	350	402	493	591	734	1110	1670	2060	2570	2970	3380
er of Conse	. 09	304	345	416	492	602	884	1290	1580	1950	2230	2520
owing Numbe	30	263	294	347	402	480	677	954	1140	1390	1570	1760
For Foll	14	245	172	314	359	421	574	784	923	1100	1230	1360
	7	243	265	303	342	396	527	704	820	896	1080	1190
	8	526	246	281	316	365	481	634	734	858	949	1040
	-	210	230	263	297	344	456	909	704	928	216	0101
Recurrence Interval	(Years)	100.00	50.00	20.00	10.00	5.00	2.00	1.25	1.11	1.04	1.02	1.01
Probability	(refeelb)		2	ĸ	10	20	50	80	06	96	86	66


Table A-2.43. Natural Low Flow Frequency Table (Flow in cfs)
Delaware River Below Schuylkill Confluence

Probability	Recurrence Interval	a			For Fol	Nowing Nur	mber of Co	For Following Number of Consecutive Days	Days		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	1270	1310	1440	1550	1660	1820	2140	2680	0919	8110
2	50.00	1400	1450	1580	1690	1830	2050	2430	3030	6810	8940
Ŋ	20.00	1620	1680	1810	1940	2120	. 2460	2940	3650	7910	10300
10	10.00	1840	1910	2040	2190	2430	2890	3480	4320	8990	11600
20	5.00	2150	2230	2380	2560	2880	3530	4290	2300	10400	13200
20	2.00	2850	2970	3200	3500	4050	5220	6450	7890	13700	16800
80	1.25	3740	3910	4340	4850	5830	7790	9790	11900	17800	20600
06	1.11	4300	4500	5110	5800	7120	9640	12200	14700	20200	22700
96	1.04	4960	5210	61 00	7060	8870	12100	15600	18600	23000	25000
86	1.02	5440	5710	6850	8040	10300	14100	18200	21700	25000	26500
66	1.01	5910	6210	7610	0906	11700	16200	21000	24900	26800	27800


Table A-2.44. Natural Low Flow Frequency Table (Flow in cfs)

Delaware River at Delaware Memorial Bridge

Probability	Recurrence Interval	C:			For Fol	llowing Num	ber of Co	For Following Number of Consecutive Days	ays		
(Percent)	(Years)	-	3	7	14	30	9	06	120	183	365
<u></u>	100.00	1420	1470	1620	1730	1850	2070	2450	3060	6710	8850
2	50.00	1570	1630	1780	1890	2040	2330	2770	3450	7420	9730
S	20.00	1830	1890	2040	2180	2380	. 2780	3340	4130	8600	11200
10	10.00	2080	2160	2300	2470	2730	3270	3940	4860	9780	12500
20	5.00	2430	2520	2680	2890	3250	3980	4840	5930	11400	14300
20	2.00	3230	3360	3610	3950	4590	5840	7210	8770	15000	18100
80	1.25	4240	4420	4920	5470	6590	8670	10900	13100	19400	22300
06	1.11	4850	5070	5810	6530	8020	10700	13500	16200	22000	24600
96	1.04	2590	5850	0969	7930	9950	13500	17100	20400	25100	24720
86	1.02	0119	6410	7830	9010	11500	15600	20000	23800	27300	28800
66	1.01	0099	0969	8720	10100	13100	17900	23000	27300	29300	30300




RECURRENCE INTERVAL IN YEARS
Figure A-45. Natural Low Flow Frequency Curves for 01417000, East Branch Delaware River at Downsville, N.V.




CILO

HZ


RECURRENCE INTERVAL IN YEARS Figure A-46. Natural Low Flow Frequency Curves for 01725000, West Branch Delaware River at Stilesville, N.Y.




Natural Low Flow Frequency Curves for O1426500, West Branch Delaware River at Hale Eddy, N.Y. RECURRENCE INTERVAL IN YEARS Figure A-47.



RECURRENCE INTERVAL IN YEARS Figure A-48. Natural Low Flow Frequency Curves for 01427405, Delaware River near Callicoon, N.Y.



Natural Low Flow Frequency Curves for 01428500, Delaware River near Barryville, N.Y. RECURRENCE INTERVAL IN YEARS Figure A-49.




SHC

HZ

下103

RECURRENCE INTERVAL IN YEARS


Figure A-50. Natural Low Flow Frequency Curves for 01431500, Lackawaxen River at Hawley, PA.



HZ


ドコロコ

Natural Low Flow Frequency Curves for 01434000, Delaware River at Port Jervis, N.Y. RECURRENCE INTERVAL IN YEARS Figure A-51.




RECURRENCE INTERVAL IN YEARS Figure A-52. Natural Low Flow Frequency Curves for 01436000, Neversink River at Neversink, N.Y.

FTOR HE OFF




RECURRENCE THERVAL IN YEARS Figure A-53. Natural Low Flow Frequency Curves for 01438500, Delaware River at Montague, N.J.



RECURRENCE INTERVAL IN YEARS
Figure A-54. Natural Low Flow Frequency Curves for 01449800, Pohopoco Creek at Beltzville Damsite, PA.


F103 HZ 0F0



RECURRENCE INTERVAL IN YEARS Figure A-55. Natural Low Flow Frequency Curves for 01453000, Lehigh River at Bethlehem, PA.

ZH EOLT

OFA




下し口3


 $O \Vdash \emptyset$

HZ

RECURRENCE INTERVAL IN YEARS Figure A-56. Natural Low Flow Frequency Curves for 01459500, Tohickon Creek at Pipersville, PA.




RECURRENCE INTERVAL IN YEARS Figure A-57. Natural Low Flow Frequency Curves for 01463500, Delaware River at Trenton, N.J.




RECURRENCE INTERVAL IN YEARS
Figure A-58. Natural Low Flow Frequency Curves for 01470960, Tulpehocken Creek at Blue Marsh Damsite, PA.


F103 HZ OF&



RECURRENCE INTERVAL IN YEARS
Figure A-59. Natural Low Flow Frequency Curves for 01471500, Schuylkill River at Reading, PA.




RECURRENCE INTERVAL IN YEARS
Figure A-60. Natural Low Flow Frequency Curves for 01474500, Schuylkill River at Philadelphia, PA.



-Bossoc i

PRINC

Figure A-61. Natural Low Flow Frequency Curves for Delaware River Below Mouth of Schuylkill



-628361

Natural Low Flow Frequency Curves for Delaware River at Delaware Memorial Bridge KECCINKERTOR THIRBKIAL THE YEARS Figure A-62.

APPENDIX B REGULATED DAILY FLOWS DURATION AND FREQUENCY ANALYSIS

TABLE OF CONTENTS

Regulated Flow Duration Table*

Table B-1

Regulated Low Flow Frequency Table

Tables B-2.1 to B-2.44

Regulated Low Flow Frequency Curves

Figures B-1 to B-18

^{*}Regulated flow duration curves are presented in Appendix A, Figures A-1 to A-44. (Natural and Regulated duration curves are plotted on the same graph).

Table B-1 Regulated Flow Duration Table (Flow in cfs)

			Percent of Time		Discharge was		Equaled or Exceeded		
Model Node	_	10	25	50	70	75	06	95	66
01417000	3,100	1,100	28	20	7.3			6.2	6.2
East Branch Delaware Kiver at Downsville, N.Y.							•	ŗ	ć
01421000 East Branch Delaware River at Fishs Eddy, N.Y.	8,400	2,800	1,300	099	430	380	230	091	76
01425000 West Branch Delaware River at Stilesville, N.Y.	3,200	870	25	22	6.6	9.5	8.6	8.3	8.1
01426500 West Branch Delaware River at Hale Eddy, N.Y.	4,100	1,100	490	190	011	35	53	41	30
01427405 Delaware River near Callicoon, N.Y.	16,000	52,00	2,400	1,200	830	750	530	420	270
01428500 Delaware River near Barryville, N.Y.	20,000	6,500	3,100	1,400	1,000	910	640	510	330
01429000 Lackawaxen River at Prompton, PA.	099	220	120	09	32	27	15	=	7.0
01429500 Dyberry Creek near Honesdale, PA.	780	236	86	53	27	22	6.6	7.2	3.7
01430000 Lackawaxen River at Honesdale, PA.	1,900	009	320	150	82	89	34	26	16
01431500 Lackawaxen River at Hawley, PA.	3,600	1,100	560	260	130	110	55	42	24
01434000 Delaware River at Port Jervis, N.Y.	27,000	9,800	5,200	2,600	1,800	1,700	1,400	1,300	1,100

Table B-l Regulated Flow Duration Table (Cont'd) (Flow in cfs)

:			Percent of	f Time Dis	Time Discharge was	Equaled	or Exceeded		
Model Node	-	10	52	20	70	75	06	98	66
01436000 Neversink River at Neversink, N.Y.	1,100	19	18	17	5.8	5.6	5.3	5.1	5.0
01437000 Neversink River at Oakland, N.Y.	1,900	290	320	160	86	98	20	41	27
01438500 Delaware River at Montague, N.J.	31,000	11,000	6,100	3,100	2,100	1,900	1,700	1,600	1,400
01440200 Delaware River below Tocks Island Damsite, PA.	33,000	13,000	7,000	3,600	2,300	2,200	1,800	1,700	1,500
01446500 Delaware River at Belvidere, N.J.	39,000	15,000	8,500	4,500	2,800	2,600	2,000	1,800	1,600
01447800 Lehigh River at White Haven, PA.	3,200	1,200	750	410	250	210	120	06	61
01449800 Pohopoco Creek at Beltzville Damsite, PA.	730	300	190	110	17	29	39	27	19
Aquashicola Creek at Aquashicola Damsite, PA.	730	260	150	82	54	47	59	20	15
01450500 Aquashicola Creek at Palmerton, PA.	840	300	180	66	62	55	33	25	17
01451000 Lehigh River at Walnutport, PA.	აე2,6	3,800	2,300	1,300	790	680	390	300	210
01451800 Jordan Creek near Schnecksville, PA.	580	170	88	41	21	38	7.9	4.7	2.0
01451200 Jordan Creek at Allentown, PA.	840	240	120	29	31	25	Ξ	65	3.7

Table B-1 Regulated Flow Duration Table (Cont'd) (Flow in cfs)

			Percent c	of Time Di	Percent of Time Discharge was	s Equaled or	or Exceeded	þ	
Model Node	_	10	25	50	_ 70 _	7.5	90	98	66
01453000 Lehigh River at Bethlehem, PA.	12,000	4,900	3,100	1,800	1,100	1,000	640	510	380
01454700 Lehigh River at Glendon, PA.	12,000	5,100	3,200	1,900	1,200	1,100	700	570	420
01456000 Musconetcong River near Hackettstown, N.J.	550	270	170	92	26	49	29	22	13
01457500 Delaware River at Riegelsville, N.J.	51,000	22,000	13,000	7,000	4,500	4,100	3,000	2,700	2,200
01459500 Tohickon Creek at Pipersville, PA.	1,900	320	110	38	15	12	4.1	2.4	1.1
01463500 Delaware River at Trenton, N.J.	54,000	23,000	14,000	7,500	4,800	4,300	3,200	2,800	2,300
01467500 Schuylkill River at Pottsville, PA.	460	190	120	71	48	43	28	23	18
01467950 West Branch Schuylkill River at Cressona, PA.	340	160	100	61	41	37	25	21	91
01468500 Schuylkill River at Landingville, PA.	1,200	480	310	180	120	110	63	20	37
01469500 Little Schuylkill River at Tamaqua, PA.	520	180	66	20	30	56	13	8.9	5.8
01470000 Little Schuylkill River at Drehersville, PA.	1,000	440	290	170	120	100	61	20	37

Table B-1 Regulated Flow Duration Table (Cont'd) (Flow in cfs)

			Percent of	Time Dis	Percent of Time Discharge was	Equaled or	Equaled or Exceeded		
Model Node		10	25	20	70	75	06	95	66
01470500 Schuylkill River at Berne, PA.	3,700	1,400	820	450	290	250	150	120	85
01470756 Maiden Creek at Virginville, PA.	1,500	460	240	120	99	26	32	25	16
01470960 Tulpehocken Creek at Blue Marsh Damsite, PA.	1,300	490	310	180	120	100	29	55	39
01471000 Tulpehocken Creek at Reading, PA.	1,500	580	370	210	140	120	81	99	49
01471500 Schuylkill River at Reading, PA.	8,600	3,200	1,800	950	570	200	300	230	160
01472000 Schuylkill River at Pottstown, PA.	9,800	3,800	2,300	1,300	810	720	450	360	260
01473000 Perkiomen Creek at Graterford, PA.	4,000	790	340	160	85	74	45	37	22
01474500 Schuylkill River at Philadelphia, PA.	17,000	6,200	3,600	1,900	1,100	066	620	200	360
Delaware River below Schuylkill Confluence	73,000	33,000	20,000	11,000	7,100	6,300	4,400	3,800	3,100
Delaware River at Delaware Memorial Bridge	79,000	36,800	22,000	12,000	7,900	7,100	4,900	4,200	3,300

Table B-2.1. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01417000
East Branch Delaware River at Downsville, N.Y.

	183 365	6.20 43.9	6.20 55.8	7.30 78.7	11.5 105	20.2 146	61.9 255	200 413	376 515	751 637	1190 723	1800 804
s	120	6.20	6.20	6.20	6.20	6.20	13.7	43.2 2	90.2	7 220	417 11	773 18
nsecutive Day	06	6.20	6.20	6.20	6.20	6.20	8.60	20.3	37.3	81.7	146	260
r of Co	09	6.20	6.20	6.20	6.20	6.20	6.60	10.5	15.0	24.2	34.9	50.1
For Following Number of Consecutive Days	30*	6.20	6.20	6.20	6.20	6.20	6.20	6.68	8.12	11.2	14.7	19.7
For Fo	14	6.20	6.20	6.20	6.20	6.20	6.20	6.20	6.20	6.20	6.20	6.20
	7	6.20	6.20	6.20	6.20	6.20	6.20	6.20	6.20	6.20	6.20	6.20
	e	6.20	6.20	6.20	6.20	6.20	6.20	6.20	6.20	6.20	6.20	6.20
	-	6.20	6.20 6.20	6.20	6.20 6.20	6.20 6.20	6.20 6.20	6.20	6.20	6.20	6.20	6.20
Recurrence Interval	(Years)	100.00	50.00	20.00	10.00	5.00	2.00	1.25	1.11	1.04	1.02	1.01
Probability (Percent)		-	2	2	10	20	20	80	96	96	86	66

*Calculated from statistical parameters

Table B-2.2. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01421000
East Branch Delaware River at Fishs Eddy, N.Y.

ď.	Probability	Recurrence Interval				For Fol	lowing Numb∈	er of Con	For Following Number of Consecutive Days	v		
_	(Percent)	(Years)	~	۳	7	14	30	09	06	120	183	365
	-	100.00	8.50	44.3	72.7	101	143	200	254	342	572	653
	2	50.00	12.7	49.5	81.0	113	151	215	270	351	009	695
-	'n	20.00	21.7	58.4	94.7	132	179	240	295	369	648	765
	10	10.00	32.9	9.79	108	150	201	566	322	391	869	835
	50	5.00	50.5	80.8	127	173	229	300	358	425	770	931
	20	2.00	93.5	114	168	223	288	381	448	525	953	1160
	80	1.25	136	191	218	276	355	485	571	107	1220	1470
	06	1.11	154	192	247	305	392	552	655	844	1420	1670
	96	1.04	167	233	281	336	433	634	762	1060	1670	1920
	86	1.02	173	264	304	356	461	694	844	1240	1880	2110
-	66	1.01	177	296	326	374	486	753	928	1450	2090	2300

Table B-2.3. Regulated Low Flow Frequency Table (Flow in cfs)

USGS Station 01425000 West Branch Delaware River at Stilesville, N.Y.

Probability	Recurrence Interval				For Foll	owing Numbe	er of Conse	For Following Number of Consecutive Days	Š		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	7.70	7.70	7.70	7.70	07.7	7.70	7.70	7.70	7.70	46.4
2	20.00	7.70	7.70	7.70	7.70	7.70	7.70	7.70	7.70	7.70	56.0
S	20.00	7.70	7.70	7.70	7.70	7.70	7.70	7.70	7.70	7.70	73.8
10	10.00	7.70	7.70	7.70	7.70	7.70	7.70	7.70	7.70	11.2	93.9
20	5.00	7.70	7.70	7.70	7.70	7.70	7.70	7.70	7.75	19.8	125
20	2.00	7.70	7.70	7.70	١٢.٦	8.18	9.34	12.1	17.1	60.2	212
80	1.25	7.70	7.70	7.70	8.42	11.0	16.9	28.5	49.6	185	350
06	1.11	7.70	7.70	7.70	9.46	13.9	8.92	51.2	97.6	336	451
96	1.04	7.70	7.70	7.70	11.5	19.1	49.5	107	222	636	587
86	1.02	7.70	7.70	7.70	13.5	24.3	78.9	184	397	963	693
66	1.01	7.70	7.70	7.70	16.1	31.1	126	313	697	1400	803

Table B-2.4. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01426500
West Branch Delaware River at Hale Eddy, N.Y.

Probability	Recurrence Interval				For Foll	owing Numbe	er of Cons	For Following Number of Consecutive Days	δυ		
(Percent)	(Years)	1	3	7	14	30	09	06	120	183	365
-	100.00	4.02	11.5	22.1	29.4	45.5	59.3	72.0	105	175	201
2	20.00	5.34	5.34 13.9	24.2	31.7	48.6	64.6	78.9	109	185	218
ĸ	20.00	7.93	18.0	27.6	35.6	53.7	73.4	90.5	117	203	247
10	10.00	10.9	22.2	30.9	39.5	58.8	82.3	102	127	223	278
20	5.00	15.6	27.6	35.4	44.7	65.7	94.6	118	142	252	322
20	2.00	27.7	38.1	45.2	56.8	81.6	124	157	186	331	437
80	1.25	43.2	47.3	8.99	72.1	102	162	509	265	459	610
06	1.11	52.1	57.1*	63.7	81.6	115	186	243	332	558	735
96	1.04	61.6	68.2*	71.6	93.3	131	217	285	433	669	905
86	1.02	9.79	70.7*	77.0	102	142	239	316	522	817	1040
66	1.01	72.7	77.8*	82.2	110	154	261	347	979	946	1190

Table B-2.5. Regulated Low Flow Frequency Table

(Flow in cfs) USGS Station 01427405 Delaware River Near Callicoon, N.Y.

Probability	Recurrence Interval				For Fo	llowing Num	iber of Co	Following Number of Consecutive Days	lays		
(Percent)	(Years) 1 3	-	3	7	14	30	09	06	120	183	365
	100.00	92.6	127	236	303	330	412	493	624	1040	1190
2	50.00	108 145	145	255	322	357	440	520	641	1100	1270
S.	20.00	128	176	285	352	400	485	267	675	1200	1400
10	10.00	148	205	313	380	440	529	614	714	1300	1540
20	5.00	176	244	349	416	491	589	089	778	1450	1730
20	2.00	241	324	425	493	594	728	842	296	1810	2170
80	1.25	321	406	509	578	700	906	1070	1310	2320	2770
06	1.11	370	447	555	929	95/	1020	1220	1580	2670	3150
96	1.04	427	488	909	089	815	1160	1410	2000	3140	3640
86	1.02	467	513	620	716	853	1260	1560	2370	3500	4000
66	1.01	505	534	670	749	988	1350	1720	2790	3870	4350

Table B-2.6. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01485000
Delaware River Near Barryville, N.Y.

Probability	Recurrence Interval				For Fol	lowing Numb	er of Con	For Following Number of Consecutive Days	s/		
(Percent)	(Years)	_	m	7	14	30	09	06	120	183	365
-	100.00	105* 156	156	282	361	389	492	586	402	1250	1480
2	50.00	119* 178	178	306	386	424	523	919	732	1330	1590
22	20.00	141* 213	213	345	425	481	929	699	778	1470	1760
10	10.00	167*	248	382	461	533	628	723	830	1610	1940
20	5.00	198	294	429	508	599	700	801	914	1800	2180
20	2.00	293	388	525	909	728	870	866	1160	2270	2730
80	1.25	397	487	929	402	855	1090	1290	1610	2910	3440
06	1.11	451	537	629	167	919	1240	1490	1970	3340	3890
96	1.04	909	588	736	830	983	1420	1760	2530	3880	4450
86	1.02	538	620	772	178	1020	1560	1970	3020	4300	4860
66	1.01	265	647	804	606	1060	1690	2200	3580	4720	5260

Table B-2.7. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01429000
Lackawaxen River at Prompton, PA.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	r of Conse	cutive Day	Š		
(Percent)	(Years)	_	ဗ	7	14	30	09	06	120	183	365
	100.00	3.92	4.25	4.76	5.26	5.82	6.34	7.68	9.56	40.4	50.5
2	20.00	4.30	4.62	5.14	5.68	6.31	7.07	8.75	11.2	43.6	55.0
ĸ	20.00	4.96	5.27	5.81	6.43	7.20	8.41	10.7	14.1	48.8	62.2
10	10.00	5.65	5.95	6.52	7.24	8.17	9.88	12.8	17.3	54.1	1.69
20	2.00	6.64	6.95	7.58	8.43	99.6	12.1	16.1	22.1	61.4	78.3
20	2.00	9.15	9.56	10.4	11.6	13.9	18.6	25.5	34.9	78.4	98.1
80	1.25	12.8	13.6	14.9	16.8	21.3	29.8	41.6	54.4	נסנ	121
06	1.11	15.4	16.5	18.3	20.7	27.2	38.7	54.3	68.3	115	134
96	1.04	18.8	20.5	23.1	26.3	36.1	52.0	72.8	86.7	134	149
86	1.02	21.5	23.7	27.1	30.9	43.9	63.4	88.5	וסו	147	160
66	1.01	24.3	27.2	31.4	35.9	52.7	76.2	901	116	160	169

ic.'3 B-2.8. Regulated Low Flow Frequency Table (Flow in cfs)

USGS Station 01429500 Dyberry Creek Near Honesdale, PA.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	ir of Conse	ecutive Day	s,		
(Percent)	(Years)	_	3	7	14	30	09	06	120	183	365
~-	100.00	1.67	1.91	2.40	2.80	3.24	3.63	4.89	6.74	37.1	46.8
2	50.00	1.95	2.18	2.68	3.09	3.58	4.17	5.64	8.01	40.4	51.6
လ	20.00	2.46	2.67	3.17	3.60	4.21	5.18	7.06	10.4	45.9	59.3
10	10.00	3.00	3.20	3.71	4.18	4.93	6.33	8.71	13.1	51.4	8.99
20	5.00	3.80	3.98	4.52	5.06	90.9	8.16	11.4	17.3	59.0	76.8
20	2.00	5.86	90.9	92.9	7.61	9.49	13.7	20.0	29.5	77.0	98.2
80	1.25	8.81	9.28	10.5	12.1	16.0	24.3	37.1	50.4	101	123
06	1.11	10.8	11.6	13.3	15.8	21.7	33.3	52.7	8.99	116	137
96	1.04	13.3	14.8	17.4	21.8	30.8	47.5	78.0	0.06	135	152
86	1.02	15.2	17.3	20.8	26.3	39.1	60.1	102	109	148	163
66	1.01	17.1	19.9	24.5	31.8	48.9	74.8	130	130	162	172

Table B-2.9. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01430000
Lackawaxen River at Honesdale, PA.

דוו רבו אם ו				ror rollowing number of Consecutive Days	er or cons	ecutive Day	2		
(Years) 1	က	7	14	30	09	06	120	183	365
100.00 7.69		9.02	9.53	1.11	12.5	16.5	21.8	105	130
50.00 8.64	9.54	10.1	10.6	12.5	14.4	19.2	26.0	114	143
20.00 10.3	11.2	11.9	12.9	15.0	18.0	24.2	33.5	129	163
10.00 12.1	12.9	13.9	15.2	17.71	22.1	29.3	42.0	143	183
5.00 14.6	15.5	16.8	18.6	22.0	28.4	38.7	54.8	164	500
2.00 21.2	22.3	24.6	27.7	33.7	46.6	64.6	90.2	ווס	264
1.25 31.0	33.0	36.8	41.6	53.4	78.3	110	146	272	327
37.8	40.8	45.9	51.7	68.89	104	148	186	310	362
1.04 46.9	51.6	58.5	65.5	6.06	141	202	240	357	402
1.02 53.9	60.4	68.6	76.5	109	172	249	282	392	428
61.2	69.7	79.5	88.0	130	207	301	326	425	452
	8.64 10.3 12.1 14.6 21.2 31.0 37.8 46.9 61.2	_	9.54 1 11.2 1 15.9 1 15.5 1 22.3 2 2 33.0 3 360.4 6 60.4 6 69.7 7	9.54 10.1 1 1 12.9 13.9 1 15.5 16.8 1 22.3 24.6 2 33.0 36.8 4 45.9 5 16.9 5 6 60.4 68.6 7 69.7 79.5 8	9.54 10.1 10.6 11.2 11.9 12.9 12.9 13.9 15.2 15.5 16.8 18.6 22.3 24.6 27.7 33.0 36.8 41.6 40.8 45.9 51.7 51.6 58.5 65.5 60.4 68.6 76.5 16	9.54 10.1 10.6 12.5 11.1 12.9 15.0 15.0 15.0 15.9 15.0 15.0 15.3 11.1 15.5 15.9 15.0 15.5 15.5 15.5 15.6 15.5 15.0 15.5 15.6 15.5 15.0 15.0 15.0 15.0 15.0 15.0 15.0	9.54 10.1 10.6 12.5 14.4 11.2 11.9 12.9 15.0 18.0 12.9 12.9 13.9 15.2 17.7 22.1 22.3 15.5 16.8 18.6 22.0 28.4 31.0 16.8 41.6 53.4 78.3 11.4 14.6 58.5 65.5 90.9 141 20.0 130 207 30.0 130 207 30.0 130 207 30.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0	9.54 10.1 10.6 12.5 14.4 19.2 11.2 10.1 10.6 12.5 14.4 19.2 11.2 11.9 12.9 15.0 18.0 24.2 12.9 13.9 15.2 17.7 22.1 29.3 15.5 16.8 18.6 22.0 28.4 38.7 22.3 24.6 27.7 33.7 46.6 64.6 33.0 36.8 41.6 53.4 78.3 110 11 40.8 45.9 51.7 68.8 104 148 18 51.6 58.5 65.5 90.9 141 202 2 60.4 68.6 76.5 130 172 249 2 69.7 79.5 88.0 130 207 301 3	9.54 10.1 10.6 12.5 14.4 19.2 26.0 11.2 11.9 12.9 15.0 18.0 24.2 33.5 12.9 13.9 15.2 17.7 22.1 29.3 42.0 15.5 16.8 18.6 22.0 28.4 38.7 54.8 22.3 24.6 27.7 33.7 46.6 64.6 90.2 33.0 36.8 41.6 53.4 78.3 110 146 40.8 45.9 51.7 68.8 104 148 186 51.6 58.5 90.9 141 202 240 60.4 68.6 76.5 109 172 249 282 69.7 79.5 88.0 130 207 301 326

ubla B-2.10. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01431500
Lackawaxen River at Hawley, PA.

Probability	Recurrence Interval				For Foll	owing Numb	er of Cons	For Following Number of Consecutive Days	S		
(Percent)	(Years)	-	33	7	14	30	09	06	120	183	365
-	100.00	9.31	14.0	15.1	16.5	19.1	20.2	27.0	35.7	178	220
2	50.00	11.1	15.4	16.7	18.4	21.3	23.5	31.4	42.3	193	243
ĸ	20.00	14.2	18.0	19.6	21.7	25.3	29.6	39.7	54.7	220	281
10	10.00	17.6	20.8	22.7	25.3	29.7	36.6	49.1	68.6	246	318
20	5.00	22.6	25.0	27.4	30.7	36.5	47.5	64.0	1.06	282	367
20	2.00	35.4	36.7	40.4	45.5	96.0	79.5	109	151	368	471
80	1.25	53.6	8.53	62.0	69.7	90.2	136	190	253	480	589
06	1.11	65.7	70.7	78.8	88.3	118	182	258	330	553	655
96	1.04	9.08	92.0	103	115	160	251	361	439	643	729
86	1.02	91.6	110	123	137	196	309	450	526	709	777
66	1.01	102	129	146	161	236	374	551	620	775	821

Table B-2.11. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01434000
Delaware River at Port Jervis, N.Y.

Probability	Recurrence Interval	o u			For Fol	llowing Numb	oer of Con	For Following Number of Consecutive Days	ys		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
-	100.00	447	888	1120*	1220	1320*	1340*	1350*	1370*	2060	2350
2	50.00	205	914	1130	1230	1330*	1350*	1370*	1390*	2200	2530
ĸ	20.00	288	955	1150	1240*	1340	1360	1380*	1400	2420	2840
10	10.00	999	993	1160	1250	1350*	1380	1400	1480	2650	3130
20	5.00	19/	1040	1190	1270	1360	1420	1490	1630	2960	3530
50	2.00	626	1140	1270	1350	1430	1570	1760	2050	3700	4430
80	1.25	1060	1240	1400	1500	1630	1920	2270	2800	4720	5540
06	1.11	1120	1300	1490	1610	1810	2230	2690	3430	5380	6220
96	1.04	1160	1370	1620	1770	2090	2730	3310	4370	6230	7040
86	1.02	1190	1410	1720	1900	2330	3180	3850	5200	0989	7620
66	1.01	1200	1450	1820	2040	2610	3700	4460	6140	7500	8180

Tab: B-2.12. Regulated Low Flow Frequency Table (Flow in cfs)

USGS Station 01436000 Neversink River at Neversink, N.Y.

Probability	Recurrence Interval				For Follo	wing Numbe	r of Conse	For Following Number of Consecutive Days			
(Percent)	(Years)	_	က	7	14	30	09	06	120	183	365
-	100.00	4.60	4.60	4.60	4.60	4.60	4.60	4.60	4.60	4.60	17.71
2	50.00	4.60	4.60	4.60	4.60	4.60	4.60	4.60	4.60	4.60	20.4
2	20.00	4.60	4.60	4.60	4.60	4.60	4.60	4.60	4.60	5.30	25.1
10	10.00	4.60	4.60	4.60	4.60	4.60	4.60	4.60	4.60	6.80	29.8
20	5.00	4.60	4.60	4.60	4.60	4.60	4.60	4.60	4.79	9.32	36.2
90	2.00	4.60	4.60	4.60	4.60	4.84	5.30	6.46	7.93	17.60	50.8
80	1.25	4.60	4.60	4.60	4.60	5.26	7.26	11.23	15.7	37.8	68.2
06	1.11	4.60	4.60	4.60	4.60	5.87	9.49	16.28	24.1	50.6	78.2
96	1.04	4.60	4.60	4.60	4.60	7.03	13.68	25.9	40.6	76.5	89.4
86	1.02	4.60	4.60	4.60	4.60	8.20	18.14	36.3	58.8	101	8.96
66	1.01	4.60	4.60	4.60	4.60	6.67	24.12	50.4	84.0	130	104

Table B-2.13. Regulated Low Flow Frequency Table (Flow in cfs)

USGS Station 01437000 Neversink River at Oakland Valley, N.Y.

Probability	Recurrence Interval				For Foll	owing Number	r of Cons	For Following Number of Consecutive Days			
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	4.60	17.1	26.2	29.1	39.3	53.5	7.07	83.9	143	168
2	50.00	4.65	18.2	26.7	30.1	41.3	56.3	73.8	87.0	148	175
2	20.00	29.9	20.2	27.8	31.9	44.8	61.3	79.4	95.8	158	186
10	10.00	9.03	22.3	29.5	34.0	48.5	8.99	85.5	99.4	167	198
20	2.00	12.8	25.5	31.5	37.4	54.2	75.0	94.6	110	182	216
50	2.00	23.4	34.2	38.7	47.1	9.69	9.76	112	139	222	292
80	1.25	39.9	48.3	52.2	64.3	94.4	134	159	189	586	333
06	1.11	51.2	59.1	63.7	78.3	113	163	189	229	333	384
96	1.04	65.5	74.6	81.5	99.2	140	204	231	289	399	453
86	1.02	75.9	97.6	97.4	117	163	238	267	340	453	509
66	1.01	86.1	102	116	138	187	276	305	398	511	295

Table B-2.14. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01438500
Delaware River at Montague, N.J.

Probability	Recurrence Interval	a)			For Fol	lowing Numl	ber of Con	For Following Number of Consecutive Days	ys		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
-	100.00	*09e	1310	1520*	1590*	1610*	1620*	1640*	1720*	2390	2680
2	50.00	1050*	1350	1530*	1600*	1620*	1640*	1670*	1750*	2550	2900
S	20.00	*0611	1410	1540	1610	1630*	1650*	1700*	1760*	2810	3260
10	10.00	1270	1460	1550	1620*	1640	¥0991	1720*	1800*	3070	3620
20	5.00	1320	1510	1570	1630*	1650	1670	1730	1890	3430	4090
50	2.00	1410	1600	1640	1660	1710	1830	2060	2400	4300	5150
80	1.25	1490	1660	1750	1790	1910	2230	2660	3290	5470	6440
06	1.11	1530	1690	1840	1910	2120	2600	3150	4010	6240	7230
96	1.04	1570	1710	1950	2090	2460	3200	3890	5100	7210	8160
86	1.02	1600	1720	2040	2240	2760	3750	4530	0509	7940	8820
66	1.01	1620	1730	2130	2400	3110	4400	5260	7140	8680	9440

Table B-2.15. Regulated Low Flow Frequency Table (Flow in cfs)

USGS Station 01440200 Delaware River Below Tocks Island Damsite, PA.

Probability	Recurrence Interval	ø			For Fol	lowing Numl	ber of Con	For Following Number of Consecutive Days	۸s		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
-	100.00	896	1390	1640*	*0691	1710*	1700*	1760*	1810*	2580	2940
2	50.00	1060	1430	1650*	1700*	1720*	1720*	1780*	1830*	2770	3200
S	20.00	1210	1490	1660*	1710	1730	1750*	1810*	1850*	3080	3620
10	10.00	1330	1550	1670	1720*	1740	1760*	1830*	1860	3390	4030
20	5.00	1450	1610	1680	1730*	1750	1780	1870	2070	3820	4570
20	2.00	1610	1710	1740	1780	1830	2010	2290	2680	4830	5780
80	1.25	1660	1800	1890	1950	2110	2510	3020	3730	6160	7240
06	1.11	1670	1840	2020	2110	2380	2980	3610	4580	7020	8100
96	1.04	1680	1880	2210	2350	2830	3730	4490	5830	8090	9110
98	1.02	1690 *	1900	2380	2560	3240	4410	5250	6910	8880	9810
66	1.01	1700*	1910	2560	2790	3710	5220	0110	8120	9670	10500

(abute B-2.16. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01446500
Delaware River at Belvidere, N.J.

Probability	Recurrence Interval	gų.			For Fol	lowing Numb	er of Con	For Following Number of Consecutive Days	ь		
(Percent)	(Years)	-	ж	7	14	30	09	06	120	183	365
_	100.00	1140	1430	1680	1720*	1790*	1810*	1830*	1850*	2920	3390
2	50.00	1210	1470	*0691	1730	1800	1820*	1850*	1880*	3160	3710
Ŋ	20.00	1310	1530	1700	1750	1810	1830*	1870*	1890	3560	4240
10	10.00	1400	1590	1720	1760	1820	1840	1880	2090	3970	4760
50	5.00	1500	1670	1750	1800	1860	1950	2090	2380	4510	5450
20	2.00	1710	1830	1890	1940	2040	2310	2670	3190	5780	0969
80	1.25	1910	2030	2140	2230	2480	3030	3650	4530	7420	8730
06	1.11	2020	2140	2340	2480	2890	3670	4420	9220	8450	9750
96	1.04	2120	2270	2630	2840	3550	4660	5540	7140	9720	10900
86	1.02	2180	2370	2860	3140	4150	5560	6490	8450	10600	11700
66	1.01	2240	2450	3120	3480	4870	6620	7550	0066	11500	12500

*Recalculated

Table B-2.17. Regulated Low Flow Frequency Table (Flow in cfs)

USGS Station 01447800 Lehigh River at White Haven, PA.

Probability	Recurrence Interval				For Foll	owing Numbe	er of Cons	For Following Number of Consecutive Days	ıς		
(Percent)	(Years)	_	3	7	14	30	09	90	120	183	365
-	100.00	12.2	31.7	40.0	41.2	41.3	50.2	62.7	9.98	223	301
2	50.00	18.2	36.5	43.9	45.7	47.7	57.4	72.2	98.9	245	329
ď	20.00	30.4	44.5	50.5	53.4	58.6	70.3	89.3	121	281	374
10	10.00	44.1	52.5	57.3	61.4	70.0	84.4	108	144	317	418
20	5.00	62.3	63.1	66.7	72.6	85.9	105	135	179	365	474
50	2.00	91.3	86.0	89.3	6.66	124	162	210	271	477	265
. 08	1.25	103	111	120	138	172	251	326	411	618	723
06	1.11	104*	124	140	163	202	317	410	511	705	795
96	1.04	105	138	165	194	238	406	524	647	808	874
86	1.02	106*	147	184	218	263	478	615	753	884	976
66	1.01	107*	155	203	241	286	554	402	863	955	974

*Recalculated

idile B-2.18. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01449800
Pohopoco Creek at Beltzville Damsite, PA.

Probability	Recurrence Interval				For Foll	owing Numbe	er of Cons	For Following Number of Consecutive Days	Š		
(Percent)	(Years)		3	7	14	30	09	06	120	183	365
-	100.00	2.67	11.1	13.1	14.1	14.3	17.4	18.8	23.3	53.5	72.4
2	50.00	7.64	12.8	14.6	15.8	16.4	19.4	21.5	26.9	59.4	79.5
2	20.00	11.3	15.6	17.3	18.6	20.0	23.0	26.4	33.4	69.2	6.06
10	10.00	15.3	18.5	20.0	21.4	23.7	56.9	31.7	40.3	78.8	102
20	5.00	8.02	22.3	23.6	25.3	28.7	32.6	39.5	50.4	91.9	117
20	2.00	31.3	30.5	32.0	34.2	29.9	47.9	60.4	76.2	121	148
80	1.25	39.0	39.8	42.3	45.3	53.1	71.9	92.7	113	156	185
06	1.11	41.3	44.8	48.5	52.2	2.09	89.7	116	139	177	506
96	1.04	42.8	50.2	55.7	60.2	1.69	114	148	171	200	229
86	1.02	43.3	53.6	2.09	62.9	74.7	134	173	195	217	245
66	1.01	43.6	26.7	65.5	71.3	79.8	155	199	219	232	260

Table B-2.19. Regulated Low Flow Frequency Table (Flow in cfs) Aquashicola Creek at Aquashicola Damsite, PA.

Drobability	Recurrence				For Follo	For Following Number of Consecutive Days	er of Conse	ecutive Day	S		
(Percent)	(Years)	~	က	7	14	30	09	06	120	183	365
-	100.00	6.93	7.74	8.33	8.92	9.57	11.4	12.9	16.2	38.9	54.4
- 2	50.00	7.99	8.85	9:56	10.2	11.11	13.1	15.2	19.0	44.0	61.2
ഹ	20.00	9.82	10.7	11.7	12.5	13.8	16.2	19.2	24.1	52.5	72.2
10	10.00	11.7	12.6	13.8	14.7	16.5	19.5	23.6	29.7	61.0	82.8
50	5.00	14.3	15.3	16.7	17.9	20.4	24.4	30.3	37.9	72.5	9.96
20	2.00	20.4	21.3	23.4	25.1	29.6	37.2	47.9	59.6	0.86	126
80	1.25	27.9	28.8	31.5	34.1	41.1	56.2	74.4	92.1	128	156
06	1.11	32.4	33.2	36.3	39.4	48.1	69.5	93.1	115	145	173
96	1.04	37.6	38.3	41.6	45.5	56.3	87.0	118	144	164	189
86	1.02	41.2	41.7	45.3	49.7	61.9	100	136	166	177	200
66	1.01	44.5	44.9	48.6	53.6	1.79	114	155	189	188	509

Table 8-2.20. Regulated Low Flow Frequency Table (Flow in cfs)

(Flow in cfs) USGS Station 01450500 Aquashicola Creek at Palmerton, PA.

Duch a hillity	Recurrence				For Foll	owing Numbe	r of Conse	For Following Number of Consecutive Days	S		
(Percent)	(Years)	_	ന	7	14	30	09	06	120	183	365
-	100 00	8.22	9.15	98.6	10.5	11.2	13.3	15.0	18.9	45.2	63.3
- ^	50.00	9.45	10.4	11.3	12.0	13.0	15.3	17.6	22.2	51.2	71.2
u Lo	20.00	11.6	12.6	13.7	14.6	16.1	18.9	22.4	28.1	61.1	84.0
י ב	10.00	13.7	14.8	16.1	17.2	19.3	22.7	27.5	34.5	71.0	96.3
2 6	5.00	16.7	17.8	19.4	20.8	23.7	28.4	35.2	44.0	84.3	112
3 6	2.00	23.7	24.8	27.1	29.1	34.3	43.2	55.6	69.3	114	146
S &	1.25	32.4	33.4	36.5	39.5	47.8	65.3	86.5	101	149	182
8 8	1.11	37.6	38.6	42.1	45.8	56.0	80.9	108	133	168	201
96	1.04	43.6	44.6	48.5	53.1	65.5	101	137	167	191	220
. 86	1.02	47.8	48.7	52.9	58.1	72.2	117	159	193	205	233
66	1.01	51.6	52.5	56.9	62.9	78.4	133	181	220	219	244

Table B-2.21. Regulated Low Flow Frequency Table

(Flow in cfs) USGS Station 01451000 Lehigh River at Walnutport, PA.

**************************************	Recurrence	a :			For Fol	Nowing Num	ber of Con	For Following Number of Consecutive Days	ys		
Probability (Percent)	(Years)	-	ო	7	14	30	09	06	120	183	365
-	100.00	129	133	145	156	165	186	208	268	654	816
. ~	50.00	139	144	157	170	183	208	237	305	717	606
, vo	20,00	157	163	177	193	213	247	290	371	823	1060
. 0	10.00	174	183	198	217	245	289	348	442	931	1210
2 5	2.00	200	210	228	250	291	354	435	550	1080	1400
2 05	2.00	263	277	304	335	407	531	929	848	1430	1820
S 08	1.25	354	371	413	457	572	822	1070	1330	1900	2290
06	1.11	417	435	488	541	289	1050	1360	1700	2210	2550
96	1.04	499	518	588	652	836	1370	1780	2220	2580	2840
86	1.02	563	581	999	737	950	1630	2110	2650	2860	3030
66	1.01	629	646	746	826	1070	1920	2480	3110	3130	3200

Table B-2.22. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01451800
Jordan Creek Near Schnecksville, PA.

Probability	Recurrence Interval				For Folla	For Following Number of Consecutive Days	er of Conse	cutive Day	٥		
(Percent)	(Years)	*۱	3*	*	14*	30	09	06	120	183	365
	100.00	0.30	0.31	0.44	0.56	0.72	1.12	1.45	2.58	11.9	27.6
2	50.00	0.51	0.58	0.72	0.85	1.03	1.60	2.15	3.60	14.9	31.5
S	20.00	1.08	1.16	1.43	1.62	1.71	2.64	3.70	5.79	20.3	38.1
10	10.00	1.68	1.82	2.20	2.40	2.58	4.00	5.78	8.57	26.1	44.7
50	5.00	2.41	2.69	3.05	3.27	4.06	6.37	9.44	13.3	34.5	53.6
20	2.00	4.40	5.20	5.80	7.26	8.60	13.9	21.0	27.9	53.8	73.5
80	1.25	7.50	8.05	9.40	11.6	15.6	26.2	39.4	51.4	75.9	96.5
06	1.11	9.25	9.70	11.8	13.5	20.2	34.8	51.4	67.5	87.5	110
96	1.04	11.0	11.5	15.0	22.0	25.6	45.4	65.4	87.2	99.3	124
86	1.02	12.1	12.5	17.0	25.1	29.3	52.8	74.7	101	901	134
66	1.01	13.2	13.9	19.0	25.4	32.6	59.9	83.1	114	112	142

*Calculated from adjusted probabilities

Table B-2.23. Regulated Low Flow Frequency Table

(Flow in cfs) USGS Station 01452000 Jordan Creek at Allentown, PA.

Probability	Recurrence Interval				For Follo	wina Numbe	r of Conse	For Following Number of Consecutive Days	v		
(Percent)	(Years)	*	* κ	*	4	90 90	09	90	120	183	365
-	100.00	0.31	0.58	0.85	0.99	1.12	1.70	2.14	3.73	17.0	39.5
2	20.00	0.62	0.97	1.35	1.46	1.58	2.40	3.14	5.20	21.3	45.1
2	20.00	1.48	1.99	2.40	2.49	2.55	3.90	5.37	8.32	29.0	54.5
10	10.00	2.30	2.90	3.45	3.60	3.80	5.83	8.32	12.3	37.4	63.9
20	5.00	3.60	4.10	4.60	4.87	5.90	9.17	13.5	19.1	49.3	76.6
20	2.00	09.9	7.15	8.00	10.9	12.3	19.7	29.9	39.8	6.92	105
80	1.25	10.8	11.11	13.1	16.5	22.3	37.4	56.2	73.4	108	138
06	1.11	13.2	13.8	16.8	18.3	28.9	49.8	73.8	96.4	125	157
96	1.04	15.7	17.0	21.8	28.0	36.8	65.3	93.8	125	142	7.71
86	1.02	17.1	19.0	25.5	34.0	42.3	76.5	108	145	152	191
66	1.01	18.2	21.0	28.5	35.0	47.3	87.3	120	164	160	203

*Calculated from adjusted probabilities

lable B-2.24. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01453000
Lehigh River at Bethlehem, PA.

Probability	Recurrence Interval	ąų,			For Fo	For Following Number of Consecutive Days	ber of Co	nsecutive D	ays		
(Percent)	(Years)	-	က	7	14	30	09	06	120	183	365
~	100.00	231	276	291	300	309	327	351	431	905	1140
2	50.00	251	292	308	321	336	360	394	482	286	1160
S	20.00	284	319	339	357	383	420	471	573	1120	1440
01	10.00	318	347	370	394	430	483	553	672	1260	1610
20	5.00	365	387	415	445	498	577	675	819	1460	1850
20	2.00	479	490	530	574	663	827	1010	1220	1920	2380
80	1.25	634	643	869	757	968	1220	1530	1860	2550	3010
06	1.1	737	753	816	884	1050	1510	1930	2340	2960	3380
96	1.04	898	006	975	1050	1260	1920	2470	3020	3470	3820
86	1.02	996	1020	1100	1180	1410	2250	2920	3570	3850	4410
66	1.01	1070	1140	1230	1310	1570	2600	3390	4160	4230	4400

Table B-2.25. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01454700
Lehigh River at Glendon, PA.

Probability	Recurrence Interval	a ı			For Fo	llowing Num	ber of Co	For Following Number of Consecutive Days	ays		
(Percent)	(Years)	1	3	7	14	30	09	06	120	183	365
-	100.00	172	308	323	334	343	362	388	472	964	1220
2	50.00	162	325	342	357	373	398	434	526	1050	1340
2	20.00	324	354	375	396	423	461	515	623	1190	1520
10	10.00	358	384	410	436	473	529	602	727	1340	1700
20	5.00	407	428	460	493	547	629	732	882	1540	1940
20	2.00	528	541	585	633	725	895	1080	1300	2030	2490
80	1.25	702	712	692	832	972	1310	1640	1980	2690	3160
06	1.11	822	836	899	896	1140	1620	2050	2490	3130	3560
96	1.04	086	1000	1070	1150	1350	2040	2630	3200	3680	4030
86	1.02	1100	1140	1210	1280	1520	2390	3100	3790	4090	4350
66	1.01	1230	1280	1350	1420	1680	2760	3610	4420	4500	4670

(Flow in cfs)

USGS Station 01456000 Musconetcong River Near Hackettstown, N.J.

Probability	Recurrence Interval				For Follo	wing Numbe	er of Conse	For Following Number of Consecutive Days	S/		
(Percent)	(Years)	_	m	7	14	30	09	06	120	183	365
-	100.00	5.39	6.16	7.42	7.86	8.82	10.1	11.0	12.7	31.2	44.5
2	50.00	6.35	7.16	8.44	9.02	10.22	11.8	13.0	15.3	35.9	51.3
5	20.00	8.06	8.92	10.2	11.11	12.7	14.8	16.8	20.2	44.1	62.8
10	10.00	9.89	10.8	12.1	13.2	15.3	18.2	21.0	25.6	52.6	74.3
20	5.00	12.6	13.5	14.9	16.4	19.2	23.2	27.4	34.0	64.4	8.68
20	2.00	19.4	20.5	22.2	24.5	29.5	37.0	45.2	56.7	92.5	124
80	1.25	29.1	30.3	32.9	36.3	43.8	58.9	73.8	7.16	128	162
90	1.11	35.5	36.8	40.4	44.4	53.8	75.1	94.8	116	150	183
96	1.04	43.4	45.1	50.3	54.9	2.99	97.1	124	149	176	205
86	1.02	49.3	51.2	6.73	62.8	76.5	115	146	173	193	220
66	1.01	55.0	57.2	65.7	70.9	86.3	133	170	198	210	233

Table 8-2.27. Regulated Low Flow Frequency Table

(Flow in cfs) USGS Station 01457500 Delaware River at Riegelsville, N.J.

Probability	Recurrence Interval	ø,			For Fo	llowing Nun	nber of Co	For Following Number of Consecutive Days	ays		
(Percent)	(Years) 1	-	ဧ	7	14	30	09	06	120	183	365
. -	100.00	1590	1790	2000	2100	2250	2280	2350	2470	4220	5040
2	50.00	1670	1860	2050	2150	2270	2310	2420	2500	4600	5530
2	20.00	1790	1970	2130	2220	2340	2350	2440	2690	5220	6320
10	10.00	1910	2090	2220	2300	2410	2500	2660	3030	5840	7090
50	5.00	2070	2230	2350	2410	2550	2760	3040	3520	0899	8110
20	2.00	2410	2550	2670	2780	3070	3610	4210	2000	8600	10300
80	1.25	2820	2950	3140	3340	3960	4930	5940	7170	11000	12800
06	1.11	3060	3200	3460	3770	4640	2990	7280	8810	12600	14300
96	1.04	3340	3490	3880	4340	5630	7550	9190	11100	14400	15900
86	1.02	3540	3710	4200	4810	6460	8890	10800	13000	15700	17100
66	1.01	3730	3910	4540	5310	7230	0086	12500	15100	17000	18100

Table B-2.28. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01459500
Tohickon Creek at Pipersville, PA.

Probability	Recurrence Interval				For Follo	wing Numbe	r of Conse	For Following Number of Consecutive Days	S		
(Percent)	(Years)	*[3*	7	14	30	09	06	120	183	365
-	100.00	0.08	0.27	0.572	0.639	0.709	06.0	1.25	2.06	14.1	50.3
2	50.00	0.10	0.40	0.659	0.741	0.877	1.20	1.72	3.00	18.5	57.6
ဟ	20.00	0.27	0.64	0.826	0.938	1.21	1.83	2.78	5.12	27.1	70.3
10	10.00	0.62	0.84	1.02	1.18	1.62	2.67	4.25	8.06	37.1	83.2
20	5.00	0.95	1.15	1.35	1.58	2.33	4.22	7.06	13.6	52.5	101
50	2.00	1.74	2.05	2.40	2.94	4.74	10.1	18.4	33.8	93.0	143
80	1.25	3.15	3.65	4.61	5.99	9.90	24.1	47.2	75.5	147	195
06	1.1	4.45	5.00	6.68	9.01	14.7	38.0	9.9/	110	179	526
96	1.04	6.40	7.25	10.2	14.3	22.6	7.19	128	191	214	262
86	1.02	9.20	9.30	13.5	9.61	29.9	84.2	177	201	237	287
66	1.01	9.80	11.0	17.6	26.3	38.7	112	238	244	257	310

*Calculated from adjusted probabilities

Table B-2.29. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01463500
Delaware River at Trenton, N.J.

Probability	Recurrence Interval	ģ ļ			For Fo	For Following Number of Consecutive Days	ber of Con	secutive D	ays		
(Percent)	(Years)	-	8	7	14	30	09	06	120	183	365
-	100.00	1700	1880	2080	2200	2360	2400*	2480*	2620*	4290	5220
2	50.00	1 780	1960	2140	2250	2390	2430*	2560*	2660*	4700	5740
ស	20.00	1910	2080	2240	2340	2470	2480*	2570	2890	5390	0099
10	10.00	2040	2210	2350	2440	2560	2670	2860	3260	0909	7430
20	5.00	2210	2370	2500	2580	2720	2960	3280	3800	0869	8520
20	2.00	2580	2730	2870	2990	3210	3790	4440	5280	9080	10900
80	1.25	3040	3180	3390	3620	4090	5170	6300	7630	11700	13600
06	1.11	3320	3460	3740	4090	4810	6250	7710	9420	13300	15100
96	1.04	3640	3800	4190	4720	5870	7820	9730	11900	15200	16800
86	1.02	3880	4040	4540	5230	0629	9140	11400	14000	16600	18000
66	1.01	4100	4270	4890	4770	7820	10600	13200	16300	17900	19000

Table B-2.30. Regulated Low Flow Frequency Table (Flow in cfs)

USGS Station 01467500 Schuylkill River at Pottsville, PA.

Probability	Recurrence Interval				For Follo	wing Numbe	er of Consu	For Following Number of Consecutive Days	v		
(Percent)	(Years)	_	3	7	14	30	09	06	120	183	365
_	100.00	9.97	10.8	11.9	12.8	14.5	15.5	17.1	18.7	35.6	47.6
2	50.00	10.8	11.7	12.8	13.7	15.5	16.9	19.1	21.2	39.2	51.8
22	20.00	12.2	13.2	14.3	15.2	17.3	19.4	22.2	25.4	45.3	58.7
10	10.00	13.7	14.7	15.9	16.8	19.1	21.9	25.6	29.9	51.3	65.4
20	5.00	15.7	16.8	18.0	19.0	21.8	25.6	30.5	36.2	59.4	74.4
20	2.00	20.4	21.6	23.3	24.7	28.4	35.0	42.8	52.1	77.9	94.1
80	1.25	56.6	28.1	30.6	32.9	38.2	49.0	8.09	74.7	101	118
06	וו.ו	30.6	32.4	35.5	38.7	45.1	59.1	73.3	8.68	115	132
96	1.04	35.6	37.6	41.8	46.3	54.3	72.5	89.7	109	131	148
86	1.02	39.4	41.5	46.6	52.2	61.5	83.1	102	124	142	159
66	1.01	43.1	45.4	51.6	58.4	0.69	94.3	115	139	153	169

Table B-2.31. Regulated Low Flow Frequency Table

(Flow in cfs) USGS Station 01467950 West Branch Schuylkill River at Cressona, PA.

Probability	Recurrence Interval				For Foil	cwing Numb	er of Consu	For Following Number of Consecutive Dave	ų		
(Percent)	(Years)	-	e	7	14	30	09	06	120	183	365
,	100.00	8.52	9.55	10.8	17.1	12.1	13.8	14.9	17.6	28.1	38.0
2	50.00	9.56	10.6	11.7	12.1	13.2	15.1	16.6	19.6	31.6	42.2
S	20.00	11.2	12.2	13.3	13.8	15.1	17.4	19.5	23.0	37.3	48.9
10	10.00	12.9	13.8	14.8	15.5	17.0	19.8	22.5	26.6	42.9	55.2
20	5.00	15.1	15.9	16.9	17.8	19.6	23.2	26.9	31.7	50.3	63.4
20	2.00	19.7	20.3	21.5	22.9	25.9	31.4	37.7	44.3	66.2	80.0
80	1.25	24.8	25.3	27.0	29.1	34.3	42.8	52.8	62.3	84.0	97.4
06	1.11	27.6	28.0	30.4	32.8	39.7	50.5	63.0	74.5	93.9	106
96	1.04	30.6	31.0	34.3	37.2	46.5	60.3	76.1	90.2	105	116
86	1.02	32.5	33.0	37.0	40.3	51.5	2.79	86.0	102	112	122
66	1.01	34.2	34.8	39.6	43.2	56.5	75.2	0.96	114	118	127

(Flow in cfs)

USGS Station 01468500
Schuylkill River at Landingville, PA.

Probability	Recurrence Interval				For Foll	owing Numb	er of Cons	For Following Number of Consecutive Days	Š		
(Percent)	(Years)	-	က	7	14	30	09	06	120	183	365
	100.00	18.5	19.9	20.7	22.3	26.2	30.7	35.1	41.5	87.9	126
2	50.00	20.5	21.9	22.9	24.7	29.0	34.2	39.7	47.4	1.76	136
ĸ	20.00	23.9	25.5	26.8	28.9	34.0	40.5	48.0	57.8	112	152
10	10.00	27.5	29.1	30.8	33.3	39.2	47.2	8.99	68.9	128	167
50	5.00	32.6	34.3	36.6	39.6	46.7	57.1	8.69	85.1	148	188
20	2.00	45.3	47.4	51.2	55.6	66.2	83.3	104	127	196	235
80	1.25	63.2	0.99	72.2	79.2	95.3	124	155	189	255	294
06	1.11	75.4	78.7	8.98	92.6	116	153	192	232	291	330
96	1.04	91.2	95.2	106	117	144	194	241	289	334	372
86	1.02	103	108	120	134	165	227	280	332	364	403
66	1.01	115	121	136	152	188	197	320	376	393	432

Table B-2.33. Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01469500
Little Schuylkill River at Tamaqua, PA.

Probability	Recurrence Interval				For Follo	wing Numbe	r of Conse	For Following Number of Consecutive Days	10		
(Percent)	(Years)	-	က	7	14	30	09	06	120	183	365
- -	100.00	2.51	2.70	3.01	3.39	4.11	4.55	5.29	7.01	23.4	34.6
2	50.00	2.88	3.09	3.42	3.83	4.65	5.32	6.35	8.42	26.2	38.2
S	20.00	3.53	3.78	4.18	4.63	5.65	6.74	8.35	11.1	31.1	44.3
10	10.00	4.25	4.53	5.00	5.50	6.75	8.36	10.6	14.1	36.1	50.5
20	5.00	5.32	5.66	6.22	6.83	8.45	10.9	14.3	18.9	43.2	58.9
20	2.00	8.23	8.69	9.56	10.5	13.3	18.2	24.9	32.8	60.5	78.4
80	1.25	12.8	13.4	14.9	16.6	21.7	31.1	43.5	56.8	84.2	103
06	1.11	16.2	16.9	18.8	21.3	28.4	41.3	58.2	75.5	7.66	911
96	1.04	20.9	21.7	24.3	28.1	38.2	56.3	79.4	102	119	137
86	1.02	24.6	25.5	28.7	33.6	46.6	0.69	6.96	124	134	150
66	1.01	28.6	29.6	33.4	39.7	55.9	82.9	116	148	154*	163

Table B-2.34 Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01470000
Little Schuylkill River at Drehersville, PA.

Probability	Recurrence Interval				For Foll	owing Numbe	r of Cons	For Following Number of Consecutive Days	40		
(Percent)	(Years)	_	က	7	14	30	09	06	120	183	365
-	100.00	19.5	50.6	22.0	24.1	28.6	30.7	33.3	39.1	82.5	118
2	50.00	21.4	22.6	24.1	26.3	31.0	34.0	37.7	44.7	91.4	127
ĸ	20.00	24.8	26.0	27.8	30.1	35.3	39.9	45.4	54.5	901	142
10	10.00	28.3	29.6	31.6	34.1	39.8	46.2	53.7	64.9	121	157
20	5.00	33.2	34.6	37.0	39.7	46.5	55.4	62.9	80.2	140	177
20	2.00	45.4	47.1	50.5	54.3	64.0	8.62	98.2	120	184	220
80	1.25	62.5	64.8	9.69	75.7	1.19	118	147	178	236	272
06	1.11	74.1	8.92	82.8	6.06	ווו	145	183	218	267	303
96	1.04	0.68	92.3	8.66	111	139	183	230	172	303	339
86	1.02	100	104	133	127	191	214	268	311	327	364
66	1.01	112	116	126	144	185	247	307	353	370*	388

Table B-2.35 Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01470500
Schuylkill River at Berne, PA.

Probability	Recurrence Interval	_			For Follo	owing Numbe	r of Cons	For Following Number of Consecutive Days			
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	36.2	44.3	48.5	52.2	63.0	74.1	79.9	9.96	219	321
2	50.00	41.9	49.8	54.5	58.6	70.3	82.7	91.4	111	244	350
S	20.00	51.7	59.1	64.6	69.5	87.8	7.76	112	136	285	398
10	10.00	61.8	68.7	75.0	80.8	95.7	114	134	163	327	445
20	5.00	76.0	82.1	89.4	7.96	114	137	167	204	384	208
20	2.00	110	114	124	135	159	199	254	314	517	650
80	1.25	153	156	169	187	222	295	389	483	989	825
06	1.11	179	183	197	220	264	365	486	909	162	932
96	1.04	210	216	232	262	317	461	617	772	915	1060
86	1.02	231	240	257	293	357	537	720	904	1000	1150
66	1.01	251	264	281	323	397	618	828	1040	1090	1230

Table B-2.36 Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01470756
Maiden Creek at Virginville, PA.

Probability	Recurrence Interval				For Follo	wing Numbe	r of Conse	For Following Number of Consecutive Days	S		
(Percent)	(Years)	-	က	7	14	30	09	06	120	183	365
_	100.00	7.40	8.32	9.83	10.1	11.8	13.7	15.8	20.9	46.6	77.3
2	50.00	8.58	9.55	11.0	11.4	13.3	15.8	18.5	24.3	54.5	87.9
S	20.00	10.6	11.7	13.1	13.8	16.0	19.6	23.4	30.6	68.4	106
10	10.00	12.7	13.8	15.3	16.2	18.8	23.7	29.0	37.7	82.8	124
20	5.00	15.6	16.8	18.3	19.7	23.0	29.8	37.5	48.6	103	148
20	2.00	22.4	23.6	25.7	28.2	34.2	46.5	61.5	8.62	152	204
80	1.25	30.7	32.0	35.7	40.1	51.5	72.8	102	132	213	270
06	1.11	35.7	37.0	42.2	47.9	64.1	92.2	132	173	250	310
96	1.04	41.4	42.7	50.3	57.7	81.3	119	175	232	262	354
86	1.02	45.2	46.6	56.2	65.0	95.0	140	211	280	321	385
66	1.01	48.8	50.2	62.1	72.2	110	162	249	333	349	413

Table B-2.37 Regulated Low Flow Frequency Table (Flow in cfs)

USGS Station 01470960 Tulpehocken Creek at Blue Marsh Damsite, PA.		
is Station 01470960 Creek at Blue Marsh Damsite,		PA.
Station 0147 Creek at Blue		
Station Creek at	01470960	3lue Marsh
	USGS Station (Creek

Probability	Recurrence Interval				For Follo	owing Numbe	r of Conse	For Following Number of Consecutive Days			
(Percent)	(Years)	_	3	7	14	30	09	06	120	183	365
-	100.00	23.4	25.4	27.9	28.3	30.8	34.3	39.4	48.3	80.5	115
2	50.00	25.6	27.7	30.2	31.1	33.7	38.1	44.1	53.7	0.06	127
22	20.00	29.5	31.6	34.2	35.7	38.8	44.6	52.4	63.1	901	146
10	10.00	32.9	35.5	38.1	40.3	44.0	51.5	61.2	73.1	122	165
20	5.00	37.9	40.7	43.6	46.6	51.4	61.3	74.0	87.7	144	189
20	2.00	49.7	52.7	56.6	61.3	8.69	86.4	107	126	194	242
80	1.25	64.9	8.79	73.8	80.3	95.7	123	155	184	256	303
96	1.1	74.6	77.2	84.9	92.3	113	148	189	227	294	337
96	1.04	86.5	88.4	98.8	107	136	182	234	284	338	375
86	1.02	95.1	96.4	109	711	154	208	269	329	369	401
66	1.01	104	108*	119	128	172	234	305	377	398	424

iatle B-2.38 Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01471000
Tulpehocken Creek at Reading, PA.

Probability	Recurrence Interval				For Follo	owing Numbe	r of Conse	For Following Number of Consecutive Days	10		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	28.2	30.6	33.6	34.1	37.1	41.3	47.4	58.3	97.0	139
2	50.00	30.9	33.4	36.4	37.5	40.7	45.8	53.2	64.8	108	153
ĸ	20.00	35.3	38.1	41.2	43.0	46.7	53.7	63.2	76.1	128	176
10	10.00	39.7	42.8	46.0	48.5	53.0	62.0	73.8	88.1	147	199
20	5.00	45.7	49.1	52.6	56.1	6.19	73.9	89.1	106	173	228
20	2.00	59.9	63.6	68.2	73.9	84.0	104	129	152	234	292
80	1.25	78.3	81.8	0.68	8.96	115	148	187	222	309	365
06	1.11	90.1	93.0	102	111	137	179	228	273	354	406
96	1.04	104	107	119	129	164	219	282	342	407	452
86	1.02	115	115	132	142	186	250	324	396	444	483
66	1.01	125	126	144	154	207	282	368	454	480	511

Table B-2.39 Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01471500
Schuylkill River at Reading, PA.

Probability	Recurrence Interval	a .			For Fol	lowing Numb	er of Con	Following Number of Consecutive Days	ς		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
-	100.00	78.0	87.6	100	105	120	139	156	201	409	618
2	50.00	8.68	100	112	118	135	158	180	231	469	694
S	20.00	110	120	133	141	16 0	191	223	284	570	820
10	10.00	130	141	154	164	187	226	270	341	573	943
20	5.00	159	169	184	197	225	278	340	427	815	1110
20	2.00	223	233	251	273	321	414	529	662	1140	1470
80	1.25	300	310	337	370	461	620	826	1030	1530	1870
06	1.11	344	354	389	430	556	768	1040	1310	1770	2100
96	1.04	395	404	452	505	189	965	1340	1690	2030	2350
86	1.02	429	438	495	552	777	1120	1570	1990	2210	2520
66	1.01	460	470	537	601	874	1280	1810	2310	2380	2670

(Flow in cfs)

USGS Station 01472000
Schuylkill River at Pottstown, PA.

Probability	Recurrence Interval	aı			For Fo	Following Number of Consecutive	ber of Cor	secutive Da	Days		
(Percent)	(Years)	-	æ	7	14	30	09	06	120	183	365
-	100.001	139	154	174	178	202	230	254	314	586	838
2	50.00	157	172	192	198	224	257	288	356	199	931
S	20.00	188	203	222	232	260	304	348	428	982	1080
10	10.00	218	233	252	265	298	353	413	505	912	1230
20	5.00	258	273	293	311	351	424	507	619	1080	1420
50	2.00	348	363	388	418	484	909	752	915	1480	1840
80	1.25	455	467	507	553	570	871	1120	1360	1940	2310
06	1.11	516	528	581	989	795	1060	1380	1680	2210	2580
96	1.04	584	969	699	736	926	1300	1720	2110	2520	2870
86	1.02	630	641	731	908	1080	1490	1990	2440	2740	3060
66	1.01	672	683	792	874	1200	1680	2270	2790	2940	3230

7

Table B-2.41. Regulated Low Flow Frequency Table (Flow in cfs)

USGS Station 01473000 Perkiomen Creek at Graterford, PA.

Probability	Recurrence Interval				For Foll	owing Numb	For Following Number of Consecutive Days	ecutive Da	ys		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	5.51	8.78	11.3	13.0	16.2	24.1	32.9	35.8	72.8	165
2	50.00	6.95	10.4	12.9	14.6	18.3	26.6	35.9	40.8	86.3	182
S	20.00	9.64	13.2	15.7	17.6	22.0	31.3	41.5	49.9	110	112
10	10.00	12.6	16.2	18.6	20.8	26.1	36.5	48.0	60.3	135	240
20	5.00	17.1	20.5	22.9	25.5	32.0	44.5	58.4	76.5	171	279
20	2.00	28.3	31.0	34.0	37.9	47.7	9.79	90.5	124	259	367
80	1.25	42.7	44.7	50.1	57.1	7.17	109	153	210	374	475
06	1.11	51.3	53.1	61.2	71.0	89.0	143	210	281	445	541
96	1.04	8.09	63.0	75.8	8.68	113	194	303	389	528	617
86	1.02	0.79	8.69	6.98	105	313	239	390	483	286	670
66	1.01	72.6	76.2	98.2	120	150	291	495	290	640	721

Table B-2.42, Regulated Low Flow Frequency Table (Flow in cfs)
USGS Station 01474500.
Schuylkill River at Philadelphia, PA.


Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	er of Cons	ecutive Da	ys		
(Percent)	(Years)	-		7	14	30	. 09	06	120	183	365
_	100.001	210	226	243	245	263	304	350	449	845	1250
2	50.00	230	246	592	271	294	345	402	508	955	1390
ß	20.00	263	281	303	314	347	416	493	614	1140	1620
10	10.00	297	316	342	359	402	492	591	729	1330	1850
20	5.00	344	365	396	421	480	602	734	868	1600	2160
20	2.00		481	527	574	219	884	1110	1350	2210	2820
80	1.25		634	704	784	954	1290	1670	2050	2990	3580
06	1.11	704	734	820	923	1140	1580	2060	2560	3470	4000
96	1.04	826	858	896	1100	1390	1950	2570	3250	4040	4480
88	1.02	917	949	1080	1230	1570	2230	2970	3800	4440	4790
66	1.01	1010	1040	1190	1360	1760	2520	3380	4380	4820	5070

Table B 2.43. Regulated Low Flow Frequency Table (Flow in cfs)
Delaware River below Schuylkill Confluence

Table B-2.44. Regulated Low Flow Frequency Table (Flow in cfs)
Delaware River at Delaware Memorial Bridge

cent)					10r 1011	FOR FOLLOWING Number of Consecutive Days		Securiae Na	2		
	rs)	-	8	7	14	30	09	06	120	183	365
	0 2460		2600	2850	2910	3020	3080*	3240	3710	6470	8280
	0 2590		2730	2950	3020	3160	3230	3520	4040	7120	0806
	0 2810		2950	3130	3220	3400	3610	4000	4620	8200	10400
10.00	0 3020		3160	3320	3440	3670	4010	4510	5240	9270	11700
20 5.00	3310		3450	3590	3740	4050	4600	5270	6150	16700	13300
50 2.00	0 3940		4080	4280	4540	9020	6130	7290	8590	14100	16900
80 1.25	5 4720		4850	5270	5730	0999	8490	10500	12400	18300	21100
11.11	1 5190		5320	2960	6580	7830	10200	12800	15300	21000	23400
1.04	4 5760		5890	6880	7720	9450	12600	16100	19400	24100	26000
1.02	2 6160		96290	7600	8630	10800	14600	18800	22700	26300	27800
1.01	1 6550		0899	8340	9580	12200	16600	21700	26300	28500	29400

*Recalculated



Regulated Low Flow Frequency Curves for 01417000, East Branch Delaware River at Downsville, N.Y. RECURRENCE INTERVAL IN YEARS Figure B-1.

 $O \perp C$

HZ

下しつ3


 $\Omega \Pi \Omega$

HZ


ドコロヌ

Regulated Low Flow Frequency Curves for 01425000, West Branch Delaware River at Stilesville, N.Y. RECURRENCE INTERVAL IN YEARS Figure B-2.


I




RECURRENCE INTERVAL IN YEARS
Figure B-3. Regulated Low Flow Frequency Curves for 01426500, West Branch Delaware River at Hale Eddy, N.Y.



RECURRENCE INTERVAL IN YEARS
Figure B-4. Regulated Low Flow Frequency Curves for 01427405, Delaware River near Callicoon, N.Y.



Regulated Low Flow Frequency Curves for Delaware River near Barryville, N.Y. RECURRENCE INTERVAL IN YEARS Figure B-5.




下103

HZ

 $O \Vdash O$

RECURRENCE INTERVAL IN YEARS


Figure B-6. Regulated Low Flow Frequency Curves for 01431500, Lackawaxen River at Hawley, PA.



HZ

ドーロメ

Regulated Low Flow Frequency Curves for 01434000, Delaware River at Port Jervis, N.Y. RECURRENCE INTERVAL IN YEARS Figure B-7.




L103

HZ

 $O \perp V$

RECURRENCE INTERVAL IN YEARS
Figure B-8. Regulated Low Flow Frequency Curves for 01436000, Neversink River at Neversink, N.Y.




下し口3


HZ

 $\Omega \sqcap \Omega$

RECURRENCE INTERVAL IN YEARS Figure 8-9. Regulated Low Flow Frequency Curves for 01438500, Delaware River at Montague, N.J.



RECURRENCE INTERVAL IN YEARS
Figure B-10. Regulated Low Flow Frequency Curves for 01449800, Pohopoco Creek at Beltzville Damsite, PA.



下しつ3

ΗZ

 $O \Vdash Q$

RECURRENCE INTERVAL IN YEARS Figure B-11. Regulated Low Flow Frequency Curves for 01453000, Lehigh River at Bethlehem, PA.


 $O \Vdash \emptyset$

HZ


下しつ3

RECURRENCE INTERVAL IN YEARS

Figure B-12. Regulated Low Flow Frequency Curves for 01459500, Tohickon Creek at Pipersville, PA.



RECURRENCE INTERVAL IN YEARS Figure B-13. Regulated Low Flow Frequency Curves for 01463500, Delaware River at Trenton, N.J.




 Ω \mathbb{L} \otimes

HZ

ドコロヌ


RECURRENCE INTERVAL IN YEARS
Figure B 14. Regulated Low Flow Frequency Curves for 01470960, Tulpehocken Creek at Blue Marsh Damsite, PA.




OFA

HZ


RECURRENCE INTERVAL IN YEARS
Figure B-15. Regulated Low Flow Frequency Curves for 01471500, Schuylkill River at Reading, PA.



RECURRENCE INTERVAL IN YEARS
Figure 8-16. Regulated Low Flow Frequency Curves for 01474500, Schuylkill River at Philadelphia, PA.



Regulated Low Flow Frequency Curves for Delaware River Below Mouth of Schuylkill RECURRENCE INTERVAL IN YEARS Figure 8-17.



RECURRENCE INTERVAL IN YEARS Figure B-18. Regulated Low Flow Frequency Curves for Delaware River at Delaware Memorial Bridge

APPENDIX C BASE RUN DAILY FLOWS DURATION AND FREQUENCY ANALYSIS

TABLE OF CONTENTS

Base Run Duration Table

Base Run Duration Curves

Base Run Low Flow Frequency Tables

Base Run Low Flow Frequency Curves

Table C-1

Figures C-1 to C-44

Tables C-2.1 to C-2.44

Figures C-45 to C-62

TABLE C-1 Base Run Flow Duration Table (Flow in cfs)

			Percent	of Time D	Percent of Time Discharge was Equaled or Exceeded	is Equaled	or Exceede		
Model Node		10	25	20	70	75	90	95	66
01417000 East Branch Delaware River at Downsville, N.Y.	2,800	880	83	72	51	48	18	· & · 9 :	6.2
01421000 East Branch Delaware River at Fishs Eddy, N.Y.	8,000	2,700	1,300	099	· 44 0·	390	250	190	120
01425000 West Branch Delaware River at Stilesville, N.Y.	2,900	710	360	44	36	35	21	9.1	8.5
01426500 West Branch Delaware River at Hale Eddy, N.Y.	3,900	1,000	520	320	170	150	84	29	34
01427405 Delaware River near Callicoon, N.Y.	16,000	2,000	2,400	1,200	006	840	630	530	370
01428500 Delaware River near Barryville, N.Y.	20,000	6,200	3,100	1,500	1,100	066	740	620	430
01429000 Lackawaxen River at Prompton, PA.	099	220	120	09	32	27	15	Ξ	7.0
01429500 Dyberry Creek near Honesdale, PA.	780	230	86	53	27	22	6.6	7.2	3.7
01430000 Lackawaxen River at Honesdale, PA.	1,900	009	320	150	88	89	34	56	91
01431500 Lackawaxen River at Hawley, PA.	3,600	1,100	260	260	130	110	55	42	25
01434000 Delaware River at Port Jervis, N.Y.	27,000	6,600	5,200	2,700	1,900	1,800	1,400	1,300	1,100

TABLF C-1 Base Run Flow Duration Table (Cont'd) (Flow in cfs)

			Percent	of Time Discharge was	scharge wa	Equaled	or Exceeded		
Model Node	_	10	52	20	20	75	06	95	66
01436000 Neversink River at Neversink, N.Y.	870	48	46	41	25	24	0.9	5.5	5.1
01437000 Neversink River at Oakland, N.Y.	1,800	290	330	180	120	110	73	99	33
01438500 Delaware River at Montague, N.J.	31,000	11,000	6,100	3,300	2,200	2,000	1,700	1,600	1,400
01440200 Delaware River below Tocks Island Damsite, PA.	32,000	13,000	7,000	3,800	2,500	2,200	1,800	1,700	1,500
01446500 Delaware River at Belvidere, N.J.	39,000	15,000	8,500	4,600	2,900	2,700	2,100	1,900	1,600
01447800 Lehigh River at White Haven, PA.	3,200	1,200	750	410	250	210	120	06	19
01449800 Pohopoco Creek at Beltzville Damsite, PA.	730	300	190	011	17	62	39	27	19
Aquashicola Creek at Aquashicola Damsite, PA.	730	260	150	85	54	47	53	20	35
01450500 Aquashicola Creek at Palmerton, PA.	840	300	180	66	62	55	33	52	11
01451000 Lehigh River at Walnutport, PA.	9,700	3,800	2,300	1,300	790	680	390	300	210
01451800 Jordan Creek near Schnecksville, PA.	280	170	88	41	21	18	7.9	4.7	2.0
01451200 Jordan Creek at Allentown, PA.	840	240	120	59	31	25	Ξ	6.5	3.7

TABLE C-1
Base Run Flow Duration Table (Cont'd)
(Flow in cfs)

			Percent	of Time D	ischarde w	Percent of Time Discharge was Equaled or	or Exceeded	P	
Model Node		10	25	50	70	. 75	96	98	66
01453000 Lehigh River at Bethlehem, PA.	12,000	4,900	3,100	1,800	1,100	1,000	640	510	380
01454700 Lehigh River at Glendon, PA.	12,00)	5,100	3,200	1,900	1,200	1,100	700	570	420
01456000 Musconetcong River near Hackettstown, N.J.	550	270	170	92	56	49	53	22	13
01457500 Delaware River at Riegelsville, N.J.	51,000	22,000	13,000	7,100	4,600	4,100	3,000	2,600	2,200
01459500 Tohickon Creek at Pipersville, PA.	1,900	320	110	38	15	12	4.1	2.4	Ξ
01463500 Delaware River at Trenton, N.J.	54,000	23,000	13,000	7,300	4,600	4,100	2,900	2,500	2,000
01467500 Schuylkill River at Pottsville, PA.	460	190	120	7.1	48	43	28	23	18
01467950 West Branch Schuylkill River at Cressona, PA.	340	160	100	61	41	37	25	21	91
91468500 Scrytkill River at Landingville, PA.	1,200	480	310	180	120	110	63	20	37
167500 Schuylkill River at	520	180	66	20	30	26	13	8.9	5.8
ruylkiil River at PA.	1,000	440	290	170	120	100	19	50	37

, P.H.

CAMP DRESSLER AND MCKEE INC ANNANDALE VA DAILY FLOW MODEL OF THE DELAWARE RIVER BASIN. APPENDICES.(U) DACW61-78-C-C AD-A110 113 F/6 13/2 DACW61-78-C-0127 DAEN/NAP-51850/DFM02-81/09 NL UNCLASSIFIED 3 ... 6 40 4005 - 3





TABLE C-1
Base Run Flow Duration Table (Cont'd)
(Flow in cfs)

			Percent (Percent of Time Discharge was	scharge wa	s Equaled or	or Exceeded	-	
Mode) Node	-	10	5 2	20	20 -	75	90	95	66
01470500 Schuylkill River at Berne, PA.	1,500	460	240	120	99	26	32	52	16
01470756 Maiden Creek at Virginville, PA.	1,400	470	290	160	66	98	20	4	4
01470960 Tulpehocken Creek at Blue Marsh Damsite, PA.	1,300	490	310	180	120	100	29	55	39
01471000 Tulpehocken Creek at Reading, PA.	1,500	280	370	210	140	120	8	99	49
01471500 Schuylkill River at Reading, PA.	8,600	3,200	1,800	950	570	200	300	230	160
01472000 Schuylkill River at Pottstown, PA.	6,800	3,800	2,300	1,300	810	720	450	360	260
01473000 Perkiomen Creek at Graterford, PA.	4,000	790	340	160	82	74	45	37	22
01474500 Schuylkill River at Philadelphia, PA.	17,000	6,100	3,500	1,900	1,100	1,000	620	490	350
Delaware River below Schuylkill Confluence	73,000	33,000	19,000	11,000	6,700	2,900	4,000	3,300	2,600
Delaware River at Delaware Memorial Bridge	78,000	35,000	21,000	12,000	7,400	009'9	4,400	3,600	2,800




トンロヌ

HZ

SFS

PERCENT TIME EQUALED OR EXCEEDED Figure C-1. Base Run Flow Duration Curve for 01417000, East Branch Delaware River at Downsville, N.Y.



PERCENT TIME EQUALED OR EXCEEDED Figure C-2. Base Run Flow Duration Curve for 01421000, East Branch Delaware River at Fishs Eddy, N.Y.

TOR HE OFW


即 8 †የ3 See

HZ


下しの3

SHC


PERCENT TIME EQUALED OR EXCEEDED Figure C-3. Base Run Flow Duration Curve for 01425000, West Branch Delaware River at Stilesville, N.Y.




PERCENT TIME EQUALED OR EXCEEDED Figure C-4. Base Run Flow Duration Curve for 01426500, West Branch Delaware River at Hale Eddy, N.Y.



PERCENT TIME EQUALED OR EXCEEDED
Figure C-5. Base Run Flow Duration Curve for 01427405, Delaware River near Callicoon, N.Y.



PERCENT TIME EQUALED OR EXCEEDED
Figure C-6. Base Run Flow Duration Curve for 01428500, Delaware River near Barryville, N.Y.




SHC

HZ

ドコロヌ

PERCENT TIME EQUALED OR EXCEEDED Figure C-7. Base Run Flow Duration Curve for 01429000, Lackawaxen River at Prompton, PA.

-




ZOL

HZ


SES

PERCENT TIME EQUALED OR EXCEEDED
Figure C-8. Base Run Flow Duration Curve for 01429500, Dyberry Creek Near Honesdale, PA.



PERCENT TIME EQUALED OR EXCEEDED
Figure C-9. Base Run Flow Duration Curve for 01430000, Lackawaxen River at Honesdale, PA.


FIOZ HZ OFW



FLO3


HZ

Base Run Flow Duration Curve for 01431500, Lackawaxen River at Hawley, PA. PERCENT TIME EQUALED OR EXCEEDED Figure C-10.



FERCENT TIME EQUALED OR EXCEEDED Figure C-11. Base Run Flow Duration Curve for 01434000, Delaware River at Port Jervis, N.Y.

minds: Has omb




ドコロヌ

ΗZ


Base Run Flow Duration Curve for 01436000, Neversink River at Neversink, N.Y. PERCENT TIME EQUALED OR EXCEEDED Figure C-12.

....


1




PERCENT TIME EQUALED OR EXCEEDED
Figure C-13. Base Run Flow Duration Curve for 01437000, Neversink River at Oakland, N.Y.




PERCENT TIME EQUALED OR EXCEEDED Figure C-14. Base Run Flow Duration Curve for 01438500, Delaware River at Montague, N.J.



PERCENT TIME EQUALED OR EXCEEDED Figure C-15. Base Run Flow Duration Curve for 01440200, Delaware River Below Tocks Island Damsite, PA.




PERCENT TIME EQUALED OR EXCEEDED Figure C-16. Base Run Flow Duration Curve for 01446500, Delaware River at Belvidere, N.J.




Base Run Flow Duration Curve for 01447800, Lehigh River at White Haven, PA.

Figure C-17.


PERCENT TIME EQUALED OR EXCEEDED





1-1-1-

PERCENT TIME EQUALED OR EXCEEDED
Figure C-19. Base Run Flow Duration Curve for Aquashicola Creek at Aquashicola Damsite, PA.




HZ

トしつH


SHC

TIME EQUALED OR EXCEEDED PERCENT

Base Run Flow Duration Curve for 01450500, Aquashicola Creek at Palmerton, PA. Figure C-20.




PERCENT TIME EQUALED OR EXCEEDED Figure C-21. Base Run Flow Duration Curve for 01451000, Lehigh River at Walnutport, PA.




SHG

HZ

PERCENT TIME EQUALED OR EXCEEDED
Figure C-22. Base Run Flow Duration Curve for 01451800, Jordan Creek near Schnecksville, PA.




PERCENT TIME EQUALED OR EXCEEDED
Figure C-23. Base Run Flow Duration Curve for




PERCENT TIME EQUALED OR EXCEEDED Figure C-24. Base Run Flow Duration Curve for 01453000, Lehigh River at Bethlehem, PA.

- -




Base Run Flow Duration Curve for 01454700, Lehigh River at Glendon, PA. FERGERAL MATERIAL MATERIAL CR. DX MANAGER P. Figure C-25.




PERCEMM TIME EQUALED OR EXCEEDED


Figure C-26. Base Run Flow Duration Curve for 01456000, Musconetcong River near Hackettstown, N.J.




PERCENT TIME EQUALED OR EXCEEDED
Figure C-27. Base Run Flow Duration Curve for 01457500, Delaware River at Riegelsville, N.J.




PERCENT TIME EQUALED OR EXCEEDED
Figure C-28. Base Run Flow Duration Curve for 01459500, Tohickon Creek at Pipersville, PA.




PERCENT TIME EGUALED OR EXPEEDED Figure C-29. Base Run Flow Duration Curve for 01463500, Delaware River at Trenton, N.J.




PERCENT TIME EQUALED OR EXCEEDED Figure C-30. Base Run Flow Duration Curve for 01467500, Schuylkill River at Pottsville, PA.




PERCENT TIME EQUALED OR EXCEEDED Figure C-31. Base Run Flow Duration Curve for 01467950, West Branch Schuylkill River at Cressona, PA.



PERCENT TIME EQUALED OR EXCEEDED Figure C-32. Base Run Flow Duration Curve for 01468500, Schuylkill River at Landingville, PA.



PERCENT TIME EQUALED OR EXCEEDED Figure C-33. Base Run Flow Duration Curve for 01469500, Little Schuylkill River at Tamaqua, PA.



ZOL

HZ

Figure C-34.







Figure C-35.




PERCENT TIME EQUALED OR EXCEEDED
Figure C-36. Base Run Flow Duration Curve for 01470756, Maiden Creek at Virginville, PA.




Base Run Flow Duration Curve for 01470960, Tulpehocken Creek at Blue Marsh Damsite, PA. PERCENT TIME EQUALED OR EXCEEDED Figure C-37.




PERCEUT TIME EQUALED OR EXCEEDED Figure C-38. Base Run Flow Duration Curve for 01471000, Tulpehocken Creek at Reading, PA.




PERCENT TIME EQUALED OR EXCEEDED Figure C-39. Base Run Flow Duration Curve for 01471500, Schuylkill River at Reading, PA.




rencint TIME EQUALED OR EXCEEDED Figure C-40. Base Run Flow Duration Curve for 01472000, Schuylkill River at Pottstown, PA.




PERCENT TIME EQUALED OR EXCEEDED Figure C-41. Base Run Flow Duration Curve for 01473000, Perkiomen Creek at Graterford, PA.





PERCENT TIME EQUALED OR EXCEEDED
Figure C-43. Base Run Flow Duration Curve for Delaware River Below Schuylkill Confluence



Base Run Low Flow Frequency Table Table C-2.1.

(Flow in cfs) USGS Station 01470AC East Branch Delaware River at Downsville, N.Y.

	Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	r of Conse	cutive Days			
100.00 6.20 8.48 17.2 10.00 6.20 6.20 6.20 7.08 8.80 11.0 12.5 35.5 33.8 13.7 14.4 44.3 80.3 19.3 19.3 11.2 11.2 12.0 12.1 14.4 44.3 80.3 19.3 11.3 11.2 11.2 12.5 12.5 12.5 <td< th=""><th>rcent)</th><th>(Years)</th><th>,-</th><th>က</th><th>7</th><th>14</th><th>30</th><th>09</th><th>06</th><th>120</th><th>183</th><th>365</th></td<>	rcent)	(Years)	,-	က	7	14	30	09	06	120	183	365
50.00 6.20 8.80 11.0 12.5 23.8 13.7 12.1 15.0 12.1 44.3 80.3 35.5 13.2 12.1 12.0 12.2 44.3 44.3 80.3 35.5 13.2 12.2 58.6 63.9 76.2 92.7 193 12.1 12.1 12.1 12.1 12.1 12.1 12.1 12.1 12.1 12.1 12.1 <th< td=""><td></td><td>100.00</td><td>6.20</td><td>6.20</td><td>6.20</td><td>6.20</td><td>6.20</td><td>6.20</td><td>6.20</td><td>6.20</td><td>9.75</td><td>65.2</td></th<>		100.00	6.20	6.20	6.20	6.20	6.20	6.20	6.20	6.20	9.75	65.2
20.00 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20 7.08 8.80 11.0 12.5 23.8 17.2 5.00 9.88 10.1* 10.5 10.8 12.1 15.0 18.4 19.7 35.5 35.5 1.25 24.5 25.5* 26.3 27.0 29.3 34.4 41.4 44.3 80.3 35.5 1.25 53.6 55.5* 56.4 57.2 58.6 63.9 76.2 92.7 193 1.11 76.9 78.1* 79.5 79.8 80.7* 81.8 97.6 133 313 1.04 109 110* 112* 115* 118* 120* 141* 238 600* 1.01 161 185* 222* 223* 265* 279* 279* 289	~ ~	50.00	6.20	6.20	6.20	6.20	6.20	6.20	6.20	6.20	12.2	74.7
10.00 6.20 6.20 6.27 7.08 8.80 11.0 12.5 23.8 5.00 9.88 10.1* 10.5 10.8 12.1 15.0 18.4 19.7 35.5 2.00 24.5 25.5* 26.3 27.0 29.3 34.4 41.4 44.3 80.3 1.25 53.6 55.5* 56.4 57.2 58.6 63.9 76.2 92.7 193 1.11 76.9 78.1* 79.5 79.8 81.8 97.6 133 313 1.04 109 110* 112* 115* 118* 120* 141* 238 600* 1.02 135 136* 137* 138* 139* 140* 141* 238 600* 1.01 161 185* 205* 222* 243* 265* 279* 279* 730*	י נ	20.00	6.20	6.20	6.20	6.20	6.20	6.20	6.89	8,48	17.2	91.8
5.00 9.88 10.1* 10.5 10.8 12.1 15.0 18.4 19.7 35.5 2.00 24.5 25.5* 26.3 27.0 29.3 34.4 41.4 44.3 80.3 1.25 53.6 55.5* 56.4 57.2 58.6 63.9 76.2 92.7 193 1.11 76.9 78.1* 79.5 79.8 80.7* 81.8 97.6 133 313 1.04 109 110* 112* 115* 118* 120* 141* 238 600* 1.02 135 136* 137* 138* 139* 140* 141* 238 600* 1.01 161 185* 205* 222* 243* 265* 279* 279* 730*		10.00	6.20	6.20	6.20	6.27	7.08	8.80	11.0	12.5	23.8	111
2.00 24.5 25.5* 26.3 27.0 29.3 34.4 41.4 44.3 80.3 1.25 53.6 55.5* 56.4 57.2 58.6 63.9 76.2 92.7 193 1.11 76.9 78.1* 79.5 79.8 80.7* 81.8 97.6 133 313 1.04 109 110* 112* 115* 118* 120* 121 191 535 1.02 135 136* 137* 138* 139* 140* 141* 238 600* 1.01 161 185* 222* 222* 243* 265* 279* 289 730*	, ç	5.00	9.88	10.1*	10.5	10.8	12.1	15.0	18.4	19.7	35.5	139
1.25 53.6 55.5* 56.4 57.2 58.6 63.9 76.2 92.7 193 1.11 76.9 78.1* 79.5 79.8 80.7* 81.8 97.6 133 313 1.04 109 110* 112* 115* 118* 120* 121 191 535 1.02 135 136* 137* 138* 139* 140* 141* 238 600* 1.01 161 185* 205* 222* 243* 265* 279* 289 730*	· ·	00 6	24.5	25.5*	26.3	27.0	29.3	34.4	41.4	44.3	80.3	220
1.11 76.9 78.1* 79.5 79.8 80.7* 81.8 97.6 133 313 1.04 109 110* 112* 115* 118* 120* 121 191 535 1.02 135 136* 137* 138* 139* 140* 141* 238 600* 1.01 161 185* 205* 222* 243* 265* 279* 289 730*	2 9	1 25	53.6	55,5*	56.4	57.2	58.6	63.9	76.2	92.7	193	354
1.04 109 110* 112* 115* 118* 120* 121 191 535 1.02 135 136* 137* 138* 139* 140* 141* 238 600* 1.01 161 185* 205* 222* 243* 265* 279* 289 730*	2 9	67.1	76.9	78.1*	79.5	79.8	\$0.7*	81.8	97.6	133	313	458
1.02 135 136* 137* 138* 139* 140* 141* 238 600* 1.01 161 185* 205* 222* 243* 265* 279* 289 730*	2 }		601	110*	112*	115*	118*	120*	121	191	535	909
1.01 161 185* 205* 222* 243* 265* 279* 289 730*	a	1.04	135	136*	137*	138*	139*	140*	141*	238	* 009	728
	o 66	1.01	161	185*	205*	222*	243*	265*	279*	289	730*	861

Table C-2.2. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 1421000
East Branch Delaware River at Fishs Eddy, N.Y.

Recu Probability Int (Percent)	Recurrence Interval				For Fo	For Following Number of Consecutive Days	lber of Con	secutive D	ays		
(e	(Years)	-	3	7	14	30	09	06	120	183	365
Ċ	00.001	21.5	40.9	110	138	171	205	247	299	575	999
0	50.00	28.4	50.3	119	149	184	218	261	312	602	704
ö	20.00	41.6	66.7	132	167	205	241	284	335	647	167
0	10.00	56.4	83.7	145	184	224	264	309	361	695	830
5.	5.00	78.4	107	162	206	250	295	343	400	765	919
2.	2.00	130	157	201	250	304	372	431	511	942	1130
Ξ.	1.25	187	208	248	562	366	476	557	969	1000	1420
<u></u>	Ξ.	215	232	277	326	401	546	645	842	1390	1620
<u> </u>	1.04	241	255	311	356	441	635	762	1050	1650	1860
Ε.	1.02	256	268	335	375	467	702	853	1230	1850	2050
<u>, -</u>	1.01	267	278	358	393	492	770	948	1430	2060	2240

Table C-2.3. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 1425000
West Branch Delaware River at Stilesville, N.Y.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	er of Conse	cutive Day	Ş		
(Percent)	(Years)	-	er	7	14	30	09	06	120	183	365
~	100.00	7.70	7.70	7.70	7.70	7.70	7.70	7.70	7.70	8.33	80.2
2	50.00	7.70	7.70	7.70	7.70	7.70	7.70	7.70	7.70	10.4	91.2
2	20.00	7.70	7.70	7.70	7.70	7.70	8.05	8.23	9.24	14.6	==
10	10.00	7.92	7.94	8.08	8.31	8.87	10.3	10.5	11.7	20.1	132
20	5.00	11.3	11.4	11.5	12.0	12.8	14.1	14.5	16.3	30.3	162
50	2.00	20.8	21.0	21.2	22.0	23.3	25.7	28.6	34.2	70.8	245
80	1.25	35.0	35.3	35.4	36.4	37.6	47.8	62.3	84.6	181	371
06	1.11	44.3	44.7	44.9*	45.6	46.3	66.5	97.3	146	306	462
96	1.04	55.6	56.1	56.2*	56.3	72.1*	95.2	191	275	551	585
98	1.02	63.6	66.2*	70.0*	72.2*	75.9*	120	228	428	* 009	683
66	1.01	17.1	86.0*	100 _*	114*	131*	149	314	650	¥00Z	785
	•										

Table C-2.4. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 1426500
West Branch Delaware River at Hale Eddy, N.Y.

Probability	Recurrence Interval				For Foll	owing Numbe	ir of Consi	For Following Number of Consecutive Days	Ņ		
(Percent)	(Years)	_	m	7	14	30	09	06	120	183	365
-	100.00	7.70	10.8	22.3	33.8	64.5	82.2	89.3	119	196	235
2	50.00	7.70	14.3	26.3	38.5	68.5	90.2	100	128	205	253
S	20 30	9.68	20.8	32.9	46.2	75.1	103	118	144	222	283
10	10.00	14.6	27.7	40.0	53.8	81.8	117	137	161	241	314
50	5.00	22.7	37.3	48.4	63.7	6.06	135	162	185	569	358
20	2.00	44.2	56.5	6.99	84.3	113	177	219	249	347	470
80	1.25	70.4	72.1	0.98	106	141	230	290	346	475	635
06	1.11	83.7	87.5*	95.4	117	160	263	332	416	575	751
96	1.04	96.2	*6.66	105	129	184	303	382	512	719	902
86	1.02	103	107*	110	136	201	332	417	589	840	1030
66	1.01	108	111*	115	142	219	360	450	029	974	1150

Table C-2.5. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 1427405
Delaware River at Callicoon, N.Y.

Probability	Recurrence Interval	Λı.			For Fo	For Following Number of Consecutive Davs	iber of Cor	nsecutive D	V > 0		
(Percent)		-	က	7	14	30	09	06	120	183	365
_	100.00	149	219	316	366	414	534	613	727	1070	1230
2	50.00	167	237	332	387	444	561	640	745	1130	1310
Ŋ	20.00	194	265	359	419	490	909	989	780	1240	1440
10	10.00	122	293	385	449	532	648	733	821	1340	1570
20	5.00	526	328	419	487	585	708	799	887	1490	1750
20	2.00	328	402	495	292	169	845	962	1080	1840	2180
80	1.25	405	484	585	959	800	1020	1190	1420	2350	2750
06	1.11	446	529	640	705	857	1140	1350	1690	2690	3120
96	1.04	490	580	705	192	917	1280	1560	2100	3130	3590
86	1.02	517	613	750	798	955	1380	1710	2440	3470	3940
66	1.01	541	644	794	832	686	1480	1880	2830	3810	4290

Table C-2.6. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 014285000
Delaware River near Barryville, N.Y.

Probability	Recurrence Interval	Ф			For Fol	lowing Numb	er of Con	For Following Number of Consecutive Days	Ş		
(Percent)	(Years)	- }	က	7	14	30	09	06	120	183	365
_	100.00	160*	230	366	431	496	630	716	810	1280	1530
2	50.00	175*	256	389	457	530	959	743	834	1370	1630
5	20.00	208*	296	424	498	583	700	790	881	1500	1800
10	10.00	270*	335	457	536	632	745	841	935	1650	1970
20	5.00	300*	384	501	583	694	808	915	1020	1840	2200
20	2.00	368	482	594	189	815	970	1110	1270	2310	2730
80	1.25	479	581	700	784	940	1200	1410	1720	2940	3420
06	1.11	530	631	761	840	1010	1360	1630	2090	3350	3860
96	1.04	576	682	831	901	1070	1570	1930	2640	3870	4400
86	1.02	602	713	879	940	1120	1730	2170	3110	4260	4800
66	1.01	622	740	923	926	1160	1900	2420	3650	4650	5190

Table C-2.7. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01429000
Lackawaxen River at Prompton, PA.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	r of Conse	cutive Day	స		
(rercent)	(Years)	-	က	7	14	30	09	06	120	183	365
_	100.00	3.92	4.25	4.76	5.26	5.82	6.34	7.68	9.56	40.4	50.5
2	50.00	4.30	4.62	5.14	5.68	6.31	7.07	8.75	11.2	43.6	55.0
2	20.00	4.96	5.27	5.81	6.43	7.20	8.41	10.7	14.1	48.8	62.2
10	10.00	5.65	5.95	6.52	7.24	8.17	9.88	12.8	17.3	54.1	69.1
20	5.00	6.64	6.95	7.58	8.43	99.6	12.1	16.1	22.1	61.4	78.3
20	2.00	9.15	95.6	10.4	11.6	13.9	18.6	25.5	34.9	78.4	98.1
80	1.25	12.8	13.6	14.9	16.8	21.3	29.8	41.6	54.4	וסו	121
06	1.11	15.4	16.5	18.3	20.7	27.2	38.7	54.3	68.3	115	134
96	1.04	18.4	20.5	23.1	26.3	36.1	52.0	72.8	86.7	134	149
86	1.02	21.5	23.7	27.1	30.9	43.9	63.4	88.5	101	147	160
66	1.01	24.3	27.2	31.4	35.9	52.7	76.2	106	116	160	169

Lule C-2.8. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01429500
Dyberry Creek Near Honesdale, PA.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	er of Consi	ecutive Day	s/		
(Percent)	(Years)	_	n	7	14	30	09	06	120	183	365
~	100.00	1.67	1.91	2.40	2.80	3.24	3.63	4.89	6.74	37.1	46.8
2	50.00	1.95	2.18	2.68	3.09	3.58	4.17	5.64	8.01	40.4	51.6
2	20.00	2.46	2.67	3.17	3.60	4.21	5.18	7.06	10.4	45.9	59.3
10	10.00	3.00	3.20	3.71	4.18	4.93	6.33	8.71	13.1	51.4	8.99
20	5.00	3.80	3.98	4.52	5.06	90.9	8.16	11.4	17.3	59.0	76.8
50	2.00	5.86	90.9	97.9	7.61	9.49	13.7	20.0	29.5	77.0	98.2
80	1.25	8.81	9.28	10.5	12.1	16.0	24.3	37.1	50.4	101	123
06	1.11	10.8	11.6	13.3	15.8	21.7	33.3	52.7	8.99	116	137
96	1.04	13.3	14.8	17.4	21.8	30.8	47.5	78.0	0.06	135	152
86	1.02	15.2	17.3	20.8	26.3	39.1	60.1	102	109	148	163
66	1.01	17.1	19.9	24.5	31.8	48.9	74.8	130	130	162	172

Table C-2.9 Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01430000
Lackawaxen River at Honesdale, PA.

Probability	Recurrence Interval				For Foll	owing Numb	er of Cons	For Following Number of Consecutive Days	ys		
(Percent)	(Years)	-	8	7	14	30	09	06	120	183	365
ı	100.00	7.69	8.61	9.05	9.53	11.1	12.5	16.5	21.8	105	130
2	50.00	8.64	9.54	10.1	10.6	12.5	14.4	19.2	26.0	114	143
ហ	20.00	10.3	11.2	11.9	12.9	15.0	18.0	24.2	33.5	129	163
10	10.00	12.1	12.9	13.9	15.2	17.7	22.1	29.3	42.0	143	183
20	5.00	14.6	15.5	16.8	18.6	22.0	28.4	38.7	54.8	164	209
20	2.00	21.2	22.3	24.6	27.7	33.7	46.6	64.6	90.2	211	264
80	1.25	31.0	33.0	36.8	41.6	53.4	78.3	110	146	272	327
06	1.11	37.8	40.8	45.9	51.7	68.8	104	148	186	310	362
96	1.04	46.9	51.6	58.5	65.5	6.06	141	202	240	357	402
86	1.02	53.9	60.4	68.6	76.5	109	172	249	282	392	428
66	1.01	61.2	69.7	79.5	88.0	130	207	301	326	425	452

Table C-2.10. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01431500
Lackawaxen River at Hawley, PA.

Probability	Recurrence Interval				For Foll	lowing Mumb	er of Cons	For Following Number of Consecutive Days	ys		
(Percent)	(Years)	-	8	1	14	30	09	06	120	183	365
	100.00	9.31	14.0	15.1	16.5	1.61	20.2	27.0	35.7	178	220
2	50.00	11.1	15.4	16.7	18.4	21.3	23.5	31.4	42.3	193	243
S	20.00	14.2	18.0	19.6	21.7	25.3	29.6	39.7	54.7	220	281
10	10.00	17.6	20.8	22.7	25.3	29.7	36.6	49.1	68.6	246	318
20	5.00	22.6	25.0	27.4	30.7	36.5	47.5	64.0	1.06	282	367
20	2.00	35.4	36.7	40.4	45.5	56.0	79.5	109	151	368	471
80	1.25	53.6	55.8	62.0	2.69	90.2	136	190	253	480	589
06	1.11	65.7	7.07	78.8	88.3	118	182	258	330	553	655
96	1.04	90.6	92.0	103	115	160	152	361	439	643	729
98	1.02	91.6	011	123	137	961	309	450	526	709	777
66	1.01	102	129	146	161	236	374	551	620	775	128

Table C-2.11. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01434000
Delaware River at Port Jervis, N.Y.

Probability	Recurrence Interval	en.			For Fo	For Following Number of Consecutive Days	iber of Coi	nsecutive Da	ays		
(reference)	(Years)	-	8	7	14	30	9	06	120	183	365
~	100.00	524	874	1090	1220	1300*	1320	1330*	1340*	2070	2380
2	50.00	269	903	0111	1230	1310	1330	1340*	1350*	2210	2560
5	20.00	641	949	1130	1240	1320	1350	1360	1440	2440	2860
10	10.00	707	166	1160	1250	1330	1380	1430	1540	2670	3160
20	5.00	790	1040	1190	1280	1360	1430	1540	1700	2990	3550
20	2.00	953	1160	1300	1380	1470	1630	1860	2160	3740	4430
80	1.25	1120	1280	1440	1540	1700	2040	2410	2940	4740	5520
06	1.11	1200	1350	1540	1670	1900	2380	2840	3560	5400	6190
96	1.04	1280	1430	1670	1840	2210	2910	3470	4480	6230	0669
86	1.02	1330	1480	1770	1980	2470	3380	4000	5260	6840	7550

1.01

Table C-2.12. Bese Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01436000
Neversink River at Neversink, N.Y.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	r of Conse	cutive Day	v		
(Percent)	(Years)	_	3	7	14	30	09	06	120	183	365
-	100.00	4.60	4.60	4.60	4.60	4.60	4.60	4.60	4.60	6.80	28.6
2	20.00	4.60	4.60	4.60	4.60	4.60	4.60	4.60	4.60	8.35	31.5
2	20.00	4.60	4.60	4.60	4.60	4.60	4.60	5.07	5.67	11.2	36.3
10	10.00	4.94	4.95	5.06	5.17	5.39	6.50	7.35	8.15	14.5	41.0
20	5.00	7.41	7.46	7.59	7.82	8.13	9.77	11.0	12.1	19.4	47.4
20	2.00	14.8	15.0	15.1	15.6	16.2	18.7	20.4	22.8	32.6	6.19
80	1.25	26.7	27.0	27.4*	27.7	28.3	30.3	32.0	37.0	51.9	79.5
06	1.11	34.9	35.3	35.5*	35.6	36.2	36.8	38.2	45.1	64.9	90.1
96	1.04	45.2	45.7	48.5*	\$0.0×	51.0*	52.0*	52.9*	53.7	81.2	103
86	1.02	52.7	53.1	54.5*	£6.0*	\$7.0*	58.0*	58.5*	29.0	93.0	Ξ
66	1.01	59.8	60.3	61.0*	61.5*	62.0*	62.5*	63.0*	63.5	105	119

*Recalculated

Table C-2.13. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01437000
Neversink River at Oakland Valley, N.Y.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	er of Cons	ecutive Day	Ñ		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	5.33	13.4	18.7	36.5	54.4	76.2	87.3	103	155	172
2	50.00	7.30	16.3	22.0	39.5	57.0	78.2	9.68	105	160	180
ĸ	20.00	11.3	21.4	27.8	43.7	61.4	82.2	94.1	109	169	193
10	10.00	16.0	56.9	33.8	48.3	0.99	86.7	99.1	114	179	506
50	5.00	23.5	34.9	42.2	54.7	72.8	93.8	107	123	194	225
20	2.00	43.2	54.3	61.6	9.07	90.2	114	130	150	235	275
80	1.25	68.1	79.0	85.3	92.8	116	150	169	199	599	347
06	1.11	81.8	93.8	0.66	108	135	178	200	241	347	398
96	1.04	0.96	111	114	128	191	219	245	304	414	467
86	1.02	105	122	124	143	181	254	283	359	469	521
66	1.01	112	132	134	158	203	293	326	423	528	277

Table C-2.14. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01438500
Delaware River at Montague, N.J.

Probability	Recurrence Interval	ė.			For Fol	For Following Number of Consecutive	er of Con	secutive Days	S/		
(Percent)	(Years)		3	7	14	30	09	06	120	183	365
-	100.00	940*	1300	1490	1560	1590*	1600*	1610*	1650*	2400	2710
2	20.06	1040*	1340	1500	1570	1600	1610*	1620*	1680*	2560	2930
2	20.00	1180*	1400	1510	1580*	1610*	1620*	1630*	1700*	2830	3290
10	10.00	1290	1450	1530	1590*	1620*	1630*	1660	1780	3100	3640
20	5.00	1340	1510	1570	1600	1630	1680	1790	1970	3470	4120
90	2.00	1440	1600	1650	1680	1730	1900	2160	2510	4350	5170
80	1.25	1510	1680	1790	1840	1990	2370	2810	3430	5510	6440
06	1.1	1550	1710	1880	1980	2220	2780	3330	4160	6270	7210
96	1.04	1580	1740	2000	2170	2590	3420	4080	5230	7220	8120
86	1.02	1600	1760	2090	2330	2910	3990	4720	6140	7930	8750
66	1.01	1620	1770	2180	2500	3280	4660	5430	7160	8640	9360

I

Table C-2.15. Base Run Low Flow Frequency Table

(Flow in cfs)

USGS Station 01440200 Delaware River Below Tocks Island Damsite, PA.

Probability I	Recurrence Interval	o,			For Fol	lcwing Numb	er of Con	For Following Number of Consecutive Days	v		
\sim	(Years)	-	3	7	14	30	09	06	120	183	365
2	100.00	156	1360	1620*	1660*	1680*	1690*	1720*	1820*	2580	2970
LC)	50.00	1050	1410	1630*	1670	1690 *	1700*	1730*	1840*	2780	3230
~	20.00	1200	1470	1640	1680	1700	1710*	1750*	1860*	3100	3650
	10.00	1320	1530	1650	1680	0171	1720	1760	1910	3420	4060
	5.00	1450	1600	1670	1700	1730	1800	1920	2150	3860	4600
	2.00	1620	1720	1750	1790	1860	2070	2390	2800	4880	2800
	1.25	1680*	1830	1930	2000	2180	2640	3170	3880	6210	7240
	1.11	¥0691	1880	2070	2190	2480	3140	3790	4720	7050	8080
	1.04	1700	1930	2280	2460	2970	3930	4680	9950	8100	9070
	1.02	1710	1960	2460	2700	3400	4640	5440	0869	8860	9750
	1.01	1720*	1980	2640	2960	3900	5470	6280	8140	0196	10400

*Recalculated

Table C-2.16. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01446500
Delaware River at Belvidere, N.J.

Probability	Securrence Interval	e			For Fol	llowing Numb	er of Con	For Following Number of Consecutive Days	s,		
(Percent)	(Years)		3	7	14	30	09	06	120	183	365
 -	100.00	1150	1360	1650	1710	1770	1790*	1860*	1890*	2930	3420
2	50.00	1220	1410	1660	1720*	1780*	1820*	1880*	*0161	3180	3740
ഹ	20.00	1320	1490	1680	1730	1790	1830*	*0681	1940	3590	4280
10	16.00	1410	1570	1710	1750	1810	1850	1920	2140	4000	4790
20	5.00	1520	1660	1750	1800	1860	1970	2140	2450	4550	5480
20	2.00	1730	1860	1910	1960	2070	2370	2770	3300	5840	0869
80	1.25	1930	2080	2180	2280	2560	3150	3800	4680	7480	8730
06	1.11	2040	2200	2400	2550	3000	3810	4590	5740	8520	9750
96	1.04	2140	2330	2710	2950	3690	4830	5730	7260	9780	10900
86	1.02	2200	2420	2960	3290	4320	5740	0699	8540	10700	11700
56	1.01	2260	2500	3230	3670	2060	6810	7740	9940	11600	12400

*Recalculated

Table C-2.17. Base Run Low Flow Frequency Table

(Flow in cfs) USGS Station 01447800 Lehigh River at White Haven, PA.

Probability	Recurrence Interval				For Foll	owing Numbe	er of Cons	For Following Number of Consecutive Days	v		
(Percent)	(Years)	-	ъ	7	14	30	09	06	120	183	365
~	100.00	12.2	31.7	40.0	41.2	41.3	50.2	62.7	86.6	223	301
2	50.00	18.2	36.5	43.9	45.7	47.7	57.4	72.2	98.9	245	329
ĸ	20.00	30.4	44.5	50.5	53.4	58.6	70.3	89.3	121	281	374
10	10.00	44.1	52.5	57.3	61.4	70.0	84.4	108	144	317	418
20	5.00	62.3	63.1	66.7	72.6	85.9	105	135	179	365	474
20	2.00	91.3	86.0	89.3	6.66	124	162	210	271	477	265
80	1.25	103	וו	120	138	172	251	326	411	618	723
06	1.11	104*	124	140	163	202	317	410	511	202	795
96	1.04	105	138	165	194	238	406	524	647	808	874
86	1.02	¥901	147	184	218	263	478	615	753	884	926
66	1.01	107*	155	203	241	286	554	709	863	955	974

*Recalculated

Taple C-2.18. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01449800
Pohopoco Creek at Beltzville Damsite, PA.

Probability	Recurrence Interval				For Follo	wing Numbe	r of Conse	For Following Number of Consecutive Days	v		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	5.67	11.1	13.1	14.1	14.3	17.4	18.8	23.3	53.5	72.4
2	50.00	7.64	12.8	14.6	15.8	16.4	19.4	21.5	26.9	59.4	79.5
ഗ	20.00	11.3	15.6	17.3	18.6	20.0	23.0	26.4	33.4	69.2	6.06
10	10.00	15.3	18.5	20.0	21.4	23.7	56.9	31.7	40.3	78.8	102
50	5.00	20.8	22.3	23.6	25.3	28.7	32.6	39.5	50.4	91.9	117
50	2.00	31.3	30.5	32.0	34.2	39.8	47.9	60.4	76.2	121	148
80	1.25	39.0	39.8	42.3	45.3	53.1	71.9	92.7	113	156	185
06	1.11	41.3	44.8	48.5	52.2	2.09	7.68	116	139	771	506
96	1.04	42.8	50.2	55.7	60.2	69.1	114	148	171	200	529
86	1.02	43.3	53.6	2.09	62.9	74.7	134	173	195	217	245
66	1.01	43.6	26.7	65.5	71.3	79.8	155	199	219	232	260

Table C-2.19. Base Run Low Flow Frequency Table (Flow in cfs) Aquashicola Creek at Aquashicola Damsite, PA.

Probability	Recurrence Interval				For Follo	wing Numbε	er of Cons.	For Following Number of Consecutive Days	s/s		
(Percent)	(Years)	-	က	7	14	30	09	06	120	183	365
_	100.00	6.93	7.74	8,33	8.92	9.57	11.4	12.9	16.2	38.9	54.4
2	50.00	7.99	8.85	95.6	10.2	1.11	13.1	15.2	19.0	44.0	61.2
2	20.00	9.82	10.7	11.7	12.5	13.8	16.2	19.2	24.1	52.5	72.2
10	10.00	11.7	12.6	13.8	15.7	16.5	19.5	23.6	29.7	61.0	82.8
20	5.00	14.3	15,3	16.7	17.9	20.4	24.4	30.3	37.9	72.5	9.96
20	2.00	20.4	21.3	23.4	25.1	9.62	37.2	47.9	59.6	98.0	126
80	1.25	27.9	28.8	31.5	34.1	41.1	56.2	74.4	92.1	128	156
06	1.11	32.4	33.2	36.3	39.4	48.1	69.5	93.1	115	145	173
96	1.04	37.6	38.3	41.6	45.5	56.3	87.0	118	144	164	189
86	1.02	41.2	41.7	45.3	49.7	6.19	100	136	991	177	200
66	1.01	44.5	44.9	48.6	53.6	67.1	114	155	189	188	509

Table C-2.20. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Stat.on 01450500
Aquashicola Creek at Palmerton, PA.

utive Days 90 120 183 365	15.0 18.9 45.2 63.3	17.6 22.2 51.2 71.2	22.4 28.1 61.1 84.0	27.5 34.5 71.0 96.3	35.2 44.0 84.3 112	55.6 69.3 114 146	86.5 107 149 182	108 133 168 201	137 167 191 220	159 193 205 233	181 220 219 244
For Following Number of Consecutive Days 14 30 60 90	13.3	15.3	18.9	22.7	28.4	43.2	65.3	80.9	נסנ	117	133
owing Numbe 30	11.2	13.0	16.1	19.3	23.7	34.3	47.8	96.0	65.5	72.2	78.4
For Foll	10.5	12.0	14.6	17.2	20.8	29.1	39.5	45.8	53.1	58.1	65.9
7	98.6	11.3	13.7	16.1	19.4	27.1	36.5	42.1	48.5	52.9	56.9
ო	9.15	10.4	12.6	14.8	17.8	24.8	33.4	38.6	44.6	48.7	52.5
	8.22	9.45	11.6	13.7	16.7	23.7	32.4	37.6	43.6	47.8	51.6
Recurrence Interval (Years)	100.00	50.00	20.00	10.00	5.00	2.00	1.25	1.11	1.04	1.02	1.01
Probability (Percent)	_	2	S.	10	20	20	80	06	96	86	66

Table C-2.21. Base Run Low Flow Frequency Table (Flow in cfs)

(Flow in cfs)
USGS Station 01451000
Lehigh River at Walnutport, PA.

Probability	Recurrence Interval	- .			For Fol	Following Number of Consecutive	ber of Cor	secutive Da	Days		
(Percent)	(Years)	_	3	7	14	30	09	06	120	183	365
_	100.00	129	133	145	156	165	186	208	268	654	816
2	50.00	139	144	157	170	183	208	237	305	717	606
2	20.00	157	163	177	193	213	247	290	371	023	1060
10	10.00	174	183	198	217	245	588	348	442	931	1210
20	5.00	200	210	228	250	291	354	435	550	1080	1400
20	2.00	263	277	304	335	407	531	929	848	1430	1820
80	1.25	354	371	413	457	572	822	1070	1330	1900	2290
06	1.1	417	435	488	541	687	1050	1360	1700	2210	2550
96	1.04	466	518	588	652	836	1370	1780	2220	2580	2840
86	1.02	563	581	999	737	950	1630	2110	2650	2860	3030
66	1.01	629	646	746	826	1070	1920	2480	3110	3130	3200

Table C-2.22. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01451800
Jordan Creek Near Schnecksville, PA.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	r of Conse	cutive Day	s		
(Percent)	(Years)	1* 3*	3*	*	14*	30	09	06	120	183	365
	100.00	0.30	0.31	0.44	0.56	0.72	1.12	1.45	2.58	11.9	27.6
5	50.00	0.51	0.58	0.72	0.85	1.03	1.60	2.15	3.60	14.9	31.5
2	20.00	1.08	1.16	1.43	1.62	١.7.١	2.64	3.70	5.79	20.3	38.1
10	10.00	1.68	1.82	2.20	2.40	2.58	4.00	5.78	8.57	26.1	44.7
50	5.00	2.41	5.69	3.05	3.27	4.06	6.37	9.44	13.3	34.5	53.6
50	2.00	4.40	5.20	5.80	7.26	8.60	13.9	21.0	27.9	53.8	73.5
80	1.25	7.50	8.05	9.40	11.6	15.6	26.2	39.4	51.4	75.9	96.5
06	1.11	9.25	9.70	11.8	13.5	20.2	34.8	51.4	67.5	87.5	011
96	1.04	11.0	11.5	15.0	22.0	25.6	45.4	65.4	87.2	99.3	124
86	1.02	12.1	12.5	17.0	25.1	29.3	52.8	74.7	101	106	134
66	1.01	13.2	13.9	19.0	25.4	32.6	59.9	83.1	114	112	142

*Calculated from adjusted probabilities

1.

Table C-2.23. Base Run Low Flow Frequency Table (Flow in cfs)

USGS Station 01452000 Jordan Creek at Allentown, PA.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Davs	er of Conse	ecutive Day	Ķ		
(Percent)	(Years)	*_	3*	*	14*	30	09	06	120	183	365
~	100.00	0.31	0.58	0.85	0.99	1.12	1.70	2.14	3.73	17.0	39.5
2	50.00	0.62	0.97	1.35	1.46	1.58	2.40	3.14	5.20	21.3	45.1
2	20.00	1.48	1.99	2.40	2.49	2.55	3.90	5.37	8.32	29.0	54.5
10	10.00	2.30	2.90	3.45	3.60	3.80	5.83	8.32	12.3	37.4	63.9
20	5.00	3.60	4.10	4.60	4.87	5.90	9.17	13.5	19.1	49.3	76.6
50	2.00	09.9	7.15	8.00	10.9	12.3	19.7	29.9	39.8	76.9	105
80	1.25	10.8	11.1	13.1	16.5	22.3	37.4	56.2	73.4	108	138
06	1.11	13.2	13.8	16.8	18.3	28.9	49.8	73.8	96.4	125	157
96	1.04	15.7	17.0	21.8	28.0	36.8	65.3	93.8	125	142	771
86	1.02	17.1	19.0	25.5	34.0	42.3	76.5	108	145	152	191
66	1.01	18.2	21.0	28.5	35.0	47.3	87.3	120	154	160	203

*Calculated from adjusted probabilities

'a.'e C-2.24. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01453000
Lehigh River at Bethlehem, PA.

	c	,									
Probability	Recurrence Interval	บ			For Fo	llowing Num	ber of Co	Following Number of Consecutive Days	ays		
(Percent)	(Years)		3	7	14	30	09	06	120	183	365
- -	100.00	231	276	162	300	309	327	351	431	905	1140
2	50.00	251	292	308	321	336	360	394	482	286	1160
2	20.00	284	319	339	357	383	420	471	573	1120	1440
10	10.00	318	347	370	394	430	483	553	672	1260	1610
20	5.00	365	387	415	445	498	227	675	819	1460	1850
50	2.00	479	490	530	574	663	827	1010	1220	1920	2380
80	1.25	634	643	869	757	968	1220	1530	1860	2550	3010
06	1.11	737	753	816	884	1050	1510	1930	2340	2960	3380
96	1.04	898	006	975	1050	1260	1920	2470	3020	3470	3820
86	1.02	996	1020	1100	1180	1410	2250	2920	3570	3850	4410
66	1.01	1070	1140	1230	1310	1570	2600	3390	4160	4230	4400

Table C-2.25. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01454700
Lehigh River at Glendon, PA.

	365	1220	1340	1520	1700	1940	2490	3160	3560	4030	4350	4670
	183	964	1050	1190	1340	1540	2030	2690	3130	3680	4090	4500
ys	120	472	526	623	727	882	1300	1980	2490	3200	3790	4420
For Following Number of Consecutive Days	06	388	434	515	602	732	1080	1640	2050	2630	3100	3610
iber of Cons	09	362	398	461	529	629	895	1310	1620	2040	2390	2760
llowing Num	30	343	373	423	473	547	725	972	1140	1350	1520	1680
For Fo	14	334	357	396	436	493	633	832	896	1150	1280	1420
	7	323	342	375	410	460	585	769	899	1070	1210	1350
	3	308	325	354	384	428	541	712	836	1000	1140	1280
αυ	-	172	291	324	358	407	528	702	822	086	1100	1230
Recurrence Interval	(Years) 1	100.00	20.00	20.00	10.00	5.00	2.00	1.25	1.11	1.04	1.02	1.01
Probability	(rercent)	-	2	2	10	20	20	80	06	96	86	66

Le lo C-2.26. Base Run Low Flow Frequency Table (Flow in cfs)

USGS Station 01456000 Musconetcong River Near Hackettstown, N.J.

Probability	Recurrence Interval				For Follo	wing Numbe	er of Cons	For Following Number of Consecutive Days	v		
(Percent)	(Years)	,	3	7	14	30	09	06	120	183	365
1	100.00	5.39	6.16	7.42	7.86	8.82	10.1	0.11	12.7	31.2	44.5
2	90.09	6.35	7.16	8.44	9.05	10.2	11.8	13.0	15.3	35.9	51.3
S	20.00	8.06	8.92	10.2	11.11	12.7	14.8	16.8	20.2	44.1	62.8
10	10.00	9.89	10.8	12.1	13.2	15.3	18.2	21.0	25.6	52.6	74.3
20	5.00	12.6	13.5	14.9	16.4	19.2	23.2	27.4	34.0	64.4	8.68
20	2.00	19.4	20.5	22.2	24.5	29.5	37.0	45.2	56.7	92.5	124
80	1.25	29.1	30.3	32.9	36.3	43.8	58.9	73.8	7.16	128	162
06	1.11	35.5	36.8	40.4	44.4	53.8	75.1	94.8	116	150	183
96	1.04	43.4	45.1	50.3	54.9	2.99	97.1	124	149	176	205
86	1.02	49.3	51.2	67.9	62.8	76.5	3115	146	173	193	220
66	1.01	55.0	57.2	65.7	70.9	86.3	133	170	198	210	233

Table C-2.27. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01457500
Delaware River at Riegelsville, N.J.

Probability	Recurrence Interval	æ			For Fo	Nowing Num	ber of Co	For Following Number of Consecutive Days	ays.		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	1370	1550	1760	1850	1970	1990	2020	2050	3820	4670
2	50.00	1440	1620	1810	1900	2000	2070	2130	2210	4200	5150
ς.	20.00	1560	1730	1900	1970	2080	2100	2210	2500	4810	5930
10	10.00	1680	1840	1980	2050	2160	2270	2450	2840	5430	0699
20	5.00	1830	1990	2110	2180	2310	2540	2840	3350	6270	0692
50	2.00	2170	2310	2440	2540	2760	3300	3910	5040	8580	10000
80	1.25	2580	2720	2920	3120	3490	4600	6020	7240	11000	12800
06	1.11	2820	2980	3250	3560	4260	0909	7390	8880	12500	14200
96	1.04	3100	3240	3700	4170	5280	7680	9340	11200	14400	15800
86	1.02	3300	3500	4050	4680	6170	0906	10100	13100	15700	16900
66	1.01	3490	3710	4410	5230	7180	10600	12700	15100	16900	18000

Table C-2.28. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01459500
Tohickon Creek at Pipersville, PA.

Probability	Recurrence Interval				For Follo	wing Numbe	er of Conse	For Following Number of Consecutive Days	S		
.Percent)	(Years)	*	3*	7	14	30	09	06	120	183	365
_	100.00	0.08	0.27	0.57	0.63	0.70	06.0	1.25	2.06	14.1	50.3
2	50.00	0.10	0.40	0.65	0.74	0.87	1.20	1.72	3.00	18.5	57.6
2	20.00	0.27	0.64	0.82	0.93	1.21	1.83	2.78	5.12	27.1	70.3
0	10.00	0.62	0.84	1.02	1.18	1.62	2.67	4.25	8.06	37.1	83.2
20	5.00	0.95	1.15	1.35	1.58	2.33	4.22	7.06	13.6	52.5	101
50	2.00	1.74	2.05	2.40	2.94	4.74	10.1	18.4	33.8	93.0	143
60	1.25	3.15	3.65	4.61	5.99	06.6	24.1	47.2	75.5	147	195
06	וו.ו	4.45	5.00	6.68	9.01	14.7	38.0	9.92	110	179	526
96	1.04	6.40	7.25	10.2	14.3	22.6	۲. ام	128	161	214	292
86	1.02	9.20	9.30	13.5	19.6	29.9	84.2	771	201	237	287
66	1.01	9.80	11.0	17.6	26.3	38.7	112	238	244	257	310

^{*}Calculated from adjusted probabilities

Table C-2.29. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01463500.
Delaware River at Trenton, N.J.

Probability	Recurrence Interval	ου			For Fo	llowing Numl	ber of Con	For Following Number of Consecutive Days	S		
(Percent)	(Years)	_	3	7	14	30	09	06	120	183	365
~	100.00	1420	1600	1790	1890	2020	2040*	2070*	2090	4040	4980
2	50.00	1500	1670	1850	1940	2060	2130*	2200*	2290	4450	2200
2	20.00	1620	1790	1950	2030	2150	2170	2290	2640	5120	6340
10	10.00	1750	1910	2050	2120	2250	2370	2580	3010	2790	7160
20	5.00	1910	2070	2200	2270	2420	2680	3020	3570	0029	8240
20	2.00	2280	2420	2570	2680	2930	3530	4200	2060	8790	10600
80	1.25	2740	2880	3100	3330	3840	4960	0110	7440	11400	13300
06	1.11	3010	3170	3460	3810	4580	0609	7570	9240	13000	14800
96	1.04	3340	3510	3950	4480	2680	7730	9640	11800	14900	16500
86	1.02	3580	3770	4320	5030	6630	9130	11400	13900	16300	17600
66	1.01	3800	4010	4700	2620	7710	10700	13200	16100	17600	18600

Table C-2.30. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01467500
Schuylkill River at Pottsville, PA.

Probability	Recurrence Interval				For Follo	wing Numbe	r of Conse	For Following Number of Consecutive Days	v		
(Percent)	(Years)	_	3	7	14	30	09	06	120	183	365
_	100.00	6.97	10.8	11.9	12.8	14.5	15.5	17.1	18.7	35.6	47.6
2	50.00	10.8	11.7	12.8	13.7	15.5	16.9	19.1	21.2	39.2	51.8
5	20.00	12.2	13.2	14.3	15.2	17.3	19.4	22.2	25.4	45.3	58.7
10	10.00	13.7	14.7	15.9	16.8	19.1	21.9	25.6	29.9	51.3	65.4
20	5.00	15.7	16.8	18.0	19.0	21.8	25.6	30.5	36.2	59.4	74.4
20	2.00	20.4	21.6	23.3	24.7	28.4	35.0	42.8	52.1	77.9	94.1
80	1.25	9.92	28.1	30.6	32.9	38.2	49.0	8.09	74.7	101	118
06	1.11	30.6	32.4	35.5	38.7	45.1	59.1	73.3	89.8	115	132
96	1.04	35.6	37.6	41.8	46.3	54.3	72.5	89.7	109	131	148
86	1.02	39.4	41.5	46.6	52.2	61.5	83.1	102	124	142	159
66	1.01	43.1	45.4	51.6	58.4	0.69	94.3	115	139	153	169

Table C-2.31. Base Run Low Flow Frequency Table

(Flow in cfs) USGS Station 01467950 West Branch Schuylkill River at Cressona, PA.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	er of Consu	ecutive Da	s×		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
-	100.00	8.52	9.55	10.8	1.11	12.1	13.8	14.9	17.6	28.1	38.0
2	50.00	9.56	10.6	11.7	12.1	13.2	15.1	16.6	19.6	31.6	42.2
S	20.00	11.2	12.2	13.3	13.8	15.1	17.4	19.5	23.0	37.3	48.9
10	10.00	12.9	13.8	14.8	15.5	17.0	19.8	22.5	26.6	42.9	55.2
20	5.00	15.1	15.9	16.9	17.8	19.6	23.2	26.9	31.7	50.3	63.4
20	2.00	19.7	20.3	21.5	22.9	25.9	31.4	37.7	44.3	66.2	80.0
80	1.25	24.8	25.3	27.0	29.1	34.3	42.8	52.8	62.3	84.0	97.4
06	1.11	27.6	28.0	30.4	32.8	39.7	50.5	63.0	74.5	93.9	106
96	1.04	30.6	31.0	34.3	37.2	46.5	60.3	76.1	90.2	105	116
86	1.02	32.5	33.0	37.0	40.3	51.5	67.7	86.0	102	112	122
66	1.01	34.2	34.8	39.6	43.2	56.5	75.2	0.96	114	118	127

Table C-2.32. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01468500
Schuylkill River at Landingville, PA.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	r of Cons	ecutive Day	v		
(Percent)	(Years)	-	က	7	14	30	09	06	120	183	365
_	100.00	18.5	19.9	20.7	22.3	26.2	30.7	35.1	41.5	87.9	126
2	50.00	20.5	21.9	22.9	24.7	29.0	34.2	39.7	47.4	97.1	136
S	20.00	23.9	25.5	26.8	28.9	34.0	40.5	48.0	57.8	211	152
10	10.00	27.5	29.1	30.8	33.3	39.2	47.2	56.8	68.9	128	167
50	5.00	32.6	34.3	36.6	39.6	46.7	57.1	8.69	85.1	148	188
50	2.00	45.3	47.4	51.2	55.6	66.2	83.3	104	127	196	235
80	1.25	63.2	0.99	72.2	79.2	95.3	124	155	189	255	294
06	1.11	75.4	78.7	86.8	92.6	116	153	192	232	291	330
96	1.04	91.2	95.2	106	711	144	194	241	289	334	372
86	1.02	103	108	120	134	165	227	280	332	364	403
66	1.01	115	121	136	152	188	261	320	376	393	432

Table C-2.33. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01469500
Little Schuylkill River at Tamaqua, PA.

	365	34.6	38.2	44.3	50.5	58.9	78.4	103	119	137	150	163
	183	23.4	26.2	31.1	36.1	43.2	60.5	84.2	7.06	119	134	154*
	120	7.01	8.42	11.1	14.1	18.9	32.8	56.8	75.5	102	124	148
For Following Number of Consecutive Days	06	5,29	6.35	8.35	9.01	14.3	24.9	43.5	58.2	79.4	6.96	116
r of Consec	09	4.55	5.32	6.74	8.36	10.9	18.2	31.1	41.3	56.3	0.69	82.9
owing Numbe	30	11.4	4.65	5.65	6.75	8.45	13.3	21.7	28.4	38.2	46.6	55.9
For Follo	14	3.39	3.83	4.63	5.50	6.83	10.5	16.6	21.3	28.1	33.6	39.7
	7	3.01	3.42	4.18	5.00	6.22	9.56	14.9	18.8	24.3	28.7	33.4
	3	2.70	2.88 3.09	3.78	4.53	5.66	8.69	13.4	16.9	21.7	25.5	29.6
	1 3	2.51	2.88	3.53	4.25	5.32	8.23	12.8	16.2	50.9	24.6	28.6
Recurrence Interval	(Years)	100.00	50.00	20.00	10.00	5.00	2.00	1.25	. <u>.</u>	1.04	1.02	1.01
Probability	(Percent)	_	2	S	10	20	50	80	06	96	86	66

Table C-2.34. Base Run Low Flow Frequency Table (Flow in cfs)

USGS Station 01470000

Little Schuylkill River at Drehersville, PA.

Probability	Recurrence Interval				For Foll	owing Numbo	er of Cons	For Following Number of Consecutive Days	10		
(Percent)	(Years)	-	۳	7	14	30	09	06	120	183	365
~	100.00	19.5	20.6	22.0	24.1	28.6	30.7	33.3	39.1	82.5	118
2	50.00	21.4	22.6	24.1	26.3	31.0	34.0	37.7	44.7	91.4	127
ß	20.00	24.8	26.0	27.8	30.1	35.3	39.9	45.4	54.5	106	142
10	10.00	28.3	29.6	31.6	34.1	39.8	46.2	53.7	64.9	121	157
50	5.00	33.2	34.6	37.0	39.7	46.5	55.4	6.39	80.2	140	771
20	2.00	45.4	47.1	50.5	54.3	64.0	79.8	98.2	120	184	220
80	1.25	62.5	64.8	9.69	75.7	1.19	118	147	178	236	272
06	1.11	74.1	8.92	82.8	6.06	1111	145	183	218	267	303
96	1.04	0.68	92.3	8.66	111	139	183	230	172	303	339
86	1.02	100	104	133	127	161	214	268	311	327	364
66	1.01	112	116	126	144	185	247	307	353	370*	388

*Recalculated

Table C-2.35. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01470500
Schuylkill River at Berne, PA.

Probability	Recurrence Interval	41			For Foll	owing Numb	er of Cons	For Following Number of Consecutive Days	ς		
(Percent)	(Years)	-	က	7	14	30	09	06	120	183	365
_	100.00	36.2	44.3	48.5	52.2	63.0	74.1	79.9	9.96	219	321
2	50.00	41.9	49.8	54.5	58.6	70.3	82.7	91.4	ווו	244	350
2	20.00	51.7	59.1	64.6	69.5	85.8	7.76	112	136	285	398
10	10.00	61.8	68.7	75.0	80.8	95.7	114	134	163	327	445
20	5.00	76.0	82.1	89.4	7.96	114	137	167	204	384	909
20	2.00	110	114	124	135	159	199	254	314	517	650
80	1.25	153	156	169	187	222	295	389	483	989	825
06	1.1	179	183	197	220	264	365	486	909	162	932
96	1.04	210	216	232	262	317	461	617	772	915	1060
86	1.02	231	240	257	293	357	537	720	904	1000	1150
66	1.01	251	264	281	323	397	618	828	1040	1090	1230

Table C-2.36. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01470756
Maiden Creek at Virginville, PA.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	r of Conse	ecutive Dav	Ş		
(Percent)	(Years)	_	3	7	14	30	09	06	120	183	365
_	100.00	7.40	8.32	9.83	10.1	11.8	13.7	15.8	20.9	46.6	77.3
2	50.00	8.58	9.55	11.0	11.4	13.3	15.8	18.5	24.3	54.5	87.9
2	20.00	10.6	11.7	13.1	13.8	16.0	19.6	23.4	30.6	68.4	106
10	10.00	12.7	13.8	15.3	16.2	18.8	23.7	29.0	37.7	82.8	124
20	5.00	15.6	16.8	18.3	19.7	23.0	29.8	37.5	48.6	103	148
20	2.00	22.4	23.6	25.7	28.2	34.2	46.5	61.5	79.8	152	204
80	1.25	30.7	32.0	35.7	40.1	51.5	72.8	102	132	213	270
06	1.11	35.7	37.0	42.2	47.9	64.1	92.2	132	173	250	310
96	1.04	41.4	42.7	50.3	57.7	81.3	119	175	232	292	354
86	1.02	45.2	46.6	56.2	65.0	95.0	140	111	280	321	385
66	1.01	48.8	50.2	62.1	72.2	110	162	249	333	349	413

Table C-2.37. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01470960
Tulpehocken Creek at Blue Marsh Damsite, PA.

Deckahility	Recurrence Interval				For Follo	For Following Number of Consecutive Days	ir of Conse	cutive Day	Ņ		
(Percent)	(Years)	-	т	7	14	30	09	06	120	183	365
	100.00	23.4	25.4	27.9	28.3	30.8	34.3	39.4	48.3	80.5	115
- ~	50.00	25.6	27.7	30.2	31.1	33.7	38.1	44.1	53.7	0.06	127
י נ	20.00	29.5	31.6	34.2	35.7	38.8	44.6	52.4	63.1	106	146
, ,	10.00	32.9	35.5	38.1	40.3	44.0	51.5	61.2	73.1	122	165
2 0	5.00	37.9	40.7	43.6	46.6	51.4	61.3	74.0	87.7	144	189
S &	2.00	49.7	52.7	56.6	61.3	8.69	86.4	107	126	194	242
S &	1.25	64.9	67.8	73.8	80.3	95.7	123	155	184	556	303
S 6		74.6	77.2	84.9	92.3	113	148	189	227	294	337
96	1.04	86.5	88.4	98.8	107	136	182	234	284	338	375
86	1.02	95.1	96.4	109	1117	154	208	569	329	369	401
66	1.01	104	108*	119	128	172	234	305	377	398	424

Table C-2.38. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01471000
Tulpehocken Creek at Reading, PA.

Probability	Recurrence Interval				For Foll	owing Numbe	er of Conse	For Following Number of Consecutive Days	v		
(Percent)	(Years)	_	က	7	14	30	09	06	120	183	365
-	100.00	28.2	30.6	33.6	34.1	37.1	41.3	47.4	58.3	97.0	139
	50.00	30.9	33.4	36.4	37.5	40.7	45.8	53.2	64.8	108	153
S	20.00	35.3	38.1	41.2	43.0	46.7	53.7	63.2	76.1	128	176
10	10.00	39.7	42.8	46.0	48.5	53.0	62.0	73.8	88.1	147	199
20	5.00	45.7	49.1	52.6	56.1	6.19	73.9	1.68	106	173	822
20	2.00	59.9	63.6	68.2	73.9	84.0	104	129	152	234	292
80	1.25	78.3	8.18	89.0	8.96	115	148	187	222	309	365
06	1.11	90.1	93.0	102	111	137	179	228	2/3	354	406
96	1.04	104	107	119	129	164	219	282	342	407	452
86	1.02	115	116	132	142	186	250	324	396	444	483
66	1,01	125	126	144	154	207	282	368	454	480	ยา

Table C-2.39. Base Run Low Flow Frequency Table (Flow in cfs)
USGS Station 01471500
Schuylkill River at Reading, PA.

Probability	Recurrence Interval	aυ			For Fo.	llowing Num	tber of Co	For Following Number of Consecutive Davs	<i>V</i> > 0		
(Percent)	(Years) 1	-	т	7	14	30	09	06	120	183	365
-	100.00	78.0	9.78	100	105	120	139	156	201	409	618
2	50.00	89.8	100	112	118	135	158	180	231	469	694
2	20.00	011	120	133	141	160	191	223	284	570	320
10	10.00	130	141	154	164	187	226	270	341	573	943
20	5.00	159	169	184	197	225	278	340	427	. 815	1110
50	2.00	223	233	251	273	321	414	529	662	1140	1470
80	1.25	300	310	337	370	461	620	826	1030	1530	1870
06	1.11	344	354	389	430	556	292	1040	1310	1770	2100
96	1.04	395	404	452	505	681	965	1340	1690	2030	2350
86	1.02	429	438	495	552	777	1120	1570	1990	2210	2520
66	1.01	460	470	537	601	874	1280	1810	2310	2380	2670

Table C-2.40. Base Run Low Flow Frequency Table (Flow in cfs)

USSS Station 01472000 Schuylkill River at Pottstown, PA.

	183 365	586 838	661 931	786 1080	912 1230	1080	1480 1840	1940 2310	2210 2580	2520 2870	2740 3060	2940 3230
s i e	120	314	356	428	505	619	915	1360	1680	2110	2440	2790
For Following Eurber of Consecutive Days	06	254	288	348	413	507	752	1120	1380	1720	1990	2270
ter of Co	09	230	257	304	353	424	909	871	1060	1300	1490	1680
านา ฉุกเกรา	30	202	224	260	298	351	484	570	795	926	1080	1250
for for	21	178	138	232	265	311	418	553	636	736	908	874
	7	174	192	222	252	293	388	203	581	699	731	792
	3	154	172	203	233	273	363	467	528	969	641	683
ā		139	157	188	218	258	348	455	516	584	630	672
Pecurrence Interval	(Years)	100.00	50.00	20.00	10.00	5.00	2.00	1.25	1.11	1.94	1.02	1.91
Probability	(rercent)	p	2	S	10	50	50	80	06	96	86	66

Table C-2.41. Base Run Low Flow Frequency Table (Flow in cfs)

USGS Station 01473000 Perkiomen Creek at Graterford, PA.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	er of Cons	ecutive Day	Ş		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	5.51	8.78	11.3	13.0	16.2	24.1	32.9	35.8	72.8	165
2	50.00	6.95	6.95 10.4	12.9	14.6	18.3	26.6	35.9	40.8	86.3	182
2	20.00	9.64	13.2	15.7	17.6	22.0	31.3	41.5	49.9	110	1112
10	10.00	12.6	16.2	18.6	20.8	26.1	36.5	48.0	60.3	135	240
20	5.00	17.1	20.5	22.9	25.5	32.0	44.5	58.4	76.5	171	279
20	2.00	28.3	31.0	34.0	37.9	47.7	9.79	90.5	124	259	367
80	1.25	42.7	44.7	50.1	1.73	7.17	109	153	210	374	475
06	1.11	51.3	53.1	61.2	71.0	89.0	143	210	281	445	541
96	1.04	8.09	63.0	75.8	8.68	113	194	303	389	828	219
86	1.02	0.79	8.69	86.9	105	313	239	390	483	586	029
66	1.01	72.6	76.2	98.2	120	150	291	495	290	640	721

Table C-2.48. Buse Mur. Low Flow Erequency Table (Flow in cfs)
USSS Station 01474500
Schuylkill River at Philadelphia, PA.

	For Following Number of Consecutive Days
Recurrence	Tatorus,
	7:+

Probability	Recurrence Interval				For Fol	Following Number of Consecutive Days	er of Cons	ecutive Da	SÁ		
(Percent)	(Years)	.	က	7	14	30	09	06	120	183	365
-	100.00	210	226	243	245	263	304	350	449	845	1250
2	20.03	230	246	592	1271	294	345	402	508	955	1390
5	20.00	263	281	303	314	347	416	493	614	1140	1620
10	10.00	297	316	342	359	402	492	591	729	1330	1850
20	5.00	344	365	396	421	480	602	734	868	1600	2160
50	2.03	456	481	527	574	219	884	0111	1350	2210	2820
80	1.25	909	634	704	784	954	1290	1670	2050	2990	3580
06	1.1	704	734	820	923	1140	1580	2060	2560	3470	4000
96	1.04	928	858	968	1100	1390	1950	2570	3250	4040	4480
86	1.02	216	676	1080	1230	1570	2230	2970	3800	4440	4790
66	1.01	1010	1040	1196	1360	1760	2520	3380	4380	4820	5070

Table C-2.43. Base Run Low Flow Frequency Table (Flow in cfs)
Delaware River Below Schuylkill Confluence

Probability	Recurrence Interval	4.			For Fo	mung Nuπ	iber of Cor	For Following Number of Consecutive Days	ays		
t)	(Years)	-	m	7	14	30	09	06	120	183	365
	100.00	1820	1940	2150	2220	2340	2400	2500	2910	5490	7140
	50.00	1930	2050	2240	2320	2460	2510	2740	3200	0809	7870
	20.00	2110	2230	2400	2490	2660	2830	3160	3720	2060	9070
	10.00	2290	2410	2570	2660	2880	3180	3620	4280	8040	10200
	5.00	2530	2650	2800	2930	3210	3690	4290	5100	9370	11800
	2.00	3080	3190	3380	3610	4090	5050	6100	7310	12400	15100
	1.25	3760	3870	4230	4650	5490	7210	8990	10800	16300	18800
	1.11	4180	4300	4820	5400	6540	8820	11200	13400	18600	20900
	1.04	4690	4820	2590	6440	8020	11100	14200	17100	21400	23300
	1.02	2060	5190	9700	7270	9240	12900	16700	20100	23300	24900
	1.01	5420	2560	6820	8150	10600	14900	19400	23400	25200	26300

Table (-2.44) Bit hom wow Flow Enequency Table (Thow in ofs)

Delaware Liver at Delaware Memorial Bridge

Probability	Recurrence Interval	g,			יטע בּט	rar Fallowing humber of Consecutive Days	iber of Con	secutive [lays		
(Percent)	(Years)	, -	8	7	2	30	09	06	120	183	365
	100.00	1900	2010	2260	2300	2420	2460	2700	3190	5930	7780
2	50.00	2030	2140	2360	2420	2570	2670	2980	3520	6570	8570
ιn	20.00	2240	2360	2540	2630	2820	3050	3460	4090	7640	0986
10	10.00	2450	2560	2730	2840	3090	3440	3970	4710	8710	11100
20	5.00	2730	2840	3000	3150	3480	4030	4730	5620	10200	12800
20	2.00	3350	3480	3680	3950	4520	5570	6770	8070	13500	16300
80	1.25	4140	4270	4690	5160	6120	7980	0866	12000	17800	20400
06	1.11	4620	4760	5390	6030	7320	0926	12400	14900	20400	22800
96	1.04	5200	5350	6340	7200	8970	12200	15700	18900	23500	25400
86	1.02	5610	5780	7080	8140	10300	14300	18400	22300	25800	27100
66	1.01	0109	6190	7860	9130	11800	16400	21400	25800	27900	28700





Figure C-45. Base Run Low Flow Frequency Curves for 01417000, East Branch Delaware River at Downsville, N.Y. RECURRENCE INTERVAL IN YEARS

アコロヌ HZ SFS




HZ

下し03

 $O \Vdash O$

Base Run Low Flow Frequency Curves for 01425000, West Branch Delaware River at Stilesville, N.Y. RECURRENCE INTERVAL IN YEARS Figure C-46.



OFO

HZ

Base Run Low Flow Frequency Curves for 01426500, West Branch Delaware River at Hale Eddy, N.Y. RECURRENCE INTERVAL IN YEARS Figure C-47.


1103

 $\Omega \sqcap \Delta$

HZ

RECURRENCE INTERVAL IN YEARS

Figure C-48. Base Run Low Flow Frequency Curves for 01427405, Delaware River near Callicoon, N.Y.




STO

HZ

下 つ 0 3

RECURRENCE INTERVAL IN YEARS
Figure C-49. Base Run Low Flow Frequency Curves for 01428500, Delaware River near Barryville, N.Y.




SHO

ΗZ

にし03

RECURRENCE INTERVAL IN YEAKS Figure C-50. Base Run Low Flow Frequency Curves for 01431500, Lackawaxen River at Hawley, PA.




F103

HZ

SHO

RECURRENCE INTERVAL IN YEARS
Figure C-51. Base Run Low Flow Frequency Curves for 01434000, Delaware River at Port Jervis, N.Y.

CAMP DRESSLER AND MCKEE INC ANNANDALE VA
DAILY FLOW MODEL OF THE DELAWARE RIVER BASIN. APPENDICES.(U)
SEP 81
DACW61-78-C-AD-A110 113 F/6 13/2 DACW61-78-C-0127 DAEN/NAP-51850/DFM02-81/09 NL -UNCLASSIFIED 4 ... 6 40 0173




下103

HZ

 Ω Γ Ω

RECURRENCE INTERVAL IN YEARS

Figure C-52. Base Run Low Flow Frequency Curves for 01436000, Neversink River at Neversink, N.Y.




下103

STO


HZ

RECURRENCE INTERVAL IN YEARS
Figure C-53. Base Run Low Flow Frequency Curves for 01438500, Delaware River at Montague, N.J.



RECURRENCE INTERVAL IN YEARS

Figure C-54. Base Run Low Flow Frequency Curves for 01449800, Pohopoco Creek at Beltzville Damsite, PA.



HZ

トコロヌ

SHC


RECURRENCE INTERVAL IN YEARS Figure C-55. Base Run Low Flow Frequency Curves for 01453000, Lehigh River at Bethlehem, PA.

1103


HZ

 $O \Vdash \emptyset$

RECURRENCE INTERVAL IN YEARS Figure C-56. Base Run Low Flow Frequency Curves for 01459500, Tohickon Creek at Pipersville, PA.



RECURRENCE INTERVAL IN YEARS Figure C-57. Base Run Low Flow Frequency Curves for 01463500, Delaware River at Trenton, N.J.




 Ω \mathbb{R} Δ

HZ

L103

RECURRENCE INTERVAL IN YEARS Figure C-58. Base Run Low Flow Frequency Curves for

re C-58. Base Run Low Flow Frequency Curves for 01470960, Tulpehocken Creek at Blue Marsh Damsite, PA.




下し口3

HZ


 $\Omega \square \Omega$

RECURRENCE INTERVAL IN YEARS
Figure C-59. Base Run Low Flow Frequency Curves for 01471500, Schuylkill River at Reading, PA.



REGURKENCE INTERVAL IN YEARS
Figure (-60. Base Run Low Tow Frequency Curves for 01474501, Schullbill Piver at Philadelphia, PA.


FTOR HZ OFR



Base Run Low Flow Frequency Curves for Delaware River Below Mouth of Schuylkill

Figure C-61.

RECURRENCE INTERVAL IN YEARS



RECURRENCE INTERVAL IN YEARS
Figure C-62. Base Pun Low Flow Frequency Curves for Delaware River at Delaware Memorial Bridge




TABLE OF CONTENTS

Combination One Duration Table

Combination One Duration Curves

Combination One Low Flow Frequency Tables

Combination One Low Flow Frequency Curves

Table D-1

Figures D-1 to D-44

Tables D-2.1 to D-2.44

Figures D-45 to D-62

TABLE D-1 COMBINATION ONE LOW FLOW FRENUENCY TABLE (Flow in cfs)

			Percent	of Time D	Percent of Time Discharge was		Equaled or Exceeded	g	
Model Node		10	25	50	70	75	90	95	66
01417000 East Branch Delaware River at Downsville, N.Y.	2800	880	83	72	51	48	18	6.8	6.2
01421000 East Branch Delaware River at Fishs Eddy, N.Y.	8000	2700	1300	099	440	390	250	190	120
01425000 West Branch Delaware River at Stilesville, N.Y.	2900	710	360	44	36	35	23	9.1	8.2
01426500 West Branch Delaware River at Hale Eddy, N.Y.	3900	1000	520	320	170	150	84	29	34
01427405 Delaware River near Callicoon, N.Y.	16000	2000	2400	1200	006	840	630	530	370
01428500 Delaware River near Barryville, N.Y.	20000	6200	3100	1500	1100	066	740	620	430
01429000 Lackawaxen River at Prompton, PA.	099	220	120	09	32	27	15	Ξ	7.0
01429500 Dyberry Creek near Honesdale, PA.	780	230	86	53	27	22	6.6	7.2	3.7
01430000 Lackawaxen River at Honesdale, PA.	1900	009	320	150	85	89	34	26	16
01431500 Lackawaxen River at Hawley, PA.	3600	1100	260	260	130	110	55	42	25
01434000 Delaware River at Port Jervis, N.Y.	27000	0096	5200	2700	1900	1800	1400	1300	1100

TABLE D-1 COMBINATION ONE LOW FLOW FREQUENCY TABLE(CONT'D) (Flow in cfs)

			Percent (of Time Di	Discharge was	Equaled	or Exceeded		
Model Node		10	25	20	70	75	06	95	66
01436000 Neversink River at Neversink, N.Y.	870	48	46	41	25	24	6.0	5.5	5.1
01437000 Neversink River at Oakland, N.Y.	1800	290	330	180	120	110	73	26	33
01438500 Delaware River at Montague, N.J.	31000	11000	6100	3300	2200	2000	1700	1600	1400
01440200 Delaware River below Tocks Island Damsite, PA.	32000	13000	7000	3800	2500	2200	1800	1700	1500
01446500 Delaware River at Belvidere, N.J.	39000	15000	8500	4600	2900	2700	2100	1900	1600
01447800 Lehigh River at White Haven, PA.	3200	1200	750	410	250	210	120	06	61
01449800 Pohopoco Creek at Beltzville Damsite, PA.	740	300	190	110	65	92	39	37	35
Aquashicola Creek at Aquashicola Damsite, PA.	730	260	150	82	54	47	59	20	15
01450500 Aquashicola Creek at Palmerton, PA.	840	300	180	66	62	22	33	25	11
01451000 Lehigh River at Walnutport, PA.	9700	3800	2300	1300	780	680	410	340	250
01451800 Jordan Creek near Schnecksville, PA.	580	170	88	41	21	18	7.9	4.7	2.0
01451200 Jordan Creek at Allentown, PA.	840	240	120	59	33	25	Ξ	6.5	3.7


TABLE D-1
COMBINATION ONE LOW FLOW FREQUENCY TABLE(CONT'D)
(Flow in cfs)

			Percent	of Time D	Percent of Time Discharge was Equaled or	as Equaled	or Exceeded	Þ	
Model Node		10	25	209	20	75	96	95	66
01453000 Lehigh River at Bethlehem, PA.	12000	4900	3000	1700	1100	066	650	540	440
01454700 Lehigh River at Glendon, PA.	12000	5100	3200	1900	1200	1100	710	610	480
01456000 Musconetcong River near Hackettstown, N.J.	550	270	170	92	26	49	53	22	13
01457500 Delaware River at Riegelsville, N.J.	51000	22000	13000	7100	4600	4100	3000	2700	2300
01459500 Tohickon Creek at Pipersville, PA.	1900	320	011	38	15	12	4.1	2.4	1.1
01463500 Delaware River at Trenton, N.J.	54000	23000	13000	7300	4600	4100	2900	2500	2100
01467500 Schuylkill River at Pottsville, PA.	460	190	120	۲۲	48	43	58	23	18
01467950 West Branch Schuylkill River at Cressona, PA.	340	160	100	19	41	37	25	21	16
01468500 Schuylkill River at Landingville, PA.	1200	480	310	180	120	110	63	20	37
01469500 Little Schuylkill River at Tæmaqua, PA.	520	180	66	20	30	56	13	8.9	5.8
01470000 Little Schuylkill River at	1000	440	290	170	120	100	61	20	37

TABLE D-1
COMBINATION ONE LOW FLOW FREQUENCY TABLE(CONT'D)
(Flow in cfs)


			Percent (of Time Di	Percent of Time Discharge was Equaled or	. Equaled	or Exceeded		
Model Node	-	10	52	20	70	75	90	95	66
01470500 Schuylkill River at Berne, PA.	3700	1400	820	450	290	250	150	120	85
01470756 Maiden Creek at Virginville, PA.	1500	460	240	120	99	26	32	25	16
01470960 Tulpehocken Creek at Blue Marsh Damsite, PA.	1400	470	290	160	66	93	20	41	41*
01471000 Tulpehocken Creek at Reading, PA.	1700	570	350	190	120	110	70	54	47
01471500 Schuylkill River at Reading, PA.	8600	3200	1800	940	260	490	290	220	160
01472000 Schuylkill River at Pottstown, PA.	0096	3800	2300	1300	810	710	450	360	260
01473000 Perkiomen Creek at Graterford, PA.	4000	790	340	160	85	74	45	37	22
01474500 Schuylkill River at Philadelphia, PA.	17000	6100	3500	1900	1100	1000	610	480	340
Delaware River below Schuylkill Confluence	73000	33000	19000	11000	9200	2900	4000	3300	2700
Delaware River at Delaware Memorial Bridge	78000	35000	21000	12000	7400	0099	4400	3600	2800

*Set equal to reservoir's basic conservation release




PERCENT TIME EQUALED OR EXCEEDED

Combination One Duration Curve For 01417000, East Branch Delaware River at Downsville, N.Y. Figure D-1.




PERCENT TIME EQUALED OR EXCEEDED Figure D-2. Combination One Duration Curve For 01421000, East Branch Delaware River at Fishs Eddy, N.Y.




PERCENT TIME EQUALED OR EXCEEDED Figure D-3. Combination One Duration Curve For 01425000, West Branch Delaware River at Stilesville, N.Y.


LJO3 HZ ULV




PERCENT TIME EQUALED OR EXCEEDED Figure D-4. Combination Onc Duration Curve For 01426500, West Branch Delaware River at Hale Eddy, N.Y.



PERCENT TIME EQUALED OR EXCEEDED
Figure 0-5. Combination One Duration Curve For 01427405, Delaware River Near Callicoon, N.Y.



PERCENT TIME EQUALED OR EXCEEDED Figure D-6. Combination One Duration Curve For 01428500, Delaware River Near Barryville, N.Y.




HZ

下103

 Ω IF \otimes

PERCENT TIME EQUALED OR EXCEEDED Figure D-7. Combination One Duration Curve For 01429000, Lackawaxen River at Prompton, PA.




下し口×

HZ

SHC

PERCENT TIME EQUALED OR EXCEEDED
Figure D-8. Combination One Duration Curve For 01429500, Dyberry Creek Near Honesdale, PA.



PERCENT TIME EQUALED OR EXCEEDED Figure D-9. Combination One Duration Curve For 01430000, Lackawaxen River at Honesdale, PA.

18€ 28r

5349-

3()

- E-3

1412 L 10, 8

. 5

. . .


...

-2


TIME EQUALED UR IDCCEDUD Combination One Duration Terve for 17471550, Lackawaxen Rober at Dawley, Pf.

a. U. Q.


Figure 1500



PERCENT TIME EQUALED OR EXCEEDED Figure D-11. Combination One Duration Curve For 01434000, Delaware River at Port Jervis, N.Y.




PERCENT TIME EQUALED OR EXCEEDED Figure D-12. Combination One Duration Curve For 01436000, Neversink River at Neversink, N.Y.




Combination One Duration Curve For 01437000, Neversink River at Oakland, N.Y.

PERCENT TIME EQUALED OR EXCEEDED Figure D-13. Combination One Duration Curve For


O Γ O下 し 口 3 HZ




PERCENT TIME EQUALED OR EXCEEDED Figure D-14. Combination One Duration Curve For 01438500, Delaware River at Montague, N.J.



PERCENT TIME EQUALED OR EXCEEDED Figure D-15. Combination One Duration Curve For 01440200, Delaware River Below Tocks Island Damsite, PA.



PERCENT TIME EQUALED OR EXCEEDED Figure D-16. Combination One Duration Curve For 01446500, Delaware River at Belvidere, N.J.




OFS

HZ

下103

PERCENT TIME EQUALED OR EXCEEDED Figure D-17. Combination One Duration Curve For 01447800, Lehigh River at White Haven, PA.




 Ω Γ Ω

HZ

1103

PERCENT TIME EQUALED OR EXCEEDED
Figure D-18. Combination One Duration Curve For 01449800, Pohopoco Creek at Beltzville Damsite, PA.




Combination One Duration Curve For Aquashicola Creek at Aquashicola Damsite, PA.

figure D-19.

PERCENT TIME EQUALED OR EXCEEDED

FTOR HZ OFW




HZ

FLOw

 Ω F \otimes

PERCENT TIME EQUALED OR EXCEEDED
Figure D-20. Combination One Duration Curve For 01450500, Aquashicola Creek at Palmerton, PA.



PERCENT TIME EQUALED OR EXCEEDED Figure D-21. Combination One Duration Curve For 01451000, Lehigh River at Malnutport, PA.


HZ

下しのH

SHC

PERCENT TIME EQUALED OR EXCEEDED

Figure D-22. Combination One Duration Curve For O1451800, Jordan Creek Near Schnecksville, PA.




 $O \Vdash \emptyset$

HZ


下しの2

Combination One Duration Curve For 01451200, Jordan Creek at Allentown, PA.


Figure D-23.



PERCENT TIME EQUALED OR EXCEEDED Figure D-24. Combination One Duration Curve For 01453000, Lehigh River at Bethlehem, PA.



PERCENT TIME EQUALED OR EXCEEDED Figure D-25. Combination One Duration Curve For old54700, Lehigh River at Glendon, PA.




下103

HZ


SHS

PERCENT TIME EQUALED OR EXCEEDED Figure D-26. Combination One Duration Curve For 01456000, Musconetcong River Near Hackettstown, N.J.




PERCENT TIME EQUALED OR EXCEEDED Figure D-27. Combination One Duration Curve For 01457500, Delaware River at Riegelsville, N.J.

1



PERCENT TIME EQUALED OR EXCEEDED Figure D-28. Combination One Duration Curve For 01459500, Tohickon Creek at Pipersville, PA.



PERCENT TIME EQUALED OR EXCEEDED Figure D-29. Combination One Duration Curve For 01463500, Delaware River at Trenton, N.J.


HIL

0140

压力设施


400

PERCENT TIME EQUALED OR EXCEEDED Figure D-30. Combination One Duration Curve For 01467500, Schuylkill River at Pottsville, PA.




PERCENT TIME EQUALED OR EXCEEDED Figure D-31. Combination One Duration Curve For 01467950, West Branch Schuylkill River at Cressona, PA.

шшом нш оши




1222-

Figure D-32.



PERCENT TIME EQUALED OR EXCEEDED Figure D-33. Combination One Duration Curve For 01469500, Little Schuylkill River at Tamaqua, PA.




O IL S

HZ


ドコロヌ

PERCENT TIME EQUALED OR EXCEEDED


Figure D-34. Combination One Duration Curve For 01470000, Little Schuylkill River at Drehersville, PA.




PERCENT TIME EQUALED OR EXCEEDED Figure D-35. Combination One Duration Curve For 01470500, Schuylkill River at Berne, PA.



PERCENT TIME EQUALED OR EXCEEDED Figure D-36. Combination One Duration Curve For 01470756, Maiden Creek at Virginville, PA.




PERCENT TIME EQUALED OR EXCEEDED
Figure D-37. Combination One Duration Curve For 01470960, Tulpehocken Creek at Blue Marsh Damsite, PA.




PERCENT TIME EQUALED OR EXCEEDED Figure D-38.


Combination One Duration Curve For 01471000, Tulpehocken Creek at Reading, PA.



PERCENT TIME EQUALED OR EXCEEDED Figure D-39. Combination One Duration Curve For 01471500, Schuylkill River at Reading, PA.




PERCENT TIME EQUALED OR EXCEEDED Figure 0-40. Combination Duration Curve For 01472000, Schuylkill River at Pottstown, PA.




PERCENT TIME EQUALED OR EXCEEDED

9 D-41. Combination One Duration Curve For
01473000, Perkiomen Creek at Graterford, PA. Figure D-41.



PERCENT TIME EQUALED OR EXCEEDED
Figure D-42. Combination One Duration Curve For 01¢74500, Schuylkill River at Philadelphia, PA.



Combination One Duration Curve For Delaware River Below Schuylkill Confluence PERCENT TIME EQUALED OR EXCEEDED Figure D-43.




Table D-2.1 Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 0147000
East Branch Delaware River at Downsville, N.Y.

	365	9.75 65.2	2 74.7	2 91.8	8 111	5 139	3 220	354	458	909	728	861
	183	9.	12.2	17.2	23.8	35.5	80.3	193	313	535	* 009	730*
ys	120	6.20	6.20	8.48	12.5	19.7	44.3	92.7	133	191	238	289
ecutive Da	06	6.20	6.20	68.9	11.0	18.4	41.4	76.2	97.6	121	141*	279*
er of Cons	09	6.20	6.20	6.20	8.80	15.0	34.4	63.9	81.8	120*	140*	265*
For Following Number of Consecutive Days	30	6.20	6.20	6.20	7.08	12.1	29.3	58.6	80.7*	118*	139*	243*
For Fol	14	6.20	6.20	6.20	6.27	10.8	27.0	57.2	79.8	115*	138*	222*
	7	6.20	6.20	6.20	6.20	10.5	26.3	56.4	79.5	112*	137*	205*
	8	6.20	6.20	6.20	6.20	10.1*	25.5*	55.5*	78.1*	110*	136*	185*
	-	6.20	6.20	6.20	6.20	9.88	24.5	53.6	6.97	109	135	191
Recurrence Interval	(Years)	100.00	20.00	20.00	10.00	5.00	2.00	1.25	1.11	1.04	1.02	1.01
Probability (Percent)	(refeelb)	-	2	S	10	20	50	80	06	96	86	66

*Recalculated

Talle 9-117 for resisting One Low Flow Frequency Table

(Flow in cfs) USGS Station 1421000 East Branch Delaware Piver at Fishs Eddy, N.Y.

Probability	Recurrence Interval	đ)			For Fol	Following Number of Consecutive Days	er of Cons	secutive Da	ıys		
(Percent)		,-	3	7	14	30	90	06	120	183	365
-	100.00	21.5	40.9	110	138	171	205	247	599	575	999
2	50.00	28.4	50.3	119	149	184	218	261	312	602	704
ક	20.00	41.6	66.7	132	167	205	241	284	335	647	167
10	10.00	56.4	83.7	145	184	224	264	309	361	695	830
20	5.00	78.4	107	162	506	250	295	343	400	765	919
50	2.00	130	157	201	250	304	372	431	เเร	942	1130
80	1.25	187	208	248	562	366	476	557	969	1210	1420
06	1.11	215	232	277	326	401	546	645	842	1390	1620
96	1.04	241	255	311	356	441	635	762	1050	1650	1860
86	1.02	256	268	335	375	467	702	853	1230	1850	2050
66	1.01	267	278	358	393	492	770	948	1430	2060	2240

Table D-2.3. Combination One Low Flow Frequency Table (Flow in cfs)

USGS Station 1425000 West Branch Delaware River at Stilesville, N.Y.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	r of Conse	cutive Day	v		
(Percent)	(Years)	-	က	7	14	30	09	06	120	183	365
	100.00	7.70	7.70	7.70	7.70	7.70	7.70	7.70	7.70	8.33	80.2
2	20.00	7.70	7.70	7.70	7.70	7.70	7.70	7.70	7.70	10.4	91.2
S	20.00	7.70	7.70	7.70	7.70	7.70	8.05	8.23	9.24	14.6	וו
10	10.00	7.92	7.94	8.08	8.31	8.87	10.3	10.5	11.7	20.1	132
20	5.00	11.3	11.4	11.5	12.0	12.8	14.1	14.5	16.3	30.3	162
90	2.00	20.8	21.0	21.2	22.0	23.3	25.7	28.6	34.2	70.8	245
80	1.25	35.0	35.3	35.4	36.4	37.6	47.8	62.3	84.6	181	371
06	1.11	44.3	44.7	44.9*	45.6	46.3	66.5	97.3	146	306	462
96	1.04	55.6	56.1	56.2*	56.3	72.1*	95.2	161	275	551	585
86	1.02	63.6	66.2*	70.0*	72.2*	75.9*	120	228	428	*009	683
66	1.01	11.17	86.0*	100*	114*	131*	149	314	650	¥00 4	785
	*Recalculated	ated									

Table D-2.4. Combination One Low Flow Frequency Table

(Flow in cfs)

USGS Station 1426500 . West Branch Delaware River at Hale Eddy, N.Y.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Dave	ar of Cons	poutive Nav	ی		
(Percent)	(Years)	-	3	7	14	30	09	90	120	183	365
-	100.00	7.70	10.8	22.3	33.8	64.5	82.2	89.3	119	196	235
2	50.00	7.70	14.3	26.3	38.5	68.5	90.2	100	128	205	253
S.	20.00	9.68	20.8	32.9	46.2	75.1	103	118	144	222	283
10	10.00	14.6	27.7	40.0	53.8	81.8	711	137	161	241	314
20	5.00	22.7	37.3	48.4	63.7	6.06	135	162	185	569	358
50	2.00	44.2	56.5	6.99	84.3	113	771	219	249	347	470
80	1.25	70.4	72.1	0.98	106	141	230	290	346	475	635
06	1.11	83.7	87.5*	95.4	117	160	263	332	416	575	751
96	1.04	96.2	*6.66	105	129	184	303	382	512	612	902
86	1.02	103	107*	110	136	201	332	417	589	840	1030
66	1.01	108	*!!!	115	142	219	360	450	670	974	1150

*Recalculated

Table D-2.5. Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 1427405
Delaware River at Callicoon, N.Y.

Probability	Recurrence Interval	a 1			For Fo	llowing Nur	mber of Co	For Following Number of Consecutive Dave	U >		
(Percent)	(Years)	1	က	7	14	30	09	06	120	183	365
_	100.00	149	219	316	366	414	534	613	727	1070	1230
2	50.00	167	237	332	387	444	561	640	745	1130	1310
2	20,00	194	265	359	419	490	909	989	780	1240	1440
10	10.00	221	293	385	449	532	648	733	821	1340	1570
20	5.00	256	328	419	487	585	708	799	887	1490	1750
20	2.00	328	402	495	292	169	845	396	1080	1840	2180
80	1.25	405	484	585	929	800	1020	1190	1420	2350	2750
06	1.11	446	529	640	705	857	1140	1350	1690	2690	3120
96	1.04	490	580	705	761	917	1280	1560	2100	3130	3590
86	1.02	517	613	750	798	955	1380	1710	2440	3470	3940
66	1.01	541	644	794	832	686	1480	1880	2830	3810	4290

Table D-2.6. Combination One Low Flow Frequency Table (Flow in cfs)

USGS Station 014285000 Delaware River near Barryville, N.Y.

Probability	Recurrence Interval				For Foll	owing Numbe	er of Cons	For Following Number of Consecutive Dave	v		
(Percent)	(Years)	~	က	7	14	30	09	06	120	183	365
	100.00	160*	230	366	431	496	630	716	810	1280	1530
2	50.00	175*	256	389	457	530	959	743	834	1370	1630
S	20.00	208*	296	424	498	583	700	790	881	1500	1800
10	10.00	270*	335	457	536	632	745	841	935	1650	1970
20	5.00	300*	384	501	583	694	608	915	1020	1840	2200
20	2.00	368	482	594	681	815	970	0111	1270	2310	2730
80	1.25	479	581	700	784	940	1200	1410	1720	2940	3420
06	1.1	530	631	197	840	1010	1360	1630	2090	3350	3860
96	1.04	576	682	831	901	1070	1570	1930	2640	3870	4400
86	1.02	805	713	879	940	1120	1730	2170	3110	4260	4800
66	1.01	622	740	923	916	1160	1900	2420	3650	4650	5190

Table D-2.7. Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 01429000
Lackawaxen River at Prompton, PA.

Probability	Recurrence Interval				For Folle	For Following Number of Consecutive Days	ir of Conse	cutive Day	87		
(Percent)	(Years)	,- -	т	7	14	30	09	06	120	183	365
	100.00	3.92	4.25	4.76	5.26	5.82	6.34	7.68	9.56	40.4	50.5
2	50.00	4.30	4.62	5.14	5.68	6.31	7.07	8.75	11.2	43.6	55.0
2	20.00	4.96	5.27	5.81	6.43	7.20	8.4]	10.7	14.1	48.8	62.2
10	10.00	5.65	5,95	6.52	7.24	8.17	9.88	12.8	17.3	54.1	69.1
20	5.00	6.64	6.95	7.58	8.43	99.6	12.1	16.1	22.1	61.4	78.3
50	2.00	9.15	9.56	10.4	11.6	13.9	38.6	25.5	34.9	78.4	98.1
80	1.25	12.8	13.6	14.9	16.8	21.3	29.8	41.6	54.4	101	121
06	1.11	15.4	16.5	18.3	20.7	27.2	38.7	54.3	68.3	115	134
96	1.04	18.4	20.5	23.1	26.3	36.1	52.0	72.8	2.98	134	149
86	1.02	21.5	23.7	27.1	30.9	43.9	63.4	88.5	101	147	160
66	1.01	24.3	27.2	31.4	35.9	52.7	76.2	901	116	160	169

Table D-2.8. Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 01429500
Dyberry Creek Near Honesdale, PA.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	er of Conse	cutive Day	S		
(Percent)	(Years)	_	ю	7	14	30	09	06	120	183	365
_	100.00	1.67	1.91	2.40	2.80	3.24	3.63	4.89	6.74	37.1	46.8
2	50.00	1.95	2.18	2.68	3.09	3.58	4.17	5.64	8.01	40.4	51.6
2	20.00	2.46	2.67	3.17	3.60	4.21	5.18	7.06	10.4	45.9	59.3
10	10.00	3.00	3.20	3.71	4.18	4.93	6.33	8.71	13.1	51.4	8.99
20	5.00	3.80	3.98	4.52	5.06	90.9	8.16	11.4	17.3	59.0	8.9/
20	2.00	5.86	90.9	92.9	7.61	9.49	13.7	20.02	29.5	77.0	98.2
80	1.25	8.81	9.28	10.5	12.1	16.0	24.3	37.1	50.4	101	123
06	1.11	10.8	11.6	13.3	15.8	21.7	33.3	52.7	8.99	116	137
96	1.04	13.3	14.8	17.4	21.8	30.8	47.5	78.0	0.06	135	152
86	1.02	15.2	17.3	20.8	26.3	39.1	60.1	102	109	148	163
66	1.01	17.1	19.9	24.5	31.8	48.9	74.8	130	130	162	172

Table D-2.9. Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 01430000
Lackawaxen River at Honesdale, PA.

Probability Interval (Percent)	, ,	Ć	ŗ	For Foll	owing Numb	oer of Cons	For Following Number of Consecutive Days			
rears)	-	m	_	14	30	09	06	120	183	365
100.00	7.69	8.61	9.02	9.53	11.11	12.5	16.5	21.8	105	130
50.00	8.64	9.54	10.1	10.6	12.5	14.4	19.2	26.0	114	143
20.00	10.3	11.2	11.9	12.9	15.0	18.0	24.2	33.5	129	163
10.00	12.1	12.9	13.9	15.2	17.7	22.1	29.3	42.0	143	183
5.00	14.6	15.5	16.8	18.6	22.0	28.4	38.7	54.8	164	500
2.00	21.2	22.3	24.6	27.7	33.7	46.6	64.6	90.2	112	264
1.25	31.0	33.0	36.8	41.6	53.4	78.3	110	146	272	327
1.11	37.8	40.8	45.9	51.7	68.8	104	148	186	310	362
1.04	46.9	51.6	58.5	65.5	6.06	141	202	240	357	402
1.02	53.9	60.4	68.6	76.5	109	172	249	282	392	428
1.01	61.2	2.69	79.5	88.0	130	207	301	326	425	452

Table D-2.10. Combination One Low Flow Frequency Table

(Flow in cfs) USGS Station 01431500 Lackawaxen River at Hawley, PA.

Probability	Recurrence Interval				For Foll	owing Numbe	ir of Cons	For Following Number of Consecutive Days			
(Percent)	(Years)		3	7	14	30	09	06	120	183	365
~	100.00	9.3]	14.0	15.1	16.5	19.1	20.2	27.0	35.7	178	220
2	50.00	1.1	15.4	16.7	18.4	21.3	23.5	31.4	42.3	193	243
S	20.00	14.2	18.0	19.6	21.7	25.3	29.6	39.7	54.7	220	281
10	10.00	17.6	20.8	22.7	25.3	29.7	36.6	49.1	9.89	246	318
20	5.00	22.6	25.0	27.4	30.7	36.5	47.5	64.0	90.1	282	367
20	2.00	35.4	36.7	40.4	45.5	56.0	79.5	109	151	368	471
80	1.25	53.6	55.8	62.0	2.69	90.2	136	190	253	480	589
06	1.11	65.7	70.7	78.8	88.3	118	182	258	330	553	655
96	1.04	90.6	92.0	103	115	160	251	361	439	643	729
86	1.02	91.6	110	123	137	961	309	450	526	709	777
66	1.01	102	129	146	191	236	374	551	620	775	821

Table D-2.11. Combination One Low Flow Frequency Table (Flow in cfs)

USGS Station 01434000 Delaware River at Port Jervis, N.Y.

Probability	Recurrence Interval				For Foll	owing Numbe	er of Cons	For Following Number of Consecutive Dava			
(Percent)	(Years)		ന	7	14	30	. 09	06	120	183	365
_	100.00	524	874	1090	1220	1300*	1320	1330*	1340*	2070	2380
2	50.00	699	903	0111	1230*	1310	1330	1340*	1350*	2210	2560
S	20.00	641	949	1130	1240	1320	1350	1360	1440	2440	2860
10	10.00	707	166	1160	1250	1330	1380	1430	1540	2670	3160
50	2.00	790	1040	1190	1280	1360	1430	1540	1700	2990	3550
20	2.00	953	1160	1300	1380	1470	1630	1860	2160	3740	4430
80	1.25	1120	1280	1440	1540	1700	2040	2410	2940	4740	5520
06	1.11	1200	1350	1540	1670	1900	2380	2840	3560	5400	0619
96	1.04	1280	1430	1670	1840	2210	2910	3470	4480	6230	0669
86	1.02	1330	1480	1770	1980	2470	3380	4000	5260	6840	7550
66	1.01	1380	1530	1870	2130	2770	3920	4590	6150	7460	8090

*Recalculated

Table D-2.i2. Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 01436000
Neversink River at Neversink, N.Y.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	r of Conse	cutive Day	v		
(Percent)	(Years)		3	7	14	30	09	06	120	183	365
r	100.00	4.60	4.60	4.60	4.60	4.60	4.60	4.60	4.60	6.80	28.6
2	50.00	4.60	4.60	4.60	4.60	4.60	4.60	4.60	4.60	8.35	31.5
5	20.00	4.60	4.60	4.60	4.60	4.60	4.60	5.07	5.67	11.2	36.3
10	10.00	4.94	4.95	5.06	٤.17	5.39	6.50	7.35	8.15	14.5	41.0
20	5.00	7.41	7.46	7.59	7.82	8.13	9.77	11.0	12.1	19.4	47.4
20	2.00	14.8	15.0	15.1	15.6	16.2	18.7	20.4	22.8	32.6	6.19
80	1.25	26.7	27.0	27.4*	27.7	28.3	30.3	32.0	37.0	51.9	79.5
06	1.11	34.9	35.3	35.5*	35.6	36.2	36.8	38.2	45.1	64.9	90.1
96	1.04	45.2	45.7	48.5*	\$0.0	51.0*	52.0*	52.9*	53.7	81.2	103
86	1.02	52.7	53.1	54.5*	\$6.0*	57.0*	58.0*	58.5*	59.0	93.0	111
66	1.01	59.8	60.3	61.0*	61.5*	62.0*	62.5*	63.0*	63.5	105	119

*Recalculated

Table D-2.13. Combination One Low Flow Frequency Table (Flow in cfs)

USGS Station 01437000 Neversink River at Oakland Valley, N.Y.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	er of Cons	ecutive Da	s/s		
(rercent)	(Years)	-	က	7	14	30	09	06	120	183	365
_	100.00	5.33	13.4	18.7	36.5	54.4	76.2	87.3	103	155	172
2	50.00	7.30	16.3	22.0	39.2	57.0	78.2	9.68	105	160	180
S.	20.00	11.3	21.4	27.8	43.7	61.4	82.2	94.1	109	169	193
10	10.00	16.0	26.9	33.8	48.3	0.99	86.7	99.1	114	179	206
20	5.00	23.5	34.9	42.2	54.7	72.8	93.8	107	123	194	225
20	2.00	43.2	54.3	61.6	70.6	90.2	114	130	150	235	275
80	1.25	68.1	79.0	85.3	92.8	116	150	169	199	299	347
06	11.11	81.8	93.8	0.66	108	135	178	200	241	347	398
96	1.04	0.96	111	114	128	161	219	245	304	414	467
86	1.02	105	122	124	143	181	254	283	359	469	521
66	1.01	112	132	134	158	203	293	326	423	528	277

Table D-2.14. Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 01438500.
Delaware River at Montague, N.J.

Probability	Recurrence Interval	e .			For Fol	For Following Number of Consecutive Days	ier of Con	secutive Day	s,		
(Percent)	(Years)		m	7	14	30	99	06	120	183	365
~	100.00	*046	1300	1490	1560	1590*	1600*	1610*	1650*	2400	2710
2	50.00	1040*	1340	1500	1570	1600	1610*	1620*	1680*	2560	2930
ĸ	20.00	1180*	1400	1510	1580*	1610*	1620*	1630*	1700*	2830	3290
10	10.00	1290	1450	1530	1590*	1620*	1630*	1660	1780	3100	3640
50	5.00	1340	1510	1570	1600	1630	1680	1790	1970	3470	4120
20	2.00	1440	1600	1650	1680	1730	1900	2160	2510	4350	5170
80	1.25	1510	1680	1790	1840	1990	2370	2810	3430	5510	6440
06	1.11	1550	1710	1880	1980	2220	2780	3330	4160	6270	7210
96	1.04	1580	1740	2000	2170	2590	3420	4080	5230	7220	8120
86	1.02	1600	1760	2090	2330	2910	3990	4720	6140	7930	8750
66	1.01	1620	1770	2180	2500	3280	4660	5430	7160	8640	9360

*Recalculated

Table 0-2.15. Combination One Low Flow Frequency Table (Flow in cfs)

USGS Station 01440200. Delaware River Below Tocks Island Damsite, PA.

Probability	Recurrence Interval	g).			For Foll	dmuN gniwo	er of Cons	For Following Number of Consecutive Days	10		
(Percent)	(Years)	~	ۍ	7	14	30	09	90	120	183	365
	100.00	136	1360	1620*	*0991	1680*	¥0691	1720*	1820*	2580	2970
2	50.00	1050	1410	1630*	1670	*0691	1700*	1730*	1840*	2780	3230
S	20.00	1200	1470	1640	1680	1700	1710*	1750*	¥0981	3100	3650
10	10.00	1320	1530	1650	1680	1710	1720	1760	1910	3420	4060
20	5.00	1450	1600	1670	1700	1730	1800	1920	2150	3860	4600
20	2.00	1620	1720	1750	1790	1860	2070	2390	2800	4880	2800
80	1.25	1680*	1830	1930	2000	2180	2640	3170	3880	6210	7240
90	1.11	*0691	1880	2070	2190	2480	3140	3790	4720	7050	8080
96	1.04	1700	1930	2280	2460	2970	3930	4680	5950	8100	0206
86	1.02	1710	1960	2460	2700	3400	4640	5440	0869	8860	9750
66	1.01	1720*	1980	2640	2960	3900	5470	6280	8140	9610	10400

*Recalculated

Table D-2.16. Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 01446500.
Delaware River at Belvidere, N.J.

Frobability	Recurrence Interval	ce -			For Fo	For Following Number of Consecutive	ber of Con	secutive Da	Dave		
(Percent)	(Years)	_	က	7	14	30	09	06	120	183	365
_	100.00	1150	1360	1650	1710	1770	1790*	1860*	1890*	2930	3420
2	50.00	1220	1410	1660	1720*	1780*	1820*	1880*	1910*	3180	3740
5	20.00	1320	1490	1680	1730	1790	1830*	*0681	1940	3590	4280
10	10.00	1410	1570	1710	1750	1810	1850	1920	2140	4000	4790
20	5.00	1520	1660	1750	1800	1860	1970	2140	2450	4550	5480
20	2.00	1730	1860	1910	1960	2070	2370	2770	3300	5840	0869
80	1.25	1930	2080	2180	2280	2560	3150	3800	4680	7480	8730
06	1.11	2040	2200	2400	2550	3000	3810	4590	5740	8520	9750
96	1.04	2140	2330	2710	2950	3690	4830	5730	7260	9780	10900
86	1.02	2200	2420	2960	3290	4320	5740	0699	8540	10700	11700
66	1.01	2260	2500	3230	3670	2060	6810	7740	9940	11600	12400

*Recalculated

Table D-2.17. CombinationOneLow Flow Frequency Table (Flow in cfs)

USGS Station 01447800 Lehigh River at White Haven, PA.

Probability	Recurrence Interval				For Follo	wing Numbe	r of Conso	For Following Number of Consecutive Days	ν		
(Percent)	(Years)	~	8	7	14	30	09	06	120	183	365
_	100.00	12.2	31.7	40.0	41.2	41.3	50.2	62.7	86.6	223	301
2	50.00	18.2	36.5	43.9	45.7	47.7	57.4	72.2	98.9	245	329
2	20.00	30.4	44.5	50.5	53.4	58.6	70.3	89.3	121	281	374
10	10.00	44.1	52.5	57.3	61.4	70.0	84.4	108	144	317	418
20	5.00	62.3	63.1	66.7	72.6	85.9	105	135	179	365	474
20	2.00	91.3	86.0	89.3	6.66	124	162	210	172	477	592
80	1.25	103	111	120	138	172	251	326	411	618	723
06	1.11	104*	124	140	163	202	317	410	511	705	795
96	1.04	105	138	165	194	238	406	524	647	809	874
86	1.02	¥901	147	184	218	263	478	615	753	884	926
66	1.01	107*	155	203	241	286	554	709	863	955	974

*Recalculated

Table D-2.18. Combination One Low Flow Frequency Table

(Flow in cfs)
USGS Station 01449800
Pohopoco Creek at Beltzville Damsite, PA.

	183 365	35.0 67.8	42.1 75.5	55.2 87.9	6.66 9.89	86.6 116	124 149	159 184	175 203	189 224	196 237	235* 249
S>	120	35.0	35.0	35.2	41.7	51.2	75.5	111	136	169	194	220
For Following Number of Consecutive Days	06	35.0	35.0	35.0	36.7	43.0	60.5	89.4	112	144	172	202
ber of Cons	09	35.0	35.0	35.0	35.0	37.0	47.8	67.8	84.9	ווו	135	163
llowing Num	30	35.0	35.0	35.0	35.0	35.0	40.7	49.9	8.99	66.5	74.4	83.0
For Fo	14	35.0	35.0	35.0	35.0	35.0	36.7	42.5	47.7	55.4	62.2	69.7
	7	35.0	35.0	35.0	35.0	35.0	35.7	40.2	44.4	50.8	56.4	62.7
	3	35.0	35.0	35.0	35.0	35.0	35.5	38.6	41.1	44.8	47.7	50.9
4.	-	35.0	35.0	35.0	35.0	35.0	35.0	37.1	39.1	42.1	44.6	47.4
Pecurrence Interval	(Years)	100.00	50.00	20.00	10.00	2.00	2.00	1.25	1.11	1.04	1.92	1.01
Probability	(rercent)	-	2	5	10	20	20	80	06	96	86	66

*Recalculated

Table D-2.19. Combination One Low Flow Frequency Table (Flow in cfs)
Aquashicola Creek at Aquashicola Damsite, PA.

Probability	Recurrence Interval				For Follo	wina Numbe	r of Cons	For Following Number of Consecutive Dave	Ų		
(Percent)	(Years)	-	က	7	14	30	09	06	120	183	365
~	100.00	6.93	7.74	8.33	8.92	9.57	11.4	12.9	16.2	38.9	54.4
2	50.00	7.99	8.85	9.56	10.2	11.1	13.1	15.2	19.0	44.0	61.2
2	20.00	9.85	10.7	11.7	12.5	13.8	16.2	19.2	24.1	52.5	72.2
10	10.00	11.7	12.6	13.8	15.7	16.5	19.5	23.6	29.7	61.0	82.8
20	5.00	14.3	15.3	16.7	17.9	20.4	24.4	30.3	37.9	72.5	96.6
20	2.00	20.4	21.3	23.4	25.1	29.6	37.2	47.9	59.6	98.0	126
80	1.25	27.9	28.8	31.5	34.1	41.1	56.5	74.4	92.1	128	156
06	1.11	32.4	33.2	36.3	39.4	48.1	69.5	93.1	115	145	173
96	1.04	37.6	38.3	41.6	45.5	56.3	87.0	118	144	164	189
86	1.02	41.2	41.7	45.3	49.7	6.19	100	136	166	177	200
66	1.01	44.5	44.9	48.6	53.6	1.79	114	155	189	188	509

Table D-2.20. Combination One Low Flow Frequency Table

(Flow in cfs)

USGS Station 01450500 Aquashicola Creek at Palmerton, PA.

Probability	Recurrence Interval				For Follo	wing Numbe	er of Cons	For Following Number of Consecutive Davs	v		
(Percent)	(Years)		۳	7	14	30	09	06	120	183	365
-	100.00	8.22	9.15	98.6	10.5	11.2	13.3	15.0	18.9	45.2	63.3
5	50.00	9.45	10.4	11.3	12.0	13.0	15.3	17.6	22.2	51.2	71.2
2	20.00	11.6	12.6	13.7	14.6	16.1	18.9	22.4	28.1	61.1	84.0
10	10.00	13.7	14.8	16.1	17.2	19.3	22.7	27.5	34.5	71.0	96.3
20	5.00	16.7	17.8	19.4	20.8	23.7	28.4	35.2	44.0	84.3	112
50	2.00	23.7	24.8	1.72	29.1	34.3	43.2	55.6	69.3	114	146
80	1.25	32.4	33.4	36.5	39.5	47.8	65.3	86.5	107	149	182
96	1.11	37.6	38.6	42.1	45.8	0.99	80.9	108	133	168	201
96	1.04	43.6	9.44	48.5	53.1	65.5	101	137	167	191	220
86	1.02	47.8	48.7	52.9	58.1	72.2	117	159	193	205	233
66	1.01	51.6	52.5	6.95	65.9	78.4	133	181	220	219	244

Table D-2.21. Combination One Low Flow Frequency Table (Flow in cfs)

USGS Station 01451000 Lehigh River at Walnutport, PA.

Probability	Recurrence Interval				For Fol	lowing Num	ber of Con	For Following Number of Consecutive Days	iys		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
-	100.00	159	170	188	211	233	247	262	309	989	828
2	50.00	168	179	197	221	246	265	589	343	746	919
2	20.00	183	196	214	238	569	298	337	405	847	1070
10	10.00	198	213	232	257	294	335	290	473	949	1210
20	5.00	122	237	257	283	330	390	469	574	1090	1400
20	2.00	276	296	322	353	424	546	689	856	1430	1820
80	1.25	356	378	417	459	268	812	1050	1320	1890	2280
06	1.11	413	433	485	537	674	1020	1340	1680	2200	2550
96	1.04	487	206	576	643	821	1340	1750	2200	2580	2840
86	1.02	545	199	648	728	939	1610	2090	2640	2860	3040
66	1.01	909	617	724	819	1060	1920	2470	3120	3150	3220

Table D-2.22. Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 01451800
Jordan Creek Near Schnecksville, PA.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	r of Conse	cutive Day	S		
(Percent)	(Years)	*	3*	*	to -	30	09	06	120	183	365
	100.00	0.30	0.31	∩.44	0.56	0.72	1.12	1.45	2.58	11.9	27.6
2	50.00	0.51	0.58	0.72	0.85	1.03	1.60	2.15	3.60	14.9	31.5
ľ	20.00	1.08	1.16	1.43	1.62	1.71	2.64	3.70	5.79	20.3	38.1
10	10.00	1.68	1.82	2.20	2.40	2.58	4.00	5.78	8.57	26.1	44.7
20	5.00	2.41	2.69	3.05	3.27	4.06	6.37	9.44	13.3	34.5	53.6
50	2.00	4.40	5.20	5.80	7.26	8.60	13.9	21.0	27.9	53.8	73.5
80	1.25	7.50	8.05	9.40	11.6	15.6	26.2	39.4	51.4	75.9	96.5
06	1.11	9.25	9.70	11.8	13.5	20.2	34.8	51.4	67.5	87.5	110
96	1.04	11.0	11.5	15.0	22.0	25.6	45.4	65.4	87.2	99.3	124
86	1.02	12.1	12.5	17.0	25.1	29.3	52.8	74.7	101	106	134
66	1.01	13.2	13.9	19.0	25.4	32.6	6.65	83.1	114	112	142

*Calculated from adjusted probabilities

Table D-2.23. Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 01452000
Jordan Creek at Allentown, PA.

3*
35.0
76.0
1.99
2.90
4.10
7.15
11.1
13.8
17.0
19.0
21.0

*Calculated from adjusted probabilities

Table D-2.24. Combination One Low Flow Frequency Table (Flow in cfs)

	PA.
USGS Station 01453000	Lehigh River at Bethlehem,

Probability	Recurrence Interval	a .			For Fol	lowing Numb	er of Cons	Following Number of Consecutive Days	۸s م		
(Percent)	(Years)	_	m	7	14	30	09	06	120	183	365
	100 00	255	377	395	406	407	410*	423	484	943	1160
. ~	20.00	276	382	402	416	425	433	461	532	1020	1270
വ	20.00	311	393	416	435	458	483	529	919	1150	1440
10	10.00	346	407	433	457	493	537	602	708	1280	1620
50	5.00	393	430	460	491	545	618	712	845	1470	1850
20	2.00	505	208*	542	587	629	840	1010	1220	1920	2370
80	1.25	643	*0 9 9	989	745	884	1200	1510	1840	2540	3000
3 6	1.1	731	738	801	998	1030	1490	1900	2320	2950	3380
96	1.04	839	895	696	1040	1240	1890	2450	3010	3470	3820
86	1.02	917	1030	1110	1180	1410	2230	2920	3580	3870	4120
66	1.01	994	1180	1270	1340	1580	2610	3440	4210	4270	4410

Table D-2.25. Combination One Low Flow Frequency Table

(Flow in cfs) USGS Station 01454700 Lehigh River at Glendon, PA.

	365	1230	1340	1530	1700	1940	2490	3150	3550	4030	4360	4680
	183	1000	1080	1220	1360	1550	2030	2680	3120	3680	4110	4550
v >	120	527	578	299	763	806	1310	1960	2470	3190	3800	4470
For Following Number of Consecutive Dave	06	463	503	575	652	769	1090	1620	2030	2620	3120	3660
ber of Con	09	454*	474	527	585	671	206	1290	1590	2020	2390	2790
llowing Num	30	448	468	503	541	969	740	096	1120	1340	1520	1710
For Fol	14	446	457	478	503	540	645	818	951	1140	1290	1460
	7	436	444	459	477	202	265	755	882	1070	1230	1400
	က	407	413	427	443	470	553	703	873	1000	1150	1320
ē.	-	332	347	373	401	441	545	702	815	696	1090	1220
Recurrence Interval	(Years)	100.00	50.00	20.00	10.00	5.00	2.00	1.25	1.1	1.04	1.02	1.01
Probability	(Percent)	_	2	ഗ	10	20	20	80	06	96	86	66

Table D-2.26. Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 01456000
Musconetcong River Near Hackettstown, N.J.

Probability	Recurrence Interval				For Follo	wing Numbe	r of Conse	For Following Number of Consecutive Days	v		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	5.39	6.16	7.42	7.86	8.82	10.1	0.11	12.7	31.2	44.5
2	50.00	6.35	7.16	8.44	9.05	10.2	11.8	13.0	15.3	35.9	51.3
2	20.00	8.06	8.92	10.2	11.1	12.7	14.8	16.8	20.2	44.1	62.8
10	10.00	68.6	10.8	12.1	13.2	15.3	18.2	21.0	25.6	52.6	74.3
20	5.00	12.6	13.5	14.9	16.4	19.2	23.2	27.4	34.0	64.4	8.68
20	2.00	19.4	20.5	22.2	24.5	29.5	37.0	45.2	56.7	92.5	124
80	1.25	29.1	30.3	32.9	36.3	43.8	58.9	73.8	91.7	128	162
06	1.1	35.5	36.8	40.4	44.4	53.8	75.1	94.8	116	150	183
96	1.04	43.4	45.1	50.3	54.9	66.7	97.1	124	149	176	205
86	1.02	49.3	51.2	6.73	62.8	76.5	115	146	173	193	220
66	1.01	55.0	57.2	65.7	6.07	86.3	133	170	198	210	233

Table D-2.27. Combination One Low Flow Frequency Table

(Flow in cfs) USGS Station 01457500 Delaware River at Riegelsville, N.J.

Probability	Recurrence Interval	ų			For Fc	ul paina Nu	mber of Co	For Following Number of Consecutive Davs	Ja v s		
(Percent)	(Years)	,	ю	7	14	30	09	06	120	183	365
-	100.00	1470	1680	1950	2040	2100	2130	2190	2230	3850	4680
2	50.00	1540	1730	1970	2060	2120	2160	2220	2260	4220	5160
22	20.00	1640	1830	2020	2110	2170	2210	2270	2540	4840	5940
10	10.00	1750	1910	2090	2160	2240	2320	2490	2870	5450	0699
20	5.00	1880	2040	2170	2260	2290	2580	2880	3360	6290	7700
20	2.00	2210	2320	2450	2550	2770	3310	3920	4710	8200	0886
80	1.25	2560	2710	2890	3090	3560	4580	5630	6870	10600	12400
06	1.11	2800	2950	3220	3530	4230	5610	6950	8520	12100	13800
96	1.04	3090	3270	3690	4160	5260	7130	8850	10900	13900	15400
86	1.02	3300	3420	4050	4700	6180	8460	10500	12800	15200	16400
66	1.01	3500	3720	4260	5290	7230	9920	12200	14900	16400	17400

Probability	Recurrence Interval				For Follo	wing Numbe	r of Conse	For Following Number of Consecutive Days	s		
(Percent)	(Years)	*	3*	7	14	30	09	06	120	183	365
	100.00	0.08	0.27	0.572	0.639	0.709	06.0	1.25	2.06	14.1	50.3
2	50.00	0.10	0.40	0.659	0.741	0.877	1.20	1.72	3.00	18.5	57.6
2	20.00	0.27	0.64	0.826	0.938	1.21	1.83	2.78	5.12	27.1	70.3
10	10.00	0.62	0.84	1.02	1.18	1.62	2.67	4.25	8.06	37.1	83.2
20	5.00	0.95	1.15	1.35	1.58	2.33	4.22	7.06	13.6	52.5	101
20	2.00	1.74	2.05	2.40	2.94	4.74	10.1	18.4	33.8	93.0	143
80	1.25	3.15	3.65	4.61	5.99	9.90	24.1	47.2	75.5	147	195
06	1.11	4.45	5.00	6.68	9.01	14.7	38.0	9.92	011	179	526
96	1.04	6.40	7.25	10.2	14.3	22.6	61.7	128	191	214	292
86	1.02	9.20	9.30	13.5	19.6	29.9	84.2	177	201	237	287
66	1.01	9.80	11.0	17.6	26.3	38.7	112	238	244	257	310

^{*}Calculated from adjusted probabilities

Table D.2-29. Combination One Low Flow Frequency Table

(Flow in cfs)
USGS Station 01463500
Delaware River at Trenton, N.J.

Probability	Recurrence Interval	đυ			For Fol	lowing Numt	ser of Con	For Following Number of Consecutive Days	Ş		
(Percent)	(Years)		3	7	14	30	09	06	120	183	365
-	100.00	1550	1760	2020	2130	2180	2210*	2270*	2320*	4080	2000
2	50.00	1620	1810	2050	2150	2210	2240*	2300*	2350	4480	5510
S	20.00	1720	1910	2110	2200	2270	2300*	2360	2690	5150	6350
10	10.00	1830	2000	2180	2260	2350	2440	2640	3050	5810	7170
20	5.00	0261	2130	2280	2370	2400	2730	3060	3590	6720	8250
20	2.00	2300	2440	2580	2700	2940	3540	4210	2060	8790	10600
80	1.25	2720	2870	3070	3290	3810	4940	0609	7420	11400	13300
06	1.11	2990	3140	3430	3770	4540	0909	7540	9220	13000	14800
96	1.04	3330	3500	3930	4460	2650	7710	0630	11800	14900	16500
86	1.02	3570	3760	4320	5050	6640	9140	11400	13900	16300	17600
66	1.01	3810	4020	4750	2690	7770	10700	13300	16200	17600	18700

Table D-2.30. Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 01467500
Schuylkill River at Pottsville, PA.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	er of Conse	ecutive Day	s/		
(Percent)	(Years)	_	ю	7	14	30	09	06	120	183	365
	100.00	9.97	10.8	11.9	12.8	14.5	15.5	17.1	18.7	35.6	47.6
~	50.00	10.8	11.7	12.8	13.7	15.5	16.9	19.1	21.2	39.2	51.8
ഗ	20.00	12.2	13.2	14.3	15.2	17.3	19.4	22.2	25.4	45.3	58.7
01	10.00	13.7	14.7	15.9	16.8	19.1	21.9	25.6	29.9	51.3	65.4
50	5.00	15.7	16.8	18.0	19.0	21.8	25.6	30.5	36.2	59.4	74.4
20	2.00	20.4	21.6	23.3	24.7	28.4	35.0	42.8	52.1	9.77	94.1
80	1.25	26.6	28.1	30.6	32.9	38.2	49.0	8.09	74.7	101	118
06	1.11	30.6	32.4	35.5	38.7	45.1	59.1	73.3	89.8	115	132
96	1.04	35.6	37.6	41.8	46.3	54.3	72.5	7.68	109	131	148
86	1.02	39.4	41.5	46.6	52.2	61.5	83.1	102	124	142	159
66	1.01	43.1	45.4	51.6	58.4	0.69	94.3	115	139	153	169

Table D-2.31. Combination One Low Flow Frequency Table

(Flow in cfs)

USGS Station 01467950 West Branch Schuylkill River at Cressona, PA.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Dave	er of Cons	ecutive Da	<i>پ</i>		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
~	100.00	8.52	9.55	10.8	11.1	12.1	13.8	14.9	17.6	28.1	38.0
2	50.00	9.56	10.6	11.7	12.1	13.2	15.1	16.6	19.6	31.6	42.2
2	20.00	11.2	12.2	13.3	13.8	15.1	17.4	19.5	23.0	37.3	48.9
10	10.00	12.9	13.8	14.8	15.5	17.0	19.8	22.5	56.6	42.9	55.2
20	5.00	15.1	15.9	16.9	17.8	19.6	23.2	56.9	31.7	50.3	63.4
20	2.00	19.7	20.3	21.5	22.9	25.9	31.4	37.7	44.3	66.2	80.0
80	1.25	24.8	25.3	27.0	29.1	34.3	42.8	52.8	62.3	84.0	97.4
06	1.11	27.6	28.0	30.4	32.8	39.7	50.5	63.0	74.5	93.9	106
96	1.04	30.6	31.0	34.3	37.2	46.5	60.3	76.1	90.2	105	116
86	1.02	32.5	33.0	37.0	40.3	51.5	67.7	86.0	102	112	122
66	1.01	34.2	34.8	39.6	43.2	56.5	75.2	0.96	114	118	127

Table D-2.32. Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 01468500
Schuylkill River at Landingville, PA.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	r of Cons	ecutive Day	Ñ		
(Percent)	(Years)	,	8	7	14	30	09	06	120	183	365
_	100.00	18.5	19.9	20.7	22.3	26.2	30.7	35.1	41.5	87.9	126
2	50.00	20.5	21.9	22.9	24.7	29.0	34.2	39.7	47.4	1.76	136
2	20.00	23.9	25.5	26.8	28.9	34.0	40.5	48.0	57.8	112	152
10	10.00	27.5	29.1	30.8	33.3	39.2	47.2	56.8	6.89	128	167
20	5.00	32.6	34.3	36.6	39.6	46.7	57.1	8.69	85.1	148	188
20	2.00	45.3	47.4	51.2	55.6	66.2	83.3	104	127	196	235
80	1.25	63.2	0.99	72.2	79.2	95.3	124	155	189	255	294
06	1.11	75.4	78.7	8.98	92.6	116	153	192	232	291	330
96	1.04	91.2	95.2	106	117	144	1.34	241	289	334	372
86	1.02	103	108	120	134	165	227	280	332	364	403
66	1.01	115	121	136	152	188	261	320	376	393	432

Table D-2.33. Combination One Low Flow Frequency Table (Flow in cfs)

USGS Station 01469500 Little Schuylkill River at Tamaqua. PA.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	r of Conse	cutive Day	Ñ		
(Percent)	(Years)		8	7	14	30	09	06	120	183	365
	100.00	2.51	2.70	3.01	3.39	4.11	4.55	5.29	7.01	23.4	34.6
2	50.00	2.88	3.09	3.42	3.83	4.65	5.32	6.35	8.42	26.2	38.2
S.	20.00	3.53	3.78	4.18	4.63	5.65	6.74	8.35	11.11	31.1	44.3
10	10.00	4.25	4.53	5.00	5.50	6.75	8.36	10.6	14.1	36.1	50.5
20	5.00	5.35	5.66	6.25	6.83	8.45	10.9	14.3	18.9	43.2	58.9
50	2.00	8.23	8.69	9:26	10.5	13.3	18.2	24.9	32.8	60.5	78.4
80	1.25	12.8	13.4	14.9	16.6	21.7	31.1	43.5	56.8	84.2	103
06	1.11	16.2	16.9	18.8	21.3	28.4	41.3	58.2	75.5	7.66	119
96	1.04	20.9	21.7	24.3	28.1	38.2	56.3	79.4	102	119	137
86	1.02	24.6	25.5	28.7	33.6	46.6	0.69	6.96	124	134	150
66	1.01	28.6	29.6	33.4	39.7	55.9	82.9	116	148	154*	163

*Recalculated


Table D-2.34. Combination One Low Flow Frequency Table (Flow in cfs)

USGS Station 01470000
Little Schuylkill River at Drehersville, PA.

	365	118	127	142	157	177	220	272	303	339	364	388
	183	82.5	91.4	106	121	140	184	236	267	303	327	370*
S A S	120	39.1	44.7	54.5	64.9	80.2	120	178	218	27.1	311	353
secutive Da	06	33.3	37.7	45.4	53.7	62.9	98.2	147	183	230	268	307
oer of Cons	09	30.7	34.0	39.9	46.2	55.4	79.8	118	145	183	214	247
For Following Number of Consecutive Days	30	28.6	31.0	35.3	39.8	46.5	64.0	91.1	111	139	161	185
For Fol	14	24.1	26.3	30.1	34.1	39.7	54.3	75.7	6.06	111	127	144
	7	22.0	24.1	27.8	31.6	37.0	50.5	9.69	82.8	8.66	133	126
	3	20.6	22.6	26.0	29.6	34.6	47.1	64.8	8.92	92.3	104	116
v	-	19.5	21.4	24.8	28.3	33.2	45.4	62.5	74.1	89.0	100	112
Recurrence Interval	(Years)	100.00	50.00	20.00	10.00	5.00	2.00	1.25	1.11	1.04	1.02	1.01
Probability	(ייפור כפור כ	-	2	2	10	20	20	83	06	96	98	66

Table D-2.35. Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 01470500
Schuylkill River at Berne, PA.

⁵ robability	Recurrence Interval				For Foll	owing Numb	er of Cons	For Following Number of Consecutive Days	S		
(Percent)	(Years)	-	m	7	14	30	09	. 06	120	183	365
_	100.00	36.2	44.3	48.5	52.2	63.0	74.1	79.9	9.96	219	321
2	50.00	41.9	49.8	54.5	58.6	70.3	82.7	91.4	111	244	350
2	20.00	51.7	59.1	64.6	69.5	82.8	7.76	112	136	285	398
10	10.00	61.8	68.7	75.0	80.8	95.7	114	134	163	327	445
20	5.00	0.97	82.1	89.4	7.96	114	137	167	204	384	508
20	2.00	110	114	124	135	159	199	254	314	517	650
03	1.25	153	156	169	187	222	295	389	483	989	825
66	1.11	179	183	197	220	264	365	436	909	167	932
96	1.04	210	216	232	262	317	461	219	772	915	1060
98	1.02	231	240	257	293	357	537	720	904	1000	1150
66	1.01	251	264	281	323	397	618	828	1040	1090	1230






Table D-2.36. CombinationOneLow Flow Frequency Table (Flow in cfs)
USGS Station 01470756
Maiden Creek at Virginville, PA.

Probability	Recurrence Interval				For Follo	wing Number	r of Conse	For Following Number of Consecutive Days			
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	7.40	8.32	9.83	10.1	11.8	13.7	15.8	20.9	46.6	77.3
2	50.00	8.58	9.55	11.0	11.4	13.3	15.8	18.5	24.3	54.5	87.9
2	20.00	10.6	11.7	13.1	13.8	16.0	19.6	23.4	30.6	68.4	901
10	10.00	12.7	13.8	15.3	16.2	18.8	23.7	29.0	37.7	82.8	124
20	5.00	15.6	16.8	18.3	19.7	23.0	29.8	37.5	48.6	103	148
20	2.00	22.4	23.6	25.7	28.5	34.2	46.5	61.5	79.8	152	204
80	1.25	30.7	32.0	35.7	40.1	51.5	72.8	102	132	213	270
06	1.11	35.7	37.0	42.2	47.9	64.1	92.2	132	173	250	310
96	1.04	41.4	42.7	50.3	57.7	81.3	119	175	232	292	354
86	1.02	45.2	46.6	56.2	65.0	95.0	140	111	280	321	385
66	1.01	48.8	50.2	62.1	72.2	110	162	249	333	349	413

Table D-2.37. Combination One Low Flow Frequency Table (Flow in cfs)
USGS Station 01470960
Tulpehocken Creek at Blue Marsh Damsite, PA.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	er of Consi	ecutive Na ₃	ć		
(Percent)	(Years)	-	3*	7	14	30	09	06	120	183	365
_	100.00	41.0	41.0	41.0	41.0	41.0	41.0	41.0	42.2	59.0	105
2	50.00	41.0	41.0	41.0	41.0	41.0	41.0	41.0	47.2	68.0	117
ĸ	20.00	41.0	41.0	41.0	41.0	41.0	41.0	46.2	96.0	83.5	136
10	10.00	41.0	41.0	41.0	41.0	41.3	47.2	54.4	65.4	99.4	155
20	5.00	41.0	41.0	41.0	41.2	46.9	56.2	66.3	79.3	122	179
50	2.00	41.0	41.0	42.3	49.7	9.19	79.6	97.3	116	173	232
80	1.25	41.0	41.7	50.5	64.3	84.4	114	144	173	238	292
06	1.1	41.0	43.2	57.4	75.6	101	138	178	215	276	326
96	1.04	41.0	45.8	68.6	92.1	124	171	222	272	320	364
86	1.02	41.0	48.2	78.7	901	143	196	257	319	351	389
66	1.01	41.0	8.03	90.4	121	164	222	294	365	379	412

*Calculated from statistical parameters

Tabel D-2.38. Combination One Low Flow Frequency Table

(Flow in cfs) USGS Station 01471000 Tulpehocken Creek at Reading, PA.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	r of Conse	cutive Nay	∽		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	42.5	43.6*	44.7*	45.8*	46.5	47.2*	47.8	52.3	75.8	129
2	50.00	43.2	44.1*	45.1*	46.2*	47.0•	47.5*	48.0	58.5	8.8	143
S	20.00	44.5	44.7	45.7*	46.9	48.9	20.7	57.4	69.2	106	28
01	10.00	46.0	46.5	47.0	48.1	8.03	\$8.4	67.3	80.7	125	88
50	5.00	48.3	49.3	9.09	52.9	57.8	4.69	81.8	97.6	151	218
20	2.00	55.2	1.73	60.3	65.2	76.2	7.76	120	142	213	28
80	1.25	66.7	6 9.4	76.0	83.8	2	139	176	1112	290	354
06	1.11	75.4	78.6	87.9	97.3	124	169	217	192	336	395
96	7.08	87.6	91.3	105	911	152	207	172	330	390	=
88	1.02	97.6	101	118	130	175	237	313	384	427	4 21
66	1.01	901	112	133	146	199	569	357	442	462	66

*Recalculated

Table D-2.39. Combination One Low Flow Frequency Table (Flow in CFs)
USGS Station 01471500
Schuylkill River at Reading, PA.

Probability	Pecurrence Interva?				ي ور و	for fallowing lumber of Consecutive Nays	cer of ton	isecutive fu	ş A i		
(Percent)	(Years)		~	~	*	Я	09	8	120	183	365
-	100.00	87.6	95.3	28	8	%	Ξ	153	*	389	609
8	50 .00	₩.	8	711	121	140	3	176	\$22	448	685
~	20.00	117	125	<u>×</u>	145	3	192	218	713	250	810
10	10.00	335	144	155	<u>3</u>	96	% 2	%	33.	259	933
50	5.00	3	169	18	193	922	922	333	%	795	100
20	2.00	113	123	243	ž	319	8	250	653	130	1460
90	1.25	181	33	324	35.7	7	610	814	1020	1520	1860
8	1.11	329	340	376	416	3	755	1030	1 300	1750	2090
%	2.04	378	389	4 39	\$	699	156	1320	1670	2020	2340
86	1.02	412	424	78	3	292	0111	0951	1980	2200	2510
66	1.01	445	\$\$	83	593	859	1270	1800	2300	2360	2660

Table 0-2.40. Combination One Low flow frequency Table

(Flow in Cfs)

USGS Station 01472000 Schuglkill River at Pottstown, PA.

Probability	Recurrence Interval	ė.			3	my Swimolic	nter of to	for following hunter of tonsecutive flags). 			
(Percent)	(Yeers)	-	C	^	#	ደ	\$	8	120	183	365	
~	100.00	146	791	18 0	180	2	2	32	88	28	628	
2	\$0.00	163	179	761	ê	122	8	%	350	64.2	126	
ĸ	20.00	192	202	328	233	ž	žč	¥	225	767	1070	
10	70.00	925	235	252	ž	Ž	350	408	4	892	1220	
50	\$.00	% 5%	273	٤	\$	35	423	5	611	1060	1410	
%	5.00	240	356	\$	\$	478	\$	743	404	1450	1830	
06	1.25	4	455	\$	3	3	ž	611	350	1920	2300	
8	1.11	203	\$14	ŝ	239	%	1040	1370	1670	2190	0952	
96	1.04	69	<u>\$</u>	*	123	2	1 200 200	1710	2100	0152	2850	
3	1.02	615	129	2,	795	1073	1470	1960	2430	2720	3050	
66	1.01	658	670	78.3	98	0021	1670	5 %€0	27 8 7	2820	3220	

Table 0-2.41. Combination One tou frequency Table [fable of state of state

1525 Station Old/2000 Perklomen Creek at Graterford, PA.

Las listancore	***************************************				in	STREET GREAT PRESIDED FOR THE BOOKS DELINE TO THE TOTAL	يوسف منيؤ (وميهية	et at 1 we tha			
(Percent)	(Section)				4	Ş	Ąģ. ∰	63 2 %	120	#1 90 #**	365
-	100,00	#. *	(B)			1	74.1	5.6	8,2	72.6	165
~	\$0,00	80 80	\$0.4	6	\$. \$	## ## ##	9		6 .0	96.3	162
يكة	20,00	3.64	^. #	1.54	¥., 14.	€ 2 ♥ • •	eth gr eth	\$,12	6 .9	011	211
1.0	טט, הו	\$€ 	5. 8.	**	φς ς- 6-,	43 89 84	5. 98	ਹ ' ਲੋ	€.0.3	135	240
20	\$,00	1.7.1	\$.0%	e de la companya de l	en en	1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	٠ ^٨ ,	**************************************	76.5	171	279
\$0	2, 36	* St.	.	X S	en €g en	# : # % ##	45 45 45	\$ \ J\$	124	559	367
ę.	£ *	*\-\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	44.7	₽	4 4 Wh	# 12 # 1	1986 177 1977		210	374	475
Üe	• • •	*= !*	ميد پيد	r . *** %	•	н га 64.	(A) 84 17	<i>C</i>	78.	245	541
96	10,1	بر ش	6.68	8 8.	4	۸۰ پیر ب	स्मृ हरू १7	es C	8	825 8	617
ä		67.7	89 C	*	7.7	##! ## @	8 64 64	් ම ම	<u>න</u> න	5,8,6	670
66	10,1	12.5	78.2	C ex		다. 날:	282	367	065	640	121

Pather to 2. And the contraction that here is the first of the contraction that the

金剛 「東京通過では 1000年間 1000年年 1000年年 1000年年 1000年年 1000年年 1000年年 1000年 1000年 1000年 1000年 1000年 1000年 1000年

Probability	Amountains.	*			•	Property Comments	grand gr	i de la composition della comp	*		
(Percent)	I PROFIL	٠	••	•	**	 *	Ţ	\$		9; 20	365
-	100.90	218	15.0	4 €	77	从 形	80X	\$ 9	K 8 8	ž	1240
~	90°°08	%	251	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	4) 4) 7)	Nor	* X	д 3 ,	₹U\$	Ä	C 9% =
sr.	20,00	(\$2	A. S. A.	XOX X	\$ 3 \$	ŝ	.е. .ер	3 4	804	5	1610
\$	200, 200	SK	216	· **	X	# 0#	48.00	× ×	122	1310	1840
0 <i>2</i>	£. €	ź	**	ŝ	* ∴ 4 #		**************************************	a i	0	1560	2150
Ş	H *	430	£.4	& T.\$	4. 88	£.₩ ₩	344	1100	U S	7180	2810
08	ern Aus	ž	**		* . *. *.	以	36.4	Jeki:	2000	0462	3570
Ę		16.8	e w	÷/ C∰	€1C#E	0% 4 11	a 5.70	2040	THE ST	3450	3660
¥	#C_1	~ ₩.	**************************************	ž	1,3460	0. & .) de	248	X7 8 0	\$05 0	0977
3	6. 6.	4 (x)	#K. C	u ₄ 0.1	C e e e	2. \$76 10	26.62	7887	©#4≈	0199	4780
ş	50, 1	9	1323	7.7	, , , , , , , , , , , , , , , , , , ,	3.84° ×	X	24%	1370	4790	5060

TABLE OF CAST CONTRACTOR CASE CON TROP CASE CASE CASES

Definence fixes befield licherate torest and

Probability	19 8 6	Gentrales Lenervo	*			* *	214.2 440	Car washing Section Co. No.	z∦er; an k in harsiger;	i New Y		
(Parcasa)	*	***	***	•~	•		×	¥	ට න	1.20	1 885	365
•	tion 50	Ę	(R k .)	24.42	(3	24212	£.	4	SHAP.	2870	5510	7140
^•	Ģ	90.08	ZYDINO	8 2	. 	CAN SEC	5 5	X 10	3.67 8. 5	0 %	6100	7880
*	2	00 02	0 % 22	23/43	î,	S2.23.	3	36784	34.7K	3770	7070	0406
52	Ξ	00 CJ	(MX 2	25,273	2 7.35	000	3	3847	¥ 7c	018	U 90%	10200
Ę	*	\$.00	28000	\$	CHARGO	6 2 8	€	63 44 45 45	:	\$120	0488	11800
\$	**	8	KNAN	22	CC #Z	<u> </u>	3C L#	J1980%	-310 L 3	7300	12400	15100
Ç	-	£, -	CR 1/2	(A)	# 1 #C	203	315 3 15	10 May 10	348.4	1 (18)	16,700	16600
ŝ	•	=	<u> </u>	8,7%(1)	, <u>1</u>	1 240	(H 3);	· 查 心	Spills	36 8 6 F	186.00	20900
*	•	1.00 F	HEAL!	C 16 7 #	3.5 6 13	55 45	# A	30111	1 4 2/CIC	17100	21400	23300
¥	•-	# F	C#CF.	\$1.43	A 1 M	;	の様と来	1 3066	ીઇ 7લા	20110	28800	24900
8	•	10,	0248	3450	6 6.73		312 Maria	31315°S L	313/5/6 L	ODEK.	25,200	26300

a gar in transferance, who is when some one or one organize that the manager

	1.17 1.18
	S. CLABATE TO STATE OF STATE OF
, ,	A, sides :
₹	M. F. S. Angel
	, 34 C 1999 1 34 C


the state of the s				•	**	ade permittation of participate	Carrie to Carre	2.4.90		
f. 514 P.	÷	••	•		¥	ë	¥	<u>.</u>	\$30 .	\$.
R	25/13	24 T.		÷.	38.45	£ 5)¥. :	3668	SANC	7780
2 2	2 17	e e	# *:	3	* * * * * *	344.	MONEC		0844	66.70
- S2	090	(#G);	# *		· #4.	×	XX	() () () ()	7697	9850
¥ 	1,846)	G. #.	£ 200 €	14 8 th	****	¥		784 B	0173	11100
£	2805	1 to	30 34 0	は最後の	: #F12.K	4.1) (g) 14	hebo	10200	17800
8	1370	0054	2647	29867	1111	14/4[14.3	#U7C	1.8500	16.300
£7,	1.1.1	等就	9. X	47.20	4.5P.C	7946	SK AA	11.000	17600	20400
4	Priet	4,720	1, 274.7	14.77	i di	ST A	30K.4 L	18400	20400	22800
\$C.	314	4:1:3	GCK.	i	# *	2066	115 7CK	DUMPL	23500	25800
<u>.</u>	14,2413	1947	73.00	*	10X	UEK W.F.	100 mm 1	CORAL	25 40 0	27100
1 32	CFC)CPS	٠. چ	200	SECR	104	14.40	は存むが	215,800	27900	20000

K 103


REGURBENCE INTERVAL IN VEARS

Capped Capped Copped Copped Cleage Capped Copped Capped Copped Co

62 Here 3. 85




S#73x % "**** 35% 38% 38% 138



カロヨ


HZ

RECURRENCE INTERVAL IN VEARS
Figure D-47. Combination One Low Flow Frequency Curve For 01426500, West Branch Delaware River at Hale Eddy, N.Y.



RECURRENCE INTERVAL IN YEARS

Figure D-48. Combination One Low Flow Frequency Curve For 01427405, Delaware River Near Callicoon, N.Y.




202

HZ

 Ω Γ Ω

RECURRENCE INTERVAL IN YEARS Figure D-49. Combination One Low Flow Frequency Curve For 01428500, Delaware River Near Barryville, N.Y.




 $O \Vdash Q$

HZ

RECURRENCE INTERVAL IN YEARS Figure D-50. Combination One Low Flow Frequency Curve For 01431500, Lackawaxen River at Hawley, PA.


.

Ĭ



RECURRENCE INTERVAL IN YEARS Figure D-51. Combination One Low Flow Frequency Curve For 01434000, Delaware River at Port Jervis, N.Y.

FIOR HZ OFW




OFO

トロト


HZ

RECURRENCE INTERVAL IN YEARS

Figure D-52. Combination One Low Flow Frequency Curve For 01436000, Neversink River at Neversink, N.Y.



RECURRENCE INTERVAL IN YEARS Figure 0-53. Combination One Low Flow Frequency Curve For 01438500, Delaware River at Montague, N.J.



RECURRENCE INTERVAL IN YEARS
Figure D-54. For action the tow frequency furve for old 47,800, Enhopoco Treek at Beltzville Nameffe, Pa.


ZOL

HZ

OFS

RECURRENCE INTERVAL IN YEARS


Figure D-55. Combination One Low Flow Frequency Curve for 01453000, Lehigh River at Bethlehem, PA.



RECORDENCE INTERVAL IN VEARS

をおり、日本の中で、「「日本をでいるから、現ではい、また」「日本で、またのはです。 これにはない。「日ののできない」「「日ののできない」「日本の「「日本の」「日ののできない」「日本の「「日本の」「日本の

ドコロコ HZ OLV



トロコ

HZ


RECURRENCE INTERVAL IN YEARS

Figure D.57. Combinetion One Low flow frequency Corve for Olde 1500. Delaware Biver of Treedon. W.J.

RECURRENCE INTERVAL IN VEARS

=


Francisco Drugo (1988) (1988) Prophenica Oraș Los Fligs (Prophenica) (1988) Properto Orașe (1988) Pro




HZ

RECURRENCE INTERVAL IN YEARS

所以 1817年 1818年 18





HZ


202

OFA

RECURRENCE INTERVAL IN YEARS

Figure D-61. Combination One Low Flow Frequency Curve For Delaware Piver Below Mouth of Schuylkill

.



103

HZ

ULS

RECURRENCE INTERVAL IN YEARS

Figure D-62. Combination One Low Flow Frequency Curve For Delaware River at Delaware Memorial Bridge




TABLE OF CONTENTS

Combination 17 Duration Table

Combination 17 Duration Curves

Table E-1

Figures E-1 to E-44

Combination 17 Low Flow Frequency
Tables

Tables E-2.1 to E-2.44

Combination 17 Low Flow Frequency Figures E-45 to E-62

Curves

TABLE E-1 COMBINATION 17 FLOW DURATION TABLE (Flow in cfs)

MOON (apply	•		Percent	of Time	Percent of Time Discharge was	was Equaled or	d or Exceeded	qeq	
J. 100	-	2	25	50	70	75	06	95	8
01417000 East Branch Delaware River at Downsville, N.Y.	2700	870	83	72	51	49	19	6.8	6.2
01421000 East Branch Delaware River at Fishs Eddy, N.Y.	8000	2700	1300	670	440	400	250	190	120
01425000 West Branch Delaware River at Stilesville, N.Y.	2800	680	360	45	35	33	12	9.5	8.2
01426500 West Branch Delaware River at Hale Eddy, N.Y.	3800	1000	510	320	170	150	82	23	37
01427405 Delaware River near Callicoon, N.Y.	15000	2000	2400	1200	910	840	640	540	370
01428500 Delaware River near Barryville, N.Y.	20000	6200	3000	1500	1100	1000	750	630	420
01429000 Lackawaxen River at Prompton, PA.	760	230	120	53	23	15	7.9	6.5*	6.5*
01429500 Dyberry Creek near Honesdale, PA.	780	230	86	53	27	22	9.9	7.2	3.7
01430000 Lackawaxen River at Honesdale, PA.	2000	610	330	150	62	99	32	23	15
01431500 Lackawaxen River at Hawley, PA.	3500	1100	260	260	140	011	99	41	25
01434000 Delaware River at Port Jervis, N y	27000	0096	5200	2700	1900	1800	1400	1300	1100
	*Set equa	*Set equal to reservoir's basic conservation release.	voir's bas	sic conser	'vation re	lease.			

TABLE E-1 COMBINATION 17 FLOW DURATION TABLE (CONT'D)


			Percent of	f Time Dis	Time Discharge was	Equaled	or Exceeded		
Model Node	-	10	25	20	70	75	06	95	66
01436000 Neversink River at Neversink, N.Y.	830	48	46	41	26	52	16	5.5	5.1
01437000 Neversink River at Oakland, N.Y.	1800	290	330	180	120	110	73	28	34
01438500 Delaware River at Montague, N.J.	31000	11000	6100	3300	2200	2000	1700	1600	1400
01440200 Delaware River below Tocks Island Damsite, PA.	32000	13000	7000	3700	2500	2300	1900	1700	1500
01446500 Delaware River at Belvidere, N.J.	39000	15000	8500	4600	2900	2700	2100	1900	1600
01447800 Lehigh River at White Haven, PA.	3200	1300	760	420	250	210	70	63	28
01449800 Pohopoco Creek at Beltzville Damsite, PA.	670	300	190	100	57	45	38	36	35
Aquashicola Creek at Aquashicola Damsite, PA.	730	260	150	85	54	47	53	50	15
01450500 Aquashicola Creek at Palmerton, PA.	840	300	180	66	62	55	33	25	71
01451000 Lehigh River at Walnutbort, PA.	9700	3700	2300	1300	800	700	440	340	230
01451800 Jordan Creek near Schnecksville, PA	280	170	88	14	21	18	7.9	4.7	2.0
01451200 Jordan Creek at Allentown, PA.	840	240	120	29	31	25	Ξ	6.5	3.7

TABLE E-1 COMBINATION 17 FLOW DURATION TABLE (CONT'D)

			Percent	of Time	Percent of Time Discharge was	as Equaled or	or Exceeded	T	
Mode! Node		10	25	50	2 2		06	95	66
01453000 Lehigh River at Bethlehem, PA.	12000	4900	3000	1700	1300	1000	710	009	450
01454700 Lehigh River at Glendon, PA.	12000	5100	3200	1800	1200	1100	770	670	510
01456000 Musconetcong River near Hackettstown, N.J.	630	280	170	88	43	31	12*	12*	12*
01457500 Delaware River at Riegelsville, N.J.	\$1000	22000	13000	7000	4500	4100	3200	2900	2500
01459500 Tohickon Creek at Pipersville, PA.	1900	250	100	59	13	12	Ξ	*	*
01463500 Delaware River at Trenton, N.J.	53000	23000	13000	7200	4500	4000	3100	2800	2400
01467500 Schuylkill River at Pottsville, PA.	460	190	120	71	48	43	58	23	82
01467950 West Branch Schuylkill River at Cressona, PA.	340	160	100	19	4	37	52	23	16
01468500 Schuylkill River at Landinyville, PA.	1200	480	310	180	120	011	63	20	37
01469500 Little Schuylkill River at Tamaqua, PA.	920	180	66	90	30	56	13	8.9	5.8
01470000 Little Schuylkill River at	1000	440	290	170	120	100	61	20	37
	*Set eq	ual to res	ervoir's l	basic con	*Set equal to reservoir's basic conservation release	elease			

TABLE E-1 COMBINATION 17 FLOW DURATION TABLE (CONT'D)


			Percent of		Time Discharge was	Equaled or	r Exceeded	7	
Mode 1 Node	-	10	52	20	2	. 75	06	95	66
01470500 Schuylkill River at Berne, PA.	3700	1400	820	450	290	250	150	120	85
01470756 Maiden Creek at Virginville, PA.	1500	460	240	120	99	99	32	52	16
01470960 Tulpehocken Creek at Blue Marsh Damsite, PA.	1400	470	290	160	66	88	20	14	41*
01471000 Tulpehocken Creek at Reading, PA.	1700	570	350	190	120	011	20	2	47
01471500 Schuylkill River at Reading, PA.	8600	3200	1800	940	260	490	230	220	160
01472000 Schuylkill River at Pottstown, PA.	0096	3800	2300	1300	810	017	450	360	260
01473000 Perkiomen Creek at Graterford, PA.	4000	790	340	160	82	74	45	37	22
01474500 Schuylkill River at Philadelphia, PA.	17000	6200	3600	1900	00[[066	610	490	360
Delaware River below Schuylkill Confluence	73000	32000	19000	11000	0099	2900	4100	3700	3200
Delaware River at Delaware Memorial Bridge	78000	35000	21000	12000	7400	9200	4500	4000	3400
	*Set equa	il to rese	rvoir's b	sic conse	*Set equal to reservoir's basic conservation release.	lease.			



HZ

OFS

PERCENT TIME EQUALED OR EXCEEDED Figure E-1. Combination 17 Duration Curve For 00417000, East Branch Delaware River at Downsville, N.Y.





103


HZ

SES

Figure E-2. Combination 17 Duration Curve for 01421000, East Branch Delaware River at Fishs Eddy, N.Y.













Figure 1. The state of the stat






THE SOURCE SEARCH ASSETS OF THE STATE OF THE


HHHHH




PERCENT TIME EQUALED OR EXCEEDED Figure E-9. Combination 17 Duration Curve For 01430000, Lackawaxen River at Honesdale, PA.



PERCENT TIME EQUALED OR EXCEEDED Figure E-10. Combination 17 Duration Curve For 01431500, Lackawaxen River at Hawley, PA.



PERCENT TIME EQUALED OR EXCEEDED
Figure E-11. Combination 17 Duration Curve For 01434000, Delaware River at Port Jervis, N.Y.




下し口3

HZ

SHC


PERCENT TIME EQUALED OR EXCEEDED Figure E-12. Combination 17 Duration Curve For 01436000, Neversink River at Neversink, N.Y.




PERCENT TIME EQUALED OR EXCEEDED Figure E-13. Combination 17 Duration Curve For 01437000, Neversink River at Oakland, N.Y.

FJO3 HZ OFO


1




PERCENT TIME EQUALED OR EXCEEDED Figure E-14. Combination 17 Duration Curve for 01438500, Delaware River at Montague, N.J.




PERCENT TIME EQUALED OR EXCEEDED Figure E-15. Combination 17 Duration Curve For 01440200, Delaware River Below Tocks Island Damsite, PA.






PERCENT TIME EQUALED OR EXCEEDED Figure E-17. Combination 17 Duration Curve for 01447800, Lehigh River at White Haven, PA.


MU ZH KOLU



i


PERCENT TIME EDUALED OR EXCEEDED Sigure [-18, Combination 17 Duration Curve for placement, Pubopoco (reek at Deltaville Demitte, Pa





103

PERCENT TIME EDUALED OR EXCEEDED
Figure 6-27. Combination 17 Duration Curve for
01450500, Aquashicola Creek at Palmerton, PA.




F 103

HZ

SES

PERCENT TIME EQUALED OR EXCEEDED Figure E-21. Combination 17 Duration Curve For 01451000, Lehigh River at Walnutport, PA.



THE PROPERTY OF THE PROPERTY O






Figure E-23 Cambination 12 Devation Curve for O1451270, Jordan Creek at Allentown, 84.



ULS


Combination 17 Duration Curve For 01453000, Lehigh River at Bethlehom, PA. PERCENT TIME EQUALED OR EXCEEDED Figure E-24.



PERCENT TIME EQUALED OR EXCEEDED Figure E-25. Combination 17 Duration Curve For 01454700, Lehigh River at Glendon, PA.

ZH EOLA


I




OFN

F 103

PERCENT TIME EQUALED OR EXCEEDED Combination 17 Duration Curve For 01456000, Musconetcong River Near Hackettstown, N.J. Figure E-26.




PERCENT TIME EQUALED OR EXCEEDED figure £-27. Combination 17 Duration Curve For 01457500, Delaware River at Riegelsville, N.J.




ドしつは

HZ

PERCENT TIME EQUALED OR EXCEEDED Figure E-28. Combination 17 Duration Curve For 01459500, Tohickon Creek at Pipersville, PA.




PERCENT TIME EQUALED OR EXCEEDED Figure E-29. Combination 17 Duration Curve for 01463500, Delaware River at Trenton, N.J.



CFS

アンロコ


PERCENT TIME EQUALED OR EXCEEDED Figure 6-30. Combination 17 Duration Curve for 11467500, Schuylkill Piver at Pottsville, PA.



103


CFO

PERCENT TIME EQUALED OR EXCEEDED Figure [-3]. Combination 17 Duration Curve for 01457950, West Branch Schuylkill River at Cressona, PA.




F 703

PERCENT TIME EQUALED OR EXCECUSED Figure [-32, Combination 17 Duration Curve for Otherson, Schwylkill River at Landingville, Ph.



FTOT HE OFN




4.03

HZ

ULV

Separation of the COUALED OR EXCEEDED

Copyred to the company of the court of the state of the court of the c




 $O = \emptyset$


HZ

ドしつは

PERCENT TIME EQUALED OR EXCEEDED Figure E-35. Combination 17 Duration Curve For 01470500, Schuylkill River at Berne, PA.




A Section 1997年 1997年




A Company of A Company (1) A

E. # 7 7 7 f ∵ x ¥ 42 v .: 3 3



C-Washing



Combination 10 Guration Curve for Discount Day

figure E-40.

PERCENT TIME FOUNTED OR EXCEEDED

MIC SH EOLM






Figure E-41. Combination 17 Duration Curve for n1473000, Pertionen Creek at Graterford, PA.




PERCENT TIME EQUALED OR EXCEEDED
Figure E-42. Combination 17 Duration Curve for
01474500, schuylkill River at Philadelphia, PA.



Combination 17 Duration Curve for Delaware River Below Schuylkill Confluence

Figure E-43.



PERCENT TIME EQUALED OR EXCEEDED

It Combination 17 Duration (unve for Dalaware Memorial Bridge

Table [-2.1 Lembination 17 Low flow Frequency Table

COCCURATION OF A POSC

East Branch Defender Wiver of Countrille. M. F.

Probability.	Recurrence (orevva)				100 100 100 100 100	Pulling for the	Section 1	there were the thereby has been made the two for the			
(bercent)	(Years)	5.	4 	*-	••	£	\$ <u></u>	€ 3	€ f + 47	# # # # # # # # # # # # # # # # # # #	365
-	00,001	6.20	6,20	्र दि '	%	₽. •	2	2.	2	9.35	*
7	50,00	6,20	6.20	88	₽ 2. •	© *•	£.	R	2.	6.	3
₽~	00.02	6 . 20	6.20	G. 20	C. S	9	Ş.	10 k	\$°	17.2	83.7
č	10,00	6.3	* CE * *	*D# 4	*27 ~	**	*	6	4 ~ .	6. 4.	103
u2	6 ,00	6.01	11,4*	* =	17 4*	en Pro-	**	6	0.6%	7.	¥
5	2.00	27.)	1 2	<u>:</u>	*6 64	er Ç	e 12 A	ති ##	*	43.5	612
9C	€0 6± —	58.0	\$6.5	61.5 *	***	*: **:	3	5 67	97.9	002	ž
06	1.1	8 .	*C . SE	*(i) *	£	** 98	*© 68	60	£ .	128	697
96	1.04	130		116+	** T 1	****	+221	124	197	538	229
æ	1.02	132		164*	**	+ 201	*012	*ä12	**	ಕಾರ್	746
86	10.1	152	170*	-091	* 502	***	242*	Š	282	2016	00

Table E-2.2. Combination 12 tou flow frequency Table
'flow in cfs!
'SCS Station 01421000
East branch Delaware Stuer at Fishs Edgs, N.I.

Probability	Recurrence femeral				**	for following hunber of Compecutive lays	ber of Com	THE TANK TO	Š		
(Percent)	(****))	~	*	\$	S	ŝ	S.	183	X 5
-	100.00	14.9	26.1	11.8	131	174	æ	3	8	秀	350
~	\$0.00	21.1	3.0	9	147	*	党へ	**	331	~ ~	3.9
•	\$0.00	33.6	\$2.2	611	ž	2	ž	6	35	3	25
0	10.00	9	7.0	5	e e	***	2~	2	373	ĝ	£
50	€.00	71.6	*	*	ē	ž	£	Z	6 0	27.0	\$16
20	\$.00	128	\$	202	ž	£	174	Ä	213	3	3
OS.	1.25	200	\$16	356	£	Ž	444	**	(2)	1200	1430
90	# · ·	316	101	2	e e	23	Î	2.5	X.	1390	1620
*	1.04	340	*	9	ž	3	Š	2	960	1640	1870
8	1.02	253		312	142	\$	S	¥	1240	1840	0 5 02
66	10,1	192	3 2	223	2	1	721	6	2450	SE.	2240

"soic and to combination if you from frequency "atta

第一等原理中では原理を行って、場合の大学の主要のでは、 のののではない。このではたまた。このでは、 ではない。このではない。このでは、このでは、

Probability (Percent)	10000000000000000000000000000000000000				ع م هو د د	PROBLEM SHELME COLUMN ST.	September 1	1. 明 在 2.			
9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	***************************************	H 	.! 		•	£	₹.) ¥0		٠ • •	े इ.स.	%
	00,001	7 70	1, 10	7 70	cr(+	7 NO	04 4	*=	7 70		97.4
~	\$0.00	1.70	7, 20	7 73	7 3	£ /	ĐĐ. M	34 4	84 K	7.0	10,
&	20.00	1.10	1, 10	1, 73	t 100	F 730	34 4	\$	€ *	38.5	119
11	10,00	\$.	* 92 6	* **	*	ф Ф	Ĉ.	(C)	86 64 87	0	137
2	60°%	11.9	15.5*	* 90 **	***	**	⊕ µn u=	\$ #	∂ ∳	\$ 82	Ī
\$0	2.00	55.0	# 6 ZZ	***	* **	44 44 73	4. 40 40	9 %	9 9 %	£. B.9	2.
80	£	**	* 55 / 48	\$1 O*	# C 2 #	* C	8:1 4: +#	₩ UV	Ē, M.	16.7	356
06	1,11	بن بر بر	* 100 100 100 100 100 100 100 100 100 10	\$) O.	\$€. (\$9€.	* C - C +	₩ ₩	, A	6 6 6	6 .	684
¥	\$	5 L	63.0*	70°04	* E. S	+6 4	5.4	75.	Ę	#0 #6	\$79
98	17.1	63.0	72.0*	*C 26	A13 114	*U 66	Ć pr	es es es	6.6%	+108%	687
ec.	10.1	813.5	*C) Z	*0 ' 3	1.35 *	\$ 	A	6	\$8.5°	+029	804

Table E-2 4 Combination 17 Low Frenchedock Table

1933 Station Old26500 act Branch Delaware Alace at Hale Each, N. N.

	#052445098				e de la composition della comp	ties an important of temporal in the contract of the contract	THE RESIDENCE	College Tox	, ,		
Dergent)	(14 th 2 m)	-	_	*	**	Ş	6.3	6	4.		× ×
ļ		0/ /	12.0	23.4	13.9	5 19	0	**************************************	9	24	Ž
	7.30. 32	<u> </u>		9	**	\$ \$	**	ф **		20%	Ê
	50,00	2	÷ .			, A		32	* 4 °	eri Fu fu	184
	20.00	1. 1.	53.	\$0 \$0 \$0	~ F	*			,	186	2
	10.00	7.8 A. A.	£	43 .0	6 (5	**	*	<u>ም</u> ዜ	n h		
	0°	25.0	40.9	\$ 25	6 (9	• "*	115	191	7	¢ Ż	
		4.6	**************************************	9 5	e \$	2	2	or.	788	3 46	8 %
	1 M , 1 M	2			•	7	231	Ê	388	473	229
	1.25	0, 17	T 22	er Ge	761	2	*	, ,	4	5	737
	<u>.</u>	82.4	*C 98	**0 完	<i>ф</i>	£	Z	115	C		
	•	6	42,64		77	174	£	Z	5	712	£
	**() .	- ·		4 9	44	¢	â	=	35	633	1020
	1,02	37.7	• \$, , ,	•		•	•	• * * *	ક્ર	1360
	Ç.	101	110.	# pin pro-	\$	بر بر	ž	3	u Č	2	

"John E-2.5. Combination I' tow flow frequency Table (flow in cfs.)
USSS Tractor 01427405
Delaware Plyne Wear Callicoon, N.t.

Probability	Proupries:				er V	TO CENTRAL.	following fumber of Contetutions	, assimiat	: e		
(Percont)	(Surak)		~	P	*#	ድ	69	26	• -	183	365
	160.30	90.3	187		89	426	095	629	730	1090	1240
2	50.00	112	802	333	* @ #	456	584	65.4	749	1140	1320
S	20.00	150	241	160	422	205	624	697	784	1240	1440
Ç.,	19,00	188	274	387	153	544	663	742	825	1340	1570
ر2	5.33	238	316	421	493	265	718	805	168	1490	1750
Š,	2.30	337	404	20\$	A.74	101	947	964	1.080	1840	2170
c	1,25	422	دالان	8.98	599	202	1020	1190	1420	2340	2740
6 6	1.11	456	199	64 \$4 90	į. Į	yo.	1130	1350	1690	2680	3110
96	1.04	483	909	705	766	920	1280	1560	2090	3120	3580
36	1.92	495	245	750	802	956	1380	1720	2430	3470	3930
66	1.01	504	673	262	835	988	1490	1880	2820	3820	4280

Table E-2 of continuation IT com Flom Frequency, above

Delaware street Near Barryantie, A.

•
135
209 378
25.5
N. F. 124
3.65 85.4c
\$ 388 S
5.5.5. S.

PRECEDENT STREET

The second section of the second section secti

THE CONTRACT OF STREET OF STREET

Charles Section						•	i.	•			
				•	·-	<u>;</u> ;		, T.	•••	· •-	: E
† 		(3 v r	Œ ¥	ų.	is er	• "	· •	v V Ner). L		•
2	7. 6.7 7.7 90	3 .	*.	€ ₩	; v r	₩ •	po-	Ç.	Sp. Sp. Sp.	*	2
٠,٠	33,35	ž.		k		en en	en en	2	# #	ξ.	ü
•	Sec. Sec.	% 0		₩ ₩		67 M	ž. 	•	••		2
€.	ic.	30 30		(±		59		•••	••	•- •- •-	<u></u>
ί.	2,25	₹ ¥	Α. Α.		••	:	••	¥.	\$		8
ξ.` α'	\$50 \$130 \$100 \$100 \$100 \$100 \$100 \$100 \$10		, 170	er Au er	¥ • . •	• • •	:			**	16
Ş	•- •- •-	* ,	•		•	** **		•		3 2.	• * * * * * * * * * * * * * * * * * * *
96	1.01				-	47	••	**		F	9
88	<u>.</u>	¥	, ;,	* : 4" * :	 :.	hje g er Pas		<u>.</u>	; 3	•	4 44 27
33		स्त्र ५८ १९	es en en				:	نم			5

वा (क्षां १ अस्थानका करा आहे । अहे क्षां का स्टाइकस्टाक्षा के उन्हें का छाड़ी

A COMPANY CONTROL OF SAME AND CONTROL OF SAME

robability	00000000000000000000000000000000000000				en Pro- Pro- Pro- Pro- Pro- Pro- Pro- Pro-	AMERICAN SERVING LES	#	to by any to sature.	.,		
(rercent)	'Vears	• •	a h	•.		¥	i.	 æ	::	<u>.</u>	34.7
-	100,00	4 <u>6</u>		*•		. .	63 146 63	24 24 24	NF 41 U	4 **•	4
~	\$0.00	\$€ \$	क्षेत्र 	92 9 6	egit. E	# C .		41) 1	ί. 	भ्र , च	
50	20.00	2.46	42 90 81	*.	\$ 9	i. N	ents ents	*	***	- A - 12 - 12	٠. پ
10	10.00	3.00	5.7	#: # # ³	et	 m.	☆			4	3
50	5.00	3,80		* . 5^ ~	10	A.	* *	145	•	u M	75.
20	00:	₹. \$0.	8 .03	9E ***	* : ¥ *	ek ## ek	÷	s K	# 3	1 1,	*
80	1.25	ec ec	85°	<u>7</u> 0) · • ; • ;	€ : • • ·	А М ()		18	4 ° '	22
96	1.11	& C_	11.6	grim grim grim	* *	· :.	* **	4 * 2 ***	3	•	181
96	1.04	13.3	# # E	** *-	97 ← ***	÷ £	\$ 1.3 5		i St	*	14°
86	1.02	15.2	17,3	5	¥0.	es		***	*	4 9 ;-	16.2
66	1.01	17.1	6 6	v #.	* ;;	ra eg jeji	# 24 11	k	, , , , , , , , , , , , , , , , , , ,	3	175

Table E-2 3 Commination I com flow thequeence fister

機能 (1944年の日本語の中、日本・日本大学の一年年十年を表現の中に CROSCR 特殊の こうこうなっない いいかい

Probability	SOCIETATION OF				en de	eargination live one , , co	16	THE CASE WE SEE THE			
(Percent)	(Years)		_	H -,	• * • :	R	Ç.		К	₹	36. 5
-	100,00	9.73	10.3		* 65 **	· • • · · · · · · · · · · · · · · · · ·	1 8 4 2 4 2	# X	***	- -	***
2	50.00	10.3	2000 dama dama	1	ré Pa Am	· · · ·	** **	С. М.	ن د ه	- 7. *	ል ም ~
S	20.00	<u>.</u>		0 £	• , ••	# 61	:	٠ *)) (1441	16,4
52	10.00	12.3		# # I	¥° •€ •~	\$. 40	* *	3 5 2	45	4.5	**
20	5.00	13.9	4.4	프 &	13 4	ek ek e	÷, ,, ,,,	i i i i i i i i i i i i i i i i i i i	÷ 134	1.70	מנג
50	2.00	13.6	<u>*</u>	90 ;;	*	× 64	\$ #\$	*	102	310	8
80	1.25	1.92	Ę,	eri eri	91.1 91.1 94	ਵ ਵੈਂਟ ਜ਼ਾਂ	er ek	\$ E	д х м и 1"	¥.	* C ×
06	1.11	33.2	36.3	• . • . • !	ρ ά • •Γ	÷.	<u>eg</u>	라 보 다	e s e s e s	308	53%
96	1.0.1	43.0	4.9.1	\$ 8	og •. ¥£	¥	822 848 1	is di E	X	6 5%	202
86	1.92	51.5	1.09	¥ 7 0	蝉	6j° •··· ←-	dk ❤ E∵	* *\ !\	3 9 %	38.	Ú£ ₽
66	1.01	1.19	73.0	T. (8)	\$ & &	*	#CS	ŧ.	286	124	989

Table E-2.10. Lumbingfion 17 tow flow feetween "asize" (flow in efs.)

Lackawasen bruer at maules. Pa 1555 STATISH OIGH \$1500

Probability	Decurrence Interval				100 100 100 100 100 100 100 100 100 100	Storns Seed Mo.	Condition of the second of the	1 C J. 8 C J. P. S.	į.		
(Percent)	(Years)		~	~	년 * :	2	ာ့	<u>Ş</u>	14_8 18. + 16.	W. Will K	×
-	100.00	6.93	14.9	16.6	4	***	£4 >	**	3 35	E	22.2
2	20°05	3.63	16.1	£.	****	4	enen Militar Mag	e · · ·m ^c	er er er	40%	35
ις	20.00	8.	13.4	1 02	**************************************	*	ari. Jan Hari	6 1.3	F 32	X	200
10	19.90	15.3	6.02	, , , , ,	e er e.	93	# · ·	# J#	ф: ВА ф:	a K	37.3
50	5.00	9.02	24.7	at. 15	6 (6	\$	20. 20.	 ¥6	0 er er	791	3
50	2.00	33.9	35.4	1.9, 3	es es	* %	er di∵ da	Ž,	16,6	1 9 8	***
80	1.25	51.7	53.7	1 09	ry: #	*	** ##	4.44	ž	**	\$\text{\$\exitt{\$\text{\$\text{\$\text{\$\text{\$\text{\$\exitt{\$\text{\$\text{\$\exitt{\$\exitt{\$\exitt{\$\text{\$\text{\$\text{\$\exitt{\$\xitt{\$\xitt{\$\xitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\xitt{\$\exitt{\$\exitt{\$\xitt{\$\exitt{\$\xitt{\$\exitt{\$\xitt{\$\xitt{\$\xittt{\$\xitt{\$\xittt{\$\xittt{\$\xittt{\$\xitt{\$\xittt{\$\exittt{\$\exittt{\$\exittt{\$\exittt{\$\exitt{\$\exitt{\$\exitt{\$\exittt{\$\exittt{\$\exittt{\$\exittt{\$\exitt{\$\exittt{\$\exitt{\$\exittt{\$\exittt{\$\exitt{\$\exittt{\$\exitt{\$\exittt{\$\exittt{\$\exittt{\$\exitt{\$\exittt{\$\exittt{\$\exittt{\$\exittt{\$\exittt{\$\exittt{\$\exitt{\$\exitt{\$\exittt{\$\exittt{\$\exitt{
06	1.11	62.5	68.4		Ş	E right Fried Alle	4	7.		47%	653
96	1.04	75.0	£ -	8	\$ \$44 \$44	ern- egg gra	2 4 0	C 29 %	di 27 Ng	X,	72.7
86	1.02	83.5	601	621	163	GO.	0	F E 8	56.9	202	78%
66	1.01	91.2	č	14.7	591	(* ?	3	*	67.5	176	£37

Table E-2.11. Combination 17 tow flow frequency Table (flow in cfs)
2555 Station 01434000
Delaware River at Port Jervis, R.#

	16.5	7110 7390	. 2240 2570	2 96 0	2690 3160	3000	3740	4730	5390 6180			7470 8090
	120	Ş	14.70+	1680	1570	1730	2170	2000	3540	2	\$240	6129
	06	1400*	1410*	1430+	14 20	15,70	0.000	7410	<u>્</u>	3.550	3980	4570
mer of Co	S	1 390	1400+	0141	2	14.80	533	2040	0.880	000e.2	3,80	38.90
for following founder of Consecutive Cars	8	1 340	1350	1 160	1370	1300	1490	0171	भिष्	2500	2460	2750
\$.	*	1250	1260	1270	1290	1310	1400	2 95 3	C 14	1840	1970	2110
•		1150	1160	08	1200	1230	1320	345	1540	1660	1750	1850
•	`	898	903	955	0001	1060	1180	1300	1360	1430	1470	1510
م د د	- ;	515	999	647	720	811	985	1150	1220	1290	1340	1370
Recurrence Interval (Years)	(cana)	100.00	90.09	20.00	10.00	5.00	2.00	1.25	1.11	1.04	1.92	1.01
Probability (Percent)		_	~	so	10	50	20	80	06	96	86	66

Table E-2.12. Contination 17 tow flow frequency Table (flow in cfs)
7555 Station 01436000
Neversink River at Neversink, N.T.

Probability	Recurrence Interval				ودد وهائه	المدة عامي التيلامات	for fallmaing funcer of Consecutive laws	CUCTURE TO WE	4.		
(Percent)	(Years)	,	m	,	당 ~~	ደ	63	Ş	0 A	್ಷ. ಪು	365
1	100.00	4.60	4.60	4.60	4 60	4.60	3 .	0.9.3	. .	1.72	11.7
2	50.00	4.60	4.60	4.65	4,60	6.60	4,60	9.	4.70	m	7
٧n	20.00	4.60	4.60	4.60	4.60	4.66	\$6.4	£.	# \$	12.3	38.1
10	10.00	5.18	5.39*	5.42*	5.50	\$. \$.	5	€ 4 2	05.6	15.5	6.5
50	5.00	7.87	8.00.	8.20	8.25	8. 36	9.01	20. 2	9 66	20.3	47,4
20	2.00	15.8	16.0*	16.1•	16.3*	16.5	9.61	21.7	S	37.8	6.65
Ua	1.25	28.0	29.0*	28.8*	30.10	31.0	31.70	7	26.2	%	75.8
90	1.1	36.0	37.3*	38.8	39.5•	4 0,1 4	42.0*	42,8*	e .	62.7	6.39
96	1.04	45.6	46.5	47.3*	48 .0•	*0°67	\$0.0	÷.	6.3	27.5	36.3
86	1.02	52.1	52.2*	53.5*	* 0. 3	\$2.5	55.0*	\$5.4*	\$5.6	88	107
66	1.01	58.2	59.4	6n.2*	61.2*	67.7*	65.0*	67, G*	30.04	98.8	116

*Recalculated

Table E-2.13. Combination 17 tow flow frequency Table

(Flow in cfs) USGS Station 01437000 Neversink Biver at Oakland Valley, M.Y.

Probability	Recurrence Interval				و و و و و	for fallowing flumber of Consecutive lays	er of Consi	Rut 1886 . a	يان 24.		
(Percent)	(Years)	p	m	7	¥1	8	E	8	120	163	365
-	100.00	5.45	14.7	21.3	32.6	51.2	67.5	81.6	101	157	178
2	50.00	7.62 17.8	17.8	24.5	35.6	53.3	70.2	2	103	191	20
S	20.00	12.0	23.2	30.1	9.04	57.2	75.2	83 .	107	170	145
10	10.00	17.3	29.0	35.8	45.7	61.4	9.08	÷	=	179	8 02
20	5.00	25.6	37.1	43.7	52.8	67.7	88.9	2	121	153	222
20	2.00	46.3	56.5	62.0	9.69	84.6	112	128	148	231	272
80	1.25	70.0	80.0	84.4	92.1	=	35	168	197	\$	743
06	1.11	81.6	93.6	7.16	101	131	6 2 -	002 200	%	¥	395
96	1.04	95.5	108	113	125	159	122	244	100	017	\$65
86	1.02	98.4	318	123	139	182	5 %	292	35	465	125
66	1.01	103	121	133	152	207	562	323	2	\$26	8 8

Table E-2.14. Combination 17 Low flow Frequency Table (*Flow in Cfs)

SSS Station 01438500 Delaware Piver at Montague, M.J.

,									
			يو شود و و د	the following funcer of torsecutive tax	وهد مر يود	r, arimbas			
~		7	**	8	9		e) Po	ir; Stu	365
940* 1310	7	1500	1570	191	1620	1650•	1660	2440	2730
1040* 1350		1510	1580.	1620*	\$ 9	+ 29 91	1680*	2590	2940
1130* 1410		1530	13.83	1630	⊕ 99	\$ \$3 \$5 \$4	36 9	28 6 0	3300
1280 1466		1540	ें <u>क</u>	291	0.999	C691	1810	3120	0\$96
1340 1510		1570	1622	2591	1710	1820	С.) В В	3480	4110
1430 1606		1650	1690	1750	201	© 8 2₹2	2850	4340	\$160
1520 1670		1780	1850	1990	2370	2810	3470	2500	6430
1550 1700		1870	1980	2530	2770	3120	4160	6260	7200
1590 1730		1990	2170	5890	017	6.70	\$210	7220	6110
1610 1750		2090	2330	2310	19481	4710	06 E 3	7930	8750
1620 1760		2180	5€7£	3270	4650	£42°	7 16 C	0596	0986

*Recalculated

Table E-2.15. Combination 17 Low Flow Frequency Table $\{F\}_{\mathcal{O}M}$ in cfs.

USGS Station 01440200 Delaware River beltw Tocks Island Damsite, PA.

(Years) (Years) <t< th=""><th>Probability</th><th>Recurrence Interval</th><th>e.</th><th></th><th></th><th>102 103</th><th>for following fumber of Consecutive Cays</th><th>er of Con</th><th>•Cutive Sa</th><th>ζ</th><th></th><th></th></t<>	Probability	Recurrence Interval	e.			102 103	for following fumber of Consecutive Cays	er of Con	•Cutive Sa	ζ		
952 1370 1650* 1690* 1740* 1750* 1770* 1780* 2620 1060 1420 1660* 1700* 1750* 1760* 1780* 1790* 1810 3130 1210 1450 1670 1710 1760* 1780* 1780* 1810 3130 1460 1620 1730 1730 1790 1810 1890 2400 2800 3870 1630 1740 1810 1890 2630 2400 2800 4880 1700 1830 2810 2870 3160	rercent)	(Years)		3	1	14	8	09	8	130	8	365
1660 1420 1660* 1700* 1750* 1760* 1780* 1780* 1780* 1780* 1780* 1780* 1780* 1810 3130 1210 1650 1670 1770 1770 1890 1890 2400 3440 1460 1650 1730 1730 1790 1850 2180 2800 3870 1630 1760 1810 1890 2400 2400 2800 3870 3870 4880 4880 4880 4880 1990 4890 4890 8870 1990 1990 2450 2490 2490 8870 8870 1990 2450 2490 2490 8870 8870 1990 2490 <		100.00	256	1370	1650*	-0691	1740•	1750•	1770•	1780-	2620	2882
1210 1490 1670 1710 1760 1780 1780 1810 3130 1330 1550 1680 1720 1770 1850 1860 2180 3870 1460 1620 1730 1790 1850 2180 2180 3870 3870 1700 1830 1760 1810 2180 2630 3160 3860 6190 1710 1870 2070 2180 2470 3170 4670 590 6190 1730* 1930 2450 2850 3410 4670 590 690 690 1740* 1950 2640 2950 3900 5470 6790 8150 950 9630		50.00	1060	1420	1660*	1700*	1750•	1760•	1780•	1790	2810	3240
1330 1550 1680 1720 1770 1850 1810 1850 1860 2180 3870 1460 1620 1690 1730 1790 1850 2400 2180 3870 1530 1740 1760 1810 2180 2630 2400 2800 4880 1710 1870 2070 2190 2470 3170 4670 3900 3000 1720 1910 2280 2460 2950 3910 4670 5930 8870 1730* 1930 2450 2950 3900 5430 6900 8870 1740* 1950 2640 2950 3900 5470 6290 8150 9630 19		20.00	1210	1490	1670	1710	1760•	1780•	1790•	1810	33,80	9990
1460 1620 1690 1730 1790 1850 7800 2180 3870 1530 1740 1760 1810 1810 1890 2400 2400 2800 4880 1700 1830 1920 2010 2180 2610 3170 4700 7040 7040 1710 1870 2190 2470 2950 3910 4670 5930 8870 1730* 1930 2450 2640 3900 5470 6290 8870 9630 11		10.00	1330	1550	1680	1720	1770	1790	0181	1950	3440	4060
1630 1740 1760 1810 1890 2090 2400 7800 4880 1700 1830 1920 2010 2180 2630 3160 3770 6190 6190 1710 1870 2070 2190 2470 3170 4700 7040 7040 1720 1910 2280 2460 2950 3910 4670 5930 8870 1730* 1950 2640 2950 3900 5470 6980 8870		5.00	1460	1620	1690	1730	1790	1850	098	2180	3870	46 00
1700 1830 1920 2010 2180 2630 3160 3770 4700 6190 1710 1870 20.70 2190 2470 3120 3770 4670 7040 1720 1910 2280 2460 2950 3910 4670 5930 8870 1730* 1950 2640 2950 3900 5470 6290 8150 9630		2.00	1630	1740	1760	1810	1890	2030	2400	2800	488 0	5790
1710 1870 2670 2470 3120 3770 4700 7040 1720 1910 2280 2460 2950 3910 4670 5930 8090 1730* 1930 2450 2690 3390 4620 5430 6960 8870 1740* 1950 2640 2950 3900 5470 6290 8150 9630 1		1.25	1700	1830	1920	2010	2180	26 30	3160	3860	6190	7220
1720 1910 2280 2460 2950 3910 4670 5930 8090 1730* 1930 2450 2690 3390 4620 5430 6980 8870 1740* 1950 2640 2950 3900 5470 6290 8150 9630 1		1.11	1710	1870	20,70	2190	2470	02 IE	3770	4700	704 ₀	8070
1730* 1930 2450 2690 3390 4620 5430 6980 8870 1740* 1950 2640 2950 3900 5470 6290 8150 9630 1		1.04	1720	1910	2280	2460	2950	3910	4670	2930	9090	906
1740* 1950 2640 2950 3900 5470 6290 8150 9630		1.02	1730*	1930	2450	2690	3390	4620	% %	0969	6870	9740
		1.01	1740*	1950	2640	2950	3900	\$470	6290	93.50	%	10400

USSS Station 01446500 Delaware River at Belvidere, N.J.

Probability	Recurrence Interval	۵			01 401	for following humber of Consecutive Days	ter of tom	ed akinoe.	5 . ^.		
(Percent)	(Years)		m	£.	ST	ğ	60	06	120	183	365
-	199.00	1160	1380	1680•	1760•	1860*	1870*	1900	1950*	2970	3430
2	50.00	1230	1440	1690	1770	1870*	1880*	*0261	1970*	3210	3760
ĸ	29.00	1330	1520	1710	1780	1880	1 900	1940	1990	3610	4280
10	10.00	1430	1600	1730	1800	1900•	1920	1970	2190	4020	4800
20	5.00	1540	1690	1770	1840	0661	2020	2190	2490	0951	5480
50	2.00	1760	1880	1920	1980	2100	2390	2780	3310	5830	6970
80	1.25	1950	2080	2190	0622	2550	1140	3790	96.60	7460	8720
06	1.1	2040	2190	2400	V\$\$/	2970	3790	4570	6720	8490	9730
96	1.04	2130	2310	2700	2950	3670	0187	5710	7260	9750	10900
98	1.92	2190	2390	2950	3290	4310	5740	0899	8530	10700	00711
66	1.01	2230	2460	3220	36 70 07 38	5070	6.830	1760	0966	11600	12400

Table E-2.17. Contination 17 tow flow Frequency Table

(figh in cts)
(555 fighter 01447800
Lerign River at Anite naven, PA.

	Probability	Pecurrence Interva				•	er following tunker of Consecutive Cavs	er of Consi	re, aktinga	5		
		(Years)		•	•	**	S _m	Ç	Q.	021	385	365
,		173,79	57.0	57.0	57.0	200	0.72	0.72	7.87	108	195	314
		5 0. 00	57.0	67.0	57.0	57.0	67.0	62.2	5.6%	120	222	340
	S	20.00	57.0	57.0	67.3	87.0	67.0	77.0	107	140	992	383
	01	10.93	57.0	57.0	57.0	67.0	1.89	42.7	125	162	309	£23
	20	5.00	57.0	57.0	57.3	62.3	86.5	316	151	195	367	476
	50	2.00	62.4	64.7	75.7	93.6	26	174	122	279	068	586
	Ca	1.25	82.2	87.0	107	134	80 60 81	556	326	409	624	7117
	06	1.1	99	108	131	791	હળ.≱	1. 200	104	503	969	290
	96	1.04	921	139	167	203	240	191	205	631	773	871
	98	1.02	150	991	86~	233	192	447	285	734	822	926
	۲۲	1.01	179	199	232	592	182	503	\$99	842	865	416
-												

Table E-2.18. (Orbination 17 tha flow imequency Table ... in Us.


Domotion There at Celtraille Campite, PA.

Probabilit.	Pecurier:				*		100	SE, PALIEDANIO			
(Person!)	(Near o)	•	* .	,	**	*•	()	ن ئ	120	() ()	365
	101,70	35.0	25.5	35.2		3.6.	C	25.0		35.0	2.09
<i>C</i> 3		35.0		W)	ing f		3,36	%	Č.	34.0	76.6
vr	09.60	35.0	É	ers.	•	÷.	ું કુ	: _	3.98	52.4	88.5
ů.		35.	, , ,	35.7	÷ .	v.	 ,	*	7 [7	8.00	100
50	Ć.	35.0		: · · · · · · · · · · · · · · · · · · ·	•	100 m	5.	44.1	~ ·	£.	315
Ç.	2.53	35.0	¥-	, 'SE	•		5	<u>.</u>	1.92	124	148
ය උ.	6.	76 -	F- 653	39.	13 13 14	ড নুন	22.3	ć.	311 110	160	184
66	No No A No	38.0	41.2	\$ C. C. S.	49	9769	6,88	115	138	17.6	204
96	· · ·	47.4	44.0	. 65	• • • • • • • • • • • • • • • • • • • •	d 39	114	146	170	8	526
86	60.	44.5	67	55.6	\$.5	· *	ij m m	172	104	195	741
ćė	; o ;	48.1	50.7	62.5	3. 69	S. A. S.	32 t	190	318	200	254

*Calculated from statistical parameters.

Table E-2.19. Combination 17 Low Flow Frequency Table [Flow in ofs]
[Substite of Squastice as Squastice of Sq

Probability	Recurrence Interval						er of Cons	ong turber of Consecutive Says	Š.		
Percent)	(Years)	" .	m	r-	**	33	3	Q _n	120	183	365
	100.00	. 6:3	7.73	8.33		9.57	11.4	12.9	16.2	38.9	54.4
2	50.00	2.99	8,85	95.6	o.,	-	13.1	15.2	16.0	44.0	61.2
2	20.00	9.85	13.7	1.7	12.5	13.8	16.2	19.2	24.3	52.5	72.2
25	10.90	11.7	12.6	13.8	74.7	16.5	19.5	23.6	29.7	د.[9	87.8
6. C.	5.00	14.3	15.3	16.7	17.0	20.4	24.4	36.3	37.9		9.96
< · • • ·	2.00	20.4	21.3	23.4	25.1	9.62	37.2	47.9	9.65	୍ ଅଟ	126
:T	1.25	57.9	28.8	31.5	34.1	77	2.95	74.4	92.1	128	156
Ę.	1.11	32.4	33.2	36.3	39.4	(C)	5.69	93.1	115	S 27	173
8	1.04	37.6	38.3	41.6	45.5	56.3	87.0	118	144	164	189
4	1.02	41.2	41.7	45.3	49.7	61.9	וחח	136	166	177	200
÷	1.01	44.5	44.9	48.6	53.6	67.1	114	155	189	188	503






Table E-2.20. Combination 17 Low Flow Frequency Table

(Flow in cfs) USGS Station 01450500 Aquashicola Creek at Palmerton, PA.

Probability	Recurrence Interval				For Foll	owing Numbe	ir of Consi	For Following Number of Consecutive Days	ŕv		
(Percent)	(Years)	1	3	7	14	30	09	06	120	183	365
-	100.00	8.22	9.15	98.6	10.5	11.2	13.3	15.0	18.9	45.2	63.3
2	50.00	9.45	10.4	11.3	12.0	13.0	15.3	17.6	22.2	51.2	71.2
ĸ	20.00	11.6	12.6	13.7	14.6	16.1	18.9	22.4	28.1	61.1	84.0
10		13.7	14.8	16.1	17.2	19.3	22.7	27.5	34.5	71.0	96.3
20	5.00	16.7	17.8	19.4	8.02	23.7	28.4	35.2	44.0	84.3	112
20	2.00	23.7	24.8	27.1	29.1	34.3	43.2	55.6	69.3	114	146
80	1.25	32.4	33.4	36.5	39.5	47.8	65.3	86.5	107	149	182
06	1.1	37.6	38.6	42.1	45.8	26.0	80.9	108	133	168	201
96	1.04	43.6	44.6	48.5	53.1	65.5	101	137	167	161	220
86	1.02	47.8	48.7	52.9	58.1	72.2	117	159	193	205	233
66	1.01	51.6	52.5	56.9	65.9	78.4	133	181	220	219	244

Table E-2.21. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01451000
Lehigh River at Walnutport, PA.

Probability	Recurrence Interval	_			For Fo	For Following Number of Consecutive Days	ber of Con	secutive Da	ske		
(Percent)	(Years)		ო	7	14	30	09	06	120	183	365
	100.00	128	149	182	222	289	343	357	393	912	836
2	50.00	137	158	961	238	303	358	379	423	776	926
5	20.00	153	175	219	592	328	386	420	477	875	1070
01	10.00	169	192	242	291	354	417	465	536	976	1220
20	5.00	192	216	274	327	390	465	533	979	1120	1400
20	2.00	251	277	347	406	479	602	724	879	1450	1810
80	1.25	340	366	441	502	604	835	1050	1310	1890	2280
90	1.11	404	429	501	999	069	1020	1310	1650	2180	2540
96	1.04	490	513	574	639	803	1290	1690	2160	2550	2840
98	1.02	558	579	628	691	889	1530	2020	2600	2820	3030
66	1.01	630	647	680	742	978	1790	2400	3090	3140	3210

Table E-2.22. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01451800
Jordan Creek Near Schnecksville, PA.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	ir of Conse	cutive Day	Ş		
(Percent)	(Years)	*_	3*	*	14*	30	09	06	120	183	365
_	100.00	0.30	0.31	0.44	0.56	0.72	1.12	1.45	2.58	11.9	27.6
2	90.09	0.51	0.58	0.72	0.85	1.03	1.60	2.15	3.60	14.9	31.5
S	20.00	1.08	1.16	1.43	1.62	۱.71	2.64	3.70	5.79	20.3	38.1
10	10.00	1.68	1.82	2.20	2.40	2.58	4.00	5.78	8.57	26.1	44.7
20	5.00	2.41	2.69	3.05	3.27	4.06	6.37	9.44	13.3	34.5	53.6
20	2.00	4.40	5.20	5.80	7.26	8.60	13.9	21.0	27.9	53.8	73.5
80	1.25	7.50	8.05	9.40	11.6	15.6	26.2	39.4	51.4	75.9	96.5
06	1.11	9.25	9.70	11.8	13.5	20.2	34.8	51.4	67.5	87.5	110
96	1.04	11.0	11.5	15.0	22.0	25.6	45.4	65.4	87.2	99.3	124
86	1.02	12.1	12.5	17.0	25.1	29.3	52.8	74.7	101	106	134
66	1.01	13.2	13.9	19.0	25.4	32.6	59.9	83.1	114	112	142

*Calculated from adjusted probabilities

Table E-2.23. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01452000
Jordan Creek at Allentown, PA.

Rec	Recurrence Interval		,		For Follo	wing Numbe	er of Conse	For Following Number of Consecutive Days			
(Years)		*_	3*	*	14*	30	09	06	120	183	365
100.00		0.31	0.58	0.85	66.0	1.12	1.70	2.14	3.73	17.0	39.5
50.00		0.62	0.97	1.35	1.46	1.58	2.40	3.14	5.20	21.3	45.1
20.00		1.48	1.99	2.40	2.49	2.55	3.90	5.37	8.32	29.0	54.5
10.00		2.30	2.90	3.45	3.60	3.80	5.83	8.32	12.3	37.4	63.9
5.00		3.60	4.10	4.60	4.87	5.90	9.17	13.5	19.1	49.3	9.92
2.00		09.9	7.15	8.00	10.9	12.3	19.7	29.9	39.8	6.92	105
1.25	•	10.8	11.1	13.1	16.5	22.3	37.4	56.2	73.4	108	138
1.11		13.2	13.8	16.8	18.3	28.9	49.8	73.8	96.4	125	157
1.04	•	15.7	17.0	21.8	28.0	36.8	65.3	93.8	125	142	177
1.02		17.1	19.0	25.5	34.0	42.3	76.5	108	145	152	191
1.01		18.2	21.0	28.5	35.0	47.3	87.3	120	164	160	203

*Calculated from adjusted probabilities

Table E-2.24. Combination 17 Low Flow Frequency Table

(Flow in cfs)

USGS Station 01453000

Lehigh River at Bethlehem, PA.

Probability	Pecurrenco Interval	c.			For Fo	For Following Number of Consecutive Dave	ber of Ca	secutive [37.6		
(Percent)	(Years)	-	8	7	14	30	09	906	120	183	365
~	100.00	313	365	420	487	533	549	556	290	995	1170
2	50.00	322	371	427	495	545	268	584	930	1070	1270
2	20.00	339	383	441	511	292	604	637	703	1190	1450
10	10.00	358	399	458	529	592	645	969	782	1320	1620
20	5.00	387	423	485	558	630	709	787	903	1500	1850
50	2.00	471	499	999	641	737	894	1050	1240	1930	2370
80	1.25	119	633	704	779	606	1210	1500	1820	2530	2990
06	1.1	720	740	813	884	1040	1470	1860	2280	2930	3370
96	1.04	877	868	696	1030	1220	1850	2400	2970	3450	3810
86	1.02	1010	1030	1100	1150	1360	2170	2880	3560	3850	4120
66	1.01	1160	1180	1240	1280	1520	2540	3410	4220	4250	4410

Table E-2.25. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01454700
Lehigh River at Glendon, PA.

	365	1240	1350	1530	1710	1950	2480	3150	3550	4030	4360	4690
	183	1050	1130	1260	1390	1580	2030	2670	3110	3670	4090	4530
s,	120	636	679	755	838	996	1330	1940	2430	3160	3790	4490
For Following Number of Consecutive Days	06	109	632	687	749	845	1120	1600	1990	2570	3080	3650
ber of Cons	09	296	919	654	269	765	096	1300	1570	1970	2320	2710
lowing Num	30	588	009	621	647	989	798	186	1120	1320	1480	1650
For Fol	14	546	552	999	584	612	869	847	893	1130	1270	1420
	7	466	473	488	505	534	621	774	895	1070	1220	1380
	ო	411	417	431	448	476	960	709	829	1010	1160	1320
	-	324	338	363	390	429	532	693	811	974	1110	1250
Recurrence Interval	(Years)	00 001	20.03	20.00	10.00	5.00	2.00	1.25	1.11	1.04	1.02	1.01
Probability	(Percent)		. 2	ı ıcı	10	20	. C	66 80	06	96	86	66

Table E-2.26. Combination 17 Low Flow Frequency Table

(Flow in cfs)
USGS Station 01456000
Musconetcong River Near Hackettstown, N.J.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	r of Conse	cutive Day	ñ		
(Percent)	(Years)	*	3	7	14	30	09	06	120	183	365
_	100.00	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.2	12.6	33.3
2	50.00	12.2	12.2	12.2	12.2	12.2	12.2	12.2	14.2	18.3	41.7
S	20.00	12.2	12.2	12.2	12.2	12.2	12.2	15.5	19.3	29.7	56.3
10	10.00	12.2	12.2	12.2	12.2	12.2	15.0	19.5	25.0	42.9	71.17
50	5.00	12.2	12.2	12.2	12.2	14.8	19.6	25.7	33.8	62.1	90.7
50	2.00	12.2	12.2	12.4	15.5	22.9	32.6	42.7	56.8	101	129
80	1.25	13.9	16.7	18.1	24.6	37.1	54.3	69.2	9.68	131	161
06	1.11	17.5	22.3	24.7	33.7	48.7	11.17	88.2	111	140	173
96	1.04	25.9	33.5	38.1	49.8	0.99	94.7	113	137	145	182
86	1.02	36.0	46.0	53.2	66.4	80.9	114	133	155	163	186
66	1.01	51.2	63.8	74.7	87.8	8.76	135	153	173	181	189

^{*}Calculated from statistical parameters.

. .

Table E-2.27. Combination 17 Low Flow Frequency Table

(Flow in cfs)
USGS Station 01457500
Delaware River at Riegelsville, N.J.

	365	4730	5200	5970	6710	7700	9870	12300	13800	15400	16400	17400
	183	4030	4130	4960	5550	6340	8190	10500	12000	13900	15200	16500
ys	120	2740	2750	2770	3070	3450	4740	0089	8420	10800	12700	15000
For Following Number of Consecutive Days	06	2690	2700	2720	2750	3070	3990	5570	6840	8730	10400	12200
iber of Con	09	2650	2660	2670	2680	2830	3410	4540	5510	7000	8340	9930
llowing Num	30	2630	2640	2650	2660	2700	2920	3540	4150	5150	0609	7220
For Fo	14	2550	2560	2570	2580	2610	2750	3140	3500	4090	4610	5210
	7	2490	2500	2510	2520	2540	2660	2950	3220	3630	3980	4370
	ო	2080	2110	2170	2230	2310	2510	2800	299 0	3230	3410	3600
4 1	_	1670	1730	1830	1920	2040	2310	2630	2820	3050	3220	3380
Recurrence Interval	(Years)	100.00	50.00	20.00	10.00	5.00	2.00	1.25	1.11	1.04	1.02	1.01
Probability	(Percent)	-	2	5	10	50	20	80	06	96	86	66

Table E-2.28. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01459500

Tohickon Creek at Pipersville, PA.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	er of Conse	ecutive Day	įΛ		
(Percent)	(Years)	 -	3	7*	14*	30 *	09	06	120	183	365
-	100.00	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	43.6
2	20.00	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	13.1	51.7
ς	20.00	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.11	22.6	65.7
10	10.00	11.0	11.0	11.0	11.0	11.0	11.0	11.0	14.4	34.4	80.1
20	5.00	11.0	11.0	11.0	11.0	11.0	11.0	13.1	19.8	53.4	6.66
20	2.00	11.0	11.0	11.0	11.0	11.0	13.5	21.0	37.3	וסו	144
80	1.25	11.0	11.0	11.1	11.5	12.2	22.2	41.5	72.0	152	194
06	1.11	11.0	11.0	11.5	12.7	14.6	31.9	64.8	103	173	221
96	1.04	11.0	11.0	12.1	15.1	19.4	51.1	112	151	191	249
86	1.02	11.0	11.0	12.7	17.4	24.9	72.7	166	194	199	267
66	1.01	11.0	11.0	13.3	20.3	32.3	103	244	244	205	282

*Calculated from statistical parameters

Table E-2.29. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01463500
Delaware River at Trenton, N.J.

	365	2060	2560	9380	7190	8250	10600	13200	14800	16500	17600	18700
	183	4290	4670	5300	5930	0629	8780	11300	12900	14900	16300	17700
S	120	2940*	2950*	2970	3290	3770	5100	7340	0606	11700	13800	16300
For Following Number of Consecutive Days	06	2890*	*0062	2920*	2950	3290	4290	6020	7410	9480	11300	13300
oer of Cons	09	2840*	2850*	5860	2870*	3030	3670	4890	5940	7550	8990	10700
lowing Numt	30	2820*	2830	2840	2850	2890	3130	3790	4440	5520	6540	7760
For Fol	14	2750*	2760*	2770	2780*	2800	2940	3350	3740	4370	4940	2590
	7	*0692	2700*	2710*	2720*	2730	2840	3140	3430	3860	4240	4660
	m	2260	2280	2330	2390	2470	2670	2980	3190	3460	3670	3880
4.	_	1800	1860	1950	2040	2170	2450	2800	3020	3280	3480	3670
Recurrence Interval	(Years)	100.00	50.00	20.00	10.00	5.00	2.00	1.25	1.11	1.04	1.02	1.01
Probability	(Percent)		2	S.	01	50	20	80	06	96	86	66

*Recalculated

Table E-2.30. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01467500
Schuylkill River at Pottsville, PA.

Probability	Recurrence Interval				For Foll	owing Mumb	er of Cons	For Following Number of Consecutive Davs	S >		
(Percent)	(Years)	~	က	7	14	30	09	06	120	183	365
	100.00	9.97	10.8	11.9	12.8	14.5	15.5	17.1	18.7	35.6	47.6
2	50.00	10.8	11.7	12.8	13.7	15.5	16.9	19.1	21.2	39.5	51.8
2	20.00	12.2	13.2	14.3	15.2	17.3	19.4	22.2	25.4	45.3	50.7
10	10.00	13.7	14.7	15.9	16.8	19.1	21.9	25.6	29.9	51.3	65.4
20	5.00	15.7	16.8	18.0	19.0	21.8	25.6	30.5	36.2	59.4	74.4
20	2.00	20.4	21.6	23.3	24.7	28.4	35.0	42.8	52.1	77.9	94.1
80	1.25	56.6	28.1	30.6	32.9	38.2	49.0	8.09	74.7	101	118
06	1.11	30.6	32.4	35.5	38.7	45.1	59.1	73.3	8.68	115	132
96	1.04	35.6	37.6	41.8	46.3	54.3	72.5	89.7	109	131	148
86	1.02	39.4	41.5	46.6	52.2	61.5	83.1	102	124	142	159
66	1.01	43.1	45.4	51.6	58.4	0.69	94.3	115	139	153	169

Table E-2.31. Combination 17 Low Flow Frequency Table

(Flow in cfs) USGS Station 01457950 West Branch Schuylkill River at Cressona, PA.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	er of Cons	ecutive Da	s,		
(Percent)	(Years)		ъ	7	14	30	09	06	120	183	365
,	100.00	8.52	9.55	10.8	11.1	12.1	13.8	14.9	17.6	28.1	38.0
2	50.00	9.56	10.6	13.7	12.1	13.2	15.1	16.6	19.6	31.6	42.2
S	20.00	11.2	12.2	13.3	13.8	15.1	17.4	19.5	23.0	37.3	48.9
10	10.00	12.9	13.8	14.8	15.5	17.0	19.8	22.5	26.6	42.9	55.2
20	5.00	15.1	15.9	16.9	17.8	19.6	23.2	26.9	31.7	50.3	63.4
50	2.00	19.7	20.3	21.5	22.9	25.9	31.4	37.7	44.3	66.2	80.0
80	1.25	24.8	25.3	27.0	29.1	34.3	42.8	52.8	62.3	84.0	97.4
90	1.11	27.6	28.0	30.4	32.8	39.7	50.5	63.0	74.5	93.9	106
96	1.04	30.6	31.0	34.3	37.2	46.5	60.3	76.1	90.2	105	116
86	1.02	32.5	33.0	37.0	40.3	51.5	67.7	86.0	102	112	122
66	1.01	34.2	34.8	39.6	43.2	56.5	75.2	0.96	114	118	127

Table E-2.32. Combination 17 Low Flow Frequency Table (Flow in cfs)

USGS Station 01468500
Schuylkill River at Landingville, PA.

Probability	Recurrence Interval				For Foll	owing Numb	er of Cons	For Following Number of Consecutive Days	s		
(Percent)	(Years)		က	7	14	30	09	06	120	183	365
	100.00	18.5	19.9	20.7	22.3	26.2	30.7	35.1	41.5	87.9	126
2	90.09	20.5	21.9	22.9	24.7	29.0	34.2	39.7	47.4	1.76	136
ស	20.00	23.9	25.5	26.8	28.9	34.0	40.5	48.0	57.8	112	152
10	10.00	27.5	29.1	30.8	33.3	39.2	47.2	56.8	68.9	128	167
20	5.00	32.6	34.3	36.6	39.6	46.7	57.1	8.69	85.1	148	188
50	2.00	45.3	47.4	51.2	55.6	66.2	83.3	104	127	196	235
80	1.25	63.2	0.99	72.2	79.2	95.3	124	155	189	255	294
06	1.11	75.4	78.7	86.8	95.6	116	153	192	232	291	330
96	1.04	91.2	95.2	106	117	144	194	241	289	334	372
86	1.02	103	108	120	134	165	227	280	332	364	403
66	1.01	115	121	136	152	188	261	320	376	393	432

Table E-2.33. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01469500
Little Schuylkill River at Tamaqua, PA.

Probability	Recurrence Interval				For Follo	wing Numbe	r of Conse	For Following Number of Consecutive Days	S		
(Percent)	(Years)		т	7	14	30	09	06	120	183	365
_	100.00	2.51	2.70	3.01	3.39	4.11	4.55	5.29	7.01	23.4	34.6
2	50.00	2.88	3.09	3.42	3.83	4.65	5.32	6.35	8.42	26.2	38.2
2	20.00	3.53	3.78	4.18	4.63	5.65	6.74	8.35	11.1	31.1	44.3
10	10.00	4.25	4.53	5.00	5.50	6.75	8.36	9.01	14.1	36.1	50.5
20	5.00	5.35	5.66	6.22	6.83	8.45	10.9	14.3	18.9	43.2	58.9
50	2.00	8.23	8.69	95.6	10.5	13.3	18.2	24.9	32.8	60.5	78.4
80	1.25	12.8	13.4	14.9	16.6	21.7	31.1	43.5	56.8	84.2	103
06	1.11	16.2	16.9	18.8	21.3	28.4	41.3	58.2	75.5	7.66	119
96	1.04	20.9	21.7	24.3	28.1	38.2	56.3	79.4	102	119	137
86	1.02	24.6	25.5	28.7	33.6	46.6	0.69	6.96	124	134	150
66	1.01	28.6	29.6	33.4	39.7	55.9	82.9	116	148	154*	163

*Recalculated

labie E-2.34. Combination 17 Low Flow Frequency Table (Flow in cfs)

USGS Station 01470000

Little Schuylkill River at Drehersville, PA.

Probability	Recurrence Interval				For Foll	owing Numbe	er of Cons	For Following Number of Consecutive Days	Š		
(Percent)	(Years)	_	3	7	14	30	09	06	120	183	365
-	100.00	19.5	20.6	22.0	24.1	28.6	30.7	33.3	39.1	82.5	118
2	20.00	21.4	22.6	24.1	26.3	31.0	34.0	37.7	44.7	91.4	127
r.	20.00	24.8	26.0	27.8	30.1	35.3	39.9	45.4	54.5	106	142
10	10.00	28.3	29.6	31.6	34.1	39.8	46.2	53.7	64.9	121	157
50	5.00	33.2	34.6	37.0	39.7	46.5	55.4	62.9	80.2	140	177
20	2.00	45.4	47.1	50.5	54.3	64.0	79.8	98.2	120	184	220
80	1.25	62.5	64.8	9.69	75.7	1.19	118	147	178	236	272
06	1.11	74.1	8.92	82.8	6.06	111	145	183	218	267	303
96	1.04	89.0	92.3	8.66	111	139	183	230	173	303	339
86	1.02	100	104	133	127	161	214	892	311	327	364
66	1.01	112	116	126	144	185	247	307	353	370*	388

*Recalculated

Table E-2.35. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01470500
Schuylkill River at Berne, PA.

Probability	Recurrence Interval				For Foll	owing Numbe	er of Cons	For Following Number of Consecutive Days	v		
(Percent)	(Years)	3	ო	7	14	30	09	06	120	183	365
_	100.00	36.2	44.3	48.5	52.2	63.0	74.1	79.9	9.96	219	321
2			49.8	54.5	58.6	70.3	82.7	91.4	111	244	350
S		51.7	59.1	64.6	69.5	82.8	7.76	112	136	285	398
10	10.00	61.8	68.7	75.0	80.8	95.7	114	134	163	327	445
50	5.00	0.92	82.1	89.4	7.96	114	137	167	204	384	208
20	2.00	110	114	124	135	159	199	254	314	517	650
80	1.25	153	156	169	187	222	295	389	483	989	825
06	1.11	179	183	197	220	264	365	486	909	162	932
96	1.04	210	216	232	292	317	461	617	772	915	0901
86	1.02	183	240	257	293	357	537	720	904	1000	1150
66	1.01	251	264	281	323	397	819	828	1040	1090	1230

Table E-2.36. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01470756
Maiden Creek at Virginville, PA.

Probability	Recurrence Interval				For Follc	wing Numbe	r of Conse	For Following Number of Consecutive Days			
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
-	100.00	7.40	8.32	9.83	10.1	11.8	13.7	15.8	20.9	46.6	77.3
2	50.00	8.58	9.55	11.0	11.4	13.3	15.8	18.5	24.3	54.5	87.9
ις	20.00	10.6	11.7	13.1	13.8	16.0	19.6	23.4	30.6	68.4	106
10	10.00	12.7	13.8	15.3	16.2	18.8	23.7	29.0	37.7	82.8	124
20	5.00	15.6	16.8	18.3	19.7	23.0	29.8	37.5	48.6	103	148
50	2.00	22.4	23.6	25.7	28.2	34.2	46.5	61.5	79.8	152	204
80	1.25	30.7	32.0	35.7	40.1	51.5	72.8	102	132	213	270
06	1.1	35.7	37.0	42.2	47.9	64.1	92.2	132	173	250	310
96	1.04	41.4	42.7	50.3	57.7	81.3	119	175	232	262	354
86	1.02	45.2	46.6	56.2	65.0	95.0	140	211	280	321	385
66	1.01	48.8	50.2	62.1	72.2	110	162	249	333	349	413

Table E-2.37. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01470960

Tulpehocken Creek at Blue Marsh Damsite, PA.

Probability	Pecurrence Interval				For Foll	For Following Number of Consecutive Pays	r of Conse	cutive Pays			
(Percent)	(Years)	_	3*	7	14	30	09	06	120	183	365
_	100.00	41.0 41.0	41.0	41.0	41.0	41.0	41.0	41.0	42.2	59.0	105
2	50.00	41.0		41.0	41.0	41.0	41.0	41.0	47.2	0.89	117
S	20.00	41.0		41.0	41.0	41.0	41.0	46.2	92.0	83.5	136
10	10.00	41.0	41.0	41.0	41.0	41.3	47.2	54.4	65.4	99.4	155
20	5.00	41.0	41.0	41.0	41.1	46.9	56.2	66.3	79.3	122	179
50	2.00	41.0	41.0	42.3	49.7	61.6	9.62	97.3	116	173	232
80	1.25	41.0	41.7	50.2	64.3	84.4	114	144	173	238	262
06	1.11	41.0	43.2	57.4	75.6	101	138	178	215	276	326
96	1.04	41.0	45.8	9.89	92.1	124	171	222	272	320	364
86	1.02	41.0	48.2	78.7	901	143	196	257	317	351	389
66	1.01	41.0	50.8	90.4	121	164	222	294	365	379	412

*Calculated from statistical parameters

Table E-2.38. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01471000
Tulpehocken Creek at Reading, PA.

Probability	Recurrence Interval				For Follo	For Following Number of Consecutive Days	of Conse	cutive Days			
(Percent)	(Years)	_	3	7	14	30	09	06	120	183	365
_	100.00	42.5	43.6*	44.7*	45.8*	46.5*	47.2*	47.8*	52.3	75.8	129
2	50.00	43.2	44.1*	45.1*	46.2*	47.0*	47.5*	48.0	58.5	8.8	143
ις	20.00	44.5	44.7	44.8*	44.9	48.9*	50.7	57.4	69.2	901	991
10	10.00	46.0	46.5	47.0	48.1	50.8	58.4	67.3	80.7	125	188
50	5.00	48.3	49.3	9.03	52.9	57.8	69.4	81.8	97.6	151	218
20	2.00	55.2	57.1	60.3	65.2	76.2	7.76	120	142	213	282
80	1.25	66.7	69.4	76.0	83.8	104	139	176	211	290	354
06	1.11	75.4	78.6	87.9	97.3	124	169	217	261	336	395
96	1.04	87.6	91.3	105	116	152	207	271	330	390	441
86	1.02	97.6	101	118	130	175	237	313	384	427	471
66	1.01	108	112	133	146	199	569	357	442	462	499

*Recalculated

Table E-2.39. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01471500
Schuylkill River at Reading, PA.

	183 365	389 609	448 685	550 810	653 933	795 1100	1120 1460	1520 1860	1750 2090	2020 2340	2200 2510	2360 2660
ays	120	196	225	277	334	420	654	1020	1300	1670 2	1980 2	2300 2
For Following Number of Consecutive Days	06	153	176	218	264	333	520	814	1030	1320	1560	1800
umber of Co	09	141	160	192	226	276	408	610	755	951	1110	1270
Following N	30	126	140	164	190	526	319	454	547	699	762	829
For	14	109	121	142	164	193	264	357	416	489	541	593
	7	106	117	136	155	181	243	324	376	439	484	529
	٣	95.3	106	125	144	169	217 227	297	340	389	424	456
			98.4	117	135	160	217	287	329	378	412	445
Pecurrence Interval	(Years)	100.00	50.00	20.00	10.00	5.00	2.00	1.25	1.11	1.04	1.02	1.01
Probability (Porcent)	(1010)	-	2	5	10	20	50	80	06	96	86	66

Table E-2.40. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01472000
Schuylkill River at Pottstown, PA.

Probability	Recurrence Interval				For Fo	For Following M.	oer of גיחי	Der of Casecutive Days	ly s		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
_	100.00	146	191	180	183	207	234	251	309	567	829
5	50.00	163	179	197	202	227	260	285	350	642	921
5	20.00	192	207	225	233	262	306	344	422	792	1070
Ċ.	10.00	220	235	252	265	298	354	408	499	892	1220
20	5.00	258	273	291	308	350	423	501	611	1060	1410
50	2.00	342	356	380	409	478	601	743	206	1450	1830
80	1.25	443	455	495	540	099	198	0111	1350	1920	2300
66	1.1	505	514	267	622	785	1040	1370	1670	2190	2560
96	1.04	569	581	929	723	947	1290	1710	2100	2510	2850
98	1.02	615	627	720	795	1070	1470	1980	2430	2720	3050
66	1.01	658	029	783	998	1200	1670	2260	2780	2920	3220

Table E 2.41. Combination 17 Low Flow Frequency Table (Flow in cfs)
USGS Station 01473000
Perkiomen Creek at Graterford, PA.

Probability	Recurrence Interval				For Foll	For Following Number of Consecutive Days	er of Cons	ecutive Day	s/		
(Percent)	(Years)	-	က	7	14	30	09	06	120	183	365
_	100.00	5.51	8.78	11.3	13.0	16.2	24.1	32.9	35.8	72.8	165
2	50.00	6.95	10.4	12.9	14.6	18.3	56.6	35.9	40.8	86.3	182
വ	20.00	9.64	13.2	15.7	17.6	22.0	31.3	41.5	49.9	110	112
10	10.00	12.6	16.2	18.6	8.02	26.1	36.5	48.0	60.3	135	240
50	5.00	17.1	20.5	22.9	25.5	32.0	44.5	58.4	76.5	171	279
20	2.00	28.3	31.0	34.0	37.9	47.7	9.79	90.5	124	259	367
80	1.25	42.7	44.7	50.1	57.1	71.7	109	153	210	374	475
06	1.11	51.3	53.1	61.2	71.0	0.68	143	210	281	445	541
96	1.04	8.09	63.0	75.8	86.8	113	194	303	389	528	617
86	1.02	0.79	8.69	86.9	105	313	239	390	483	586	670
66	1.01	72.6	75.2	98.2	120	150	291	495	290	640	721

Table E-2.42. Combination 17 Low Flow Frequency Table (Flow in cfs)

(Flow in cfs) USGS Station 01474500 Schuylkill River at Philadelphia, PA.

Probability	Recurrence Interval	ø,			For Fo	For Following Number of Consecutive Days	iber of Co	nsecutive D	ays		
(Percent)	(Years)	_	3	7	14	30	09	90	120	183	365
-	100.00	218	231	247	248	273	309	348	443	826	1240
2	90.09	536	251	268	273	302	349	399	505	936	1380
5	20.00	267	283	305	315	353	419	489	809	1120	1610
10	10.00	562	317	341	357	405	494	586	722	1310	1840
50	5.00	343	364	393	418	481	602	729	890	1580	2150
20	2.00	450	475	519	266	029	880	1100	1340	2190	2810
80	1.25	595	624	692	177	941	1290	1660	2040	2970	3570
06	1.11	169	722	807	606	1130	1570	2050	2550	3450	3990
96	1.04	813	843	955	1080	1370	1940	2560	3240	4020	4460
86	1.02	904	934	1070	1220	1560	2220	2960	3790	4410	4780
66	1.01	966	1020	1180	1350	1750	2520	3370	4370	4790	2060

Table E-2.43. Combination 17 Low Flow Frequency Table (Flow in cfs)

Delaware River Below Schuylkill Confluence


Probability	Recurrence Interval				For Foll	owing Num	For Following Number of Consecutive Days	ecutive Day	s/		
(Percent)	(Years)	-	3	7	14	30	09	06	120	183	365
-	100.00	2370	2690	3200	3260	3300	3320*	3340*	3360	5730	7153
2	50.00	2450	2750	3220*	3270	3330	3420*	3520*	3620	9300	7920
'n	20.00	2600	2860	3240	3320	3400	3520*	3630	4080	7230	9100
10	10.00	2740	2970	3280	3370	3500	3650	4010	4570	8170	10200
20	5.00	2920	3130	3360	3480	3670	4040	4580	5310	9440	11300
50	2.00	3350	3500	3670	3860	4260	5180	6170	7340	12400	15000
80	1.25	3870	4000	4270	4650	5400	7100	8840	10700	16200	18800
06	1.11	4200	4330	4770	5310	6370	8630	11000	13300	18500	20900
96	1.04	4590	4740	2500	6300	7840	10900	14000	17000	21300	23300
86	1.02	4870	5040	6120	7170	9140	12800	16700	20200	23400	24900
66	1.01	5150	5350	0089	8140	10600	15000	19600	23700	25300	26300

Table E-2.44. Combination 17 Low Flow Frequency Table (Flow in cfs)

Delaware River at Delaware Memorial Bridge


Probability	Recurrence Interval	a :			For Fol	lowing Numt	er of Cons	For Following Number of Consecutive Days	ñ		
(Percent)	(Years)	-	m	7	14	30	09	06	120	183	365
-	100.00	2450	2750	3300	3370	3400*	3450*	3490*	3650	6170	7330
2	50.00	2560	2840	3320	3400	3430	3480*	3520	3930	6780	8610
5	20.00	2730	2990	3370	3460	3550	3590	3920	4450	7810	9830
10	10.00	2900	3130	3440	3550	3690	3900	4360	2000	8830	11100
20	5.00	3130	3330	3560	3700	3930	4380	5020	5830	10200	12800
50	2.00	3630	3800	3960	4200	4680	2690	6830	8100	13500	16300
80	1.25	4250	4400	4730	5150	6030	7880	9820	11800	17700	20400
06	1.11	4630	4780	5340	5930	7140	0656	12200	14700	20300	22700
96	1.04	5080	5250	6250	7080	8790	12100	15500	18800	23500	25300
86	1.02	5410	2590	7010	8060	10200	14200	18400	22300	25800	27100
66	1.01	5720	5930	7850	9170	11800	16500	21600	26100	28000	23700

*Recalculated



Combination 17 Low Flow Frequency Curves For 01417000, East Branch Delaware River at Downsville, N.Y. RECURRENCE INTERVAL IN YEARS Figure E-45.

FION HZ OFO




HZ

下しり3

 $O \Vdash O$

Combination 17 Low Flow Frequency Curves For 01425000, West Branch Delaware River at Stilesville, N.Y. RECURRENCE INTERVAL IN YEARS Figure E-46.



下しつ3

HZ

 $O \sqcap Q$


RECURRENCE INTERVAL IN YEARS Figure E-47. Combination 17 Low Flow Frequency Curves For 01426500, West Branch Delaware River at Hale Eddy, N.Y.

1103

HZ


 $\Omega \coprod \Omega$

RECURRENCE INTERVAL IN YEARS
Figure E-48. Combination 17 Low Flow Frequency Curves For 01427405, Delaware River Near Callicoon, N.Y.



RECURRENCE INTERVAL IN YEARS Fingre E-49. Combination 17 Low Flow Frequency Curves For 01428500, Delaware River Near Barryville, N.Y.

TTO3 HZ OFW




 $O \perp C$

HZ

下しの3

RECURRENCE INTERVAL IN YEARS
Figure E-50. Combination 17 Low Flow Frequency Curves For 01431500, Lackawaxen River at Hawley, PA.




HZ

Combination 17 Low Flow Frequency Curves For 01434000, Delaware River at Port Jervis, N.Y. RECURRENCE INTERVAL IN YEARS Figure E-51.


HZ

RECURRENCE INTERVAL IN YEARS

Combination 17 Low Flow Frequency Curves For 01436000, Neversink River at Neversink, N.Y. Figure E-52.




RECURRENCE INTERVAL IN YEARS Figure E-53. Combination 17 Low Flow Frequency Curves For 01438500, Delaware River at Montague, N.J.



RECURRENCE INTERVAL IN YEARS

Figure E-54. Combination 17 Low Flow Frequency Curves For 01449800, Pohopoco Creek at Beltzville Damsite, PA.




 $O \Vdash Q$

HZ

下しの3

RECURRENCE INTERVAL IN YEARS Figure E-55. Combination 17 Low Flow Frequency Curves For 01453000, Lehigh River at Bethlehem, PA.




下しつ3

 Ω \mathbb{F} Ω

HZ

RECURRENCE INTERVAL IN YEARS

Figure E-56. Combination 17 Low Flow Frequency Curves For 01459500, Tohickon Creek at Pipersville, PA.



RECURRENCE INTERVAL IN YEARS Figure E-57. Combination 17 Low Flow Frequency Curves For 01463500, Delaware River at Trenton, N.J.

STO


HZ

下しる3

RECURRENCE INTERVAL IN YEARS

Figure E-58. Combination 17 Low Flow Frequency Curves For 01470960, Tulpehocken Creek at Blue Marsh Damsite, PA.

- ·



下しの3

OFS

HZ

RECURRENCE INTERVAL IN YEARS

Figure E-59. Combination 17 Low Flow Frequency Curves For 01471500, Schuylkill River at Reading, PA.


and the second second

ZOL

HZ

RECURRENCE INTERVAL IN YEARS

Figure E-60. Combination 17 Low Flow Frequency Curves For 01474500, Schuylkill River at Philadelphia, PA.



HZ

RECURRENCE INTERVAL IN YEARS

Figure E-61. Combination 17 Low Flow Frequency Curves For Delaware River Below Mouth of Schuylkill

下しつ3

HZ

 $O \Vdash O$

RECURRENCE INTERVAL IN YEARS

Figure E-62. Combination 17 Low Flow Frequency Curves For Delaware River at Delaware Memorial Bridge

